
Umpire Documentation

Release 3.0.0

David Beckingsale

Jul 06, 2020

BASICS

1	Getting Started	3
1.1	Installation	3
1.2	Basic Usage	4
2	Umpire Tutorial	5
2.1	Allocators	5
2.2	Resources	6
2.3	Operations	7
2.4	Dynamic Pools	13
2.5	Introspection	16
2.6	Typed Allocators	17
2.7	Replay	18
2.8	C API: Allocators	19
2.9	C API: Resources	20
2.10	C API: Pools	20
2.11	FORTRAN API: Allocators	21
3	Advanced Configuration	23
4	Umpire Cookbook	25
4.1	Growing and Shrinking a Pool	25
4.2	Disable Introspection	27
4.3	Apply Memory Advice to a Pool	28
4.4	Apply Memory Advice with a Specific Device ID	29
4.5	Moving Host Data to Managed Memory	30
4.6	Improving DynamicPool Performance with a Coalesce Heuristic	31
4.7	Move Allocations Between NUMA Nodes	33
4.8	Determining the Largest Block of Available Memory in Pool	35
4.9	Coalescing Pool Memory	36
4.10	Building a Pinned Memory Pool in FORTRAN	37
4.11	Visualizing Allocators	38
4.12	Mixed Pool Creation and Algorithm Basics	39
4.13	Thread Safe Allocator	40
5	Features	43
5.1	Allocators	43
5.2	Strategies	43
5.3	Operations	44
5.4	Logging and Replay of Umpire Events	46
5.5	File I/O	49

6	API	51
6.1	Class Hierarchy	51
6.2	File Hierarchy	51
6.3	Full API	51
7	Contribution Guide	271
7.1	Forking Umpire	271
8	Developer Guide	273
	Index	275

Umpire is a resource management library that allows the discovery, provision, and management of memory on next-generation hardware architectures with NUMA memory hierarchies.

- Take a look at our Getting Started guide for all you need to get up and running with Umpire.
- If you are looking for developer documentation on a particular function, check out the code documentation.
- Want to contribute? Take a look at our developer and contribution guides.

Any questions? File an issue on GitHub, or email umpire-dev@llnl.gov

GETTING STARTED

This page provides information on how to quickly get up and running with Umpire.

1.1 Installation

Umpire is hosted on GitHub [here](#). To clone the repo into your local working space, type:

```
$ git clone --recursive https://github.com/LLNL/Umpire.git
```

The `--recursive` argument is required to ensure that the *BLT* submodule is also checked out. *BLT* is the build system we use for Umpire.

1.1.1 Building Umpire

Umpire uses CMake and BLT to handle builds. Make sure that you have a modern compiler loaded and the configuration is as simple as:

```
$ mkdir build && cd build  
$ cmake -DCUDA_TOOLKIT_ROOT_DIR=/path/to/cuda ../
```

By default, Umpire will attempt to build with CUDA. CMake will provide output about which compiler is being used, and what version of CUDA was detected. Once CMake has completed, Umpire can be built with Make:

```
$ make
```

For more advanced configuration, see *Advanced Configuration*.

1.1.2 Installing Umpire

To install Umpire, just run:

```
$ make install
```

Umpire install files to the `lib`, `include` and `bin` directories of the `CMAKE_INSTALL_PREFIX`. Additionally, Umpire installs a CMake configuration file that can help you use Umpire in other projects. By setting `umpire_DIR` to point to the root of your Umpire installation, you can call `find_package(umpire)` inside your CMake project and Umpire will be automatically detected and available for use.

1.2 Basic Usage

Let's take a quick tour through Umpire's most important features. A complete listing you can compile is included at the bottom of the page. First, let's grab an Allocator and allocate some memory. This is the interface through which you will want to access data:

```
auto& rm = umpire::ResourceManager::getInstance();
umpire::Allocator allocator = rm.getAllocator("HOST");

float* my_data = static_cast<float*>(allocator.allocate(100*sizeof(float)));
```

This code grabs the default allocator for the host memory, and uses it to allocate an array of 100 floats. We can ask for different Allocators to allocate memory in different places. Let's ask for a device allocator:

```
umpire::Allocator device_allocator = rm.getAllocator("DEVICE");

float* my_data_device = static_cast<float*>(device_allocator.
↳allocate(100*sizeof(float)));
```

This code gets the default device allocator, and uses it to allocate an array of 100 floats. Remember, since this is a device pointer, there is no guarantee you will be able to access it on the host. Luckily, Umpire's ResourceManager can copy one pointer to another transparently. Let's copy the data from our first pointer to the DEVICE-allocated pointer.

```
rm.copy(my_data, my_data_device);
```

To free any memory allocated, you can use the deallocate function of the Allocator, or the ResourceManager. Asking the ResourceManager to deallocate memory is slower, but useful if you don't know how or where an allocation was made:

```
allocator.deallocate(my_data); // deallocate using Allocator
rm.deallocate(my_data_device); // deallocate using ResourceManager
```


UMPIRE TUTORIAL

This section is a tutorial introduction to Umpire. We start with the most basic memory allocation, and move through topics like allocating on different resources, using allocation strategies to change how memory is allocated, using operations to move and modify data, and how to use Umpire introspection capability to find out information about Allocators and allocations.

These examples are all built as part of Umpire, and you can find the files in the [examples](#) directory at the root of the Umpire repository. Feel free to play around and modify these examples to experiment with all of Umpire's functionality.

The following tutorial examples assume a working knowledge of C++ and a general understanding of how memory is laid out in modern heterogeneous computers. The main thing to remember is that in many systems, memory on other execution devices (like GPUs) might not be directly accessible from the CPU. If you try and access this memory your program will error! Luckily, Umpire makes it easy to move data around, and check where it is, as you will see in the following sections.

2.1 Allocators

The fundamental concept for accessing memory through Umpire is the `umpire::Allocator`. An `umpire::Allocator` is a C++ object that can be used to allocate and deallocate memory, as well as query a pointer to get some extra information about it.

All `umpire::Allocator`s are created and managed by Umpire's `umpire::ResourceManager`. To get an Allocator, you need to ask for one:

```
auto& rm = umpire::ResourceManager::getInstance();  
  
umpire::Allocator allocator = rm.getAllocator("HOST");
```

Once you have an `umpire::Allocator` you can use it to allocate and deallocate memory:

```
double* data = static_cast<double*>(  
    allocator.allocate(SIZE*sizeof(double)));  
  
std::cout << "Allocated " << (SIZE*sizeof(double)) << " bytes using the "  
    << allocator.getName() << " allocator...";  
  
allocator.deallocate(data);
```

In the next section, we will see how to allocate memory using different resources.

```

////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////
#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

int main(int, char**) {

    constexpr std::size_t SIZE = 1024;

    auto& rm = umpire::ResourceManager::getInstance();

    umpire::Allocator allocator = rm.getAllocator("HOST");

    double* data = static_cast<double*>(
        allocator.allocate(SIZE*sizeof(double)));

    std::cout << "Allocated " << (SIZE*sizeof(double)) << " bytes using the "
        << allocator.getName() << " allocator...";

    allocator.deallocate(data);

    std::cout << " deallocated." << std::endl;

    return 0;
}

```

2.2 Resources

Each computer system will have a number of distinct places in which the system will allow you to allocate memory. In Umpire’s world, these are *memory resources*. A memory resource can correspond to a hardware resource, but can also be used to identify memory with a particular characteristic, like “pinned” memory in a GPU system.

When you configure Umpire, it will create `umpire::resource::MemoryResource`s according to what is available on the system you are building for. For each resource, Umpire will create a default `umpire::Allocator` that you can use. In the previous example, we were actually using an `umpire::Allocator` created for the memory resource corresponding to the CPU memory

The easiest way to identify resources is by name. The “HOST” resource is always available. In a modern NVIDIA GPU system, we also have resources that represent global GPU memory (“DEVICE”), unified memory that can be accessed by the CPU or GPU (“UM”) and host memory that can be accessed by the GPU (“PINNED”);

Umpire will create an `umpire::Allocator` for each of these resources, and you can get them using the same `umpire::ResourceManager::getAllocator()` call you saw in the previous example:

```
umpire::Allocator allocator = rm.getAllocator(resource);
```

Note that every allocator supports the same calls, no matter which resource it is for, this means we can run the same code for all the resources available in the system.

In the next example, we will learn how to move data between resources using operations.

```

////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////
#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

void allocate_and_deallocate(const std::string& resource)
{
    constexpr std::size_t SIZE = 1024;

    auto& rm = umpire::ResourceManager::getInstance();

    umpire::Allocator allocator = rm.getAllocator(resource);

    double* data = static_cast<double*>(
        allocator.allocate(SIZE*sizeof(double)));

    std::cout << "Allocated " << (SIZE*sizeof(double)) << " bytes using the "
        << allocator.getName() << " allocator...";

    allocator.deallocate(data);

    std::cout << " deallocated." << std::endl;
}

int main(int, char**) {
    allocate_and_deallocate("HOST");

#ifdef UMPIRE_ENABLE_CUDA
    allocate_and_deallocate("DEVICE");
    allocate_and_deallocate("UM");
    allocate_and_deallocate("PINNED");
#endif
#ifdef UMPIRE_ENABLE_HIP
    allocate_and_deallocate("DEVICE");
    allocate_and_deallocate("PINNED");
#endif

    return 0;
}

```

2.3 Operations

Moving and modifying data in a heterogenous memory system can be annoying. You have to keep track of the source and destination, and often use vendor-specific APIs to perform the modifications. In Umpire, all data modification and movement is wrapped up in a concept we call *operations*. Full documentation for all of these is available [here](#). The full code listing for each example is include at the bottom of the page.

2.3.1 Copy

Let's start by looking at how we copy data around. The `umpire::ResourceManager` provides an interface to copy that handles figuring out where the source and destination pointers were allocated, and selects the correct implementation to copy the data:

```
rm.copy(dest_data, source_data);
```

This example allocates the destination data using any valid Allocator.

2.3.2 Move

If you want to move data to a new Allocator and deallocate the old copy, Umpire provides a `umpire::ResourceManager::move()` operation.

```
double* dest_data = static_cast<double*>(
    rm.move(source_data, dest_allocator));
```

The move operation combines an allocation, a copy, and a deallocate into one function call, allowing you to move data without having to have the destination data allocated. As always, this operation will work with any valid destination Allocator.

2.3.3 Memset

Setting a whole block of memory to a value (like 0) is a common operation, that most people know as a memset. Umpire provides a `umpire::ResourceManager::memset()` implementation that can be applied to any allocation, regardless of where it came from:

```
rm.memset(data, 0);
```

2.3.4 Reallocate

Reallocating CPU memory is easy, there is a function designed specifically to do it: `realloc`. When the original allocation was made in a different memory however, you can be out of luck. Umpire provides a `umpire::ResourceManager::reallocate()` operation:

```
data = static_cast<double*>(rm.reallocate(data, REALLOCATED_SIZE));
```

This method returns a pointer to the reallocated data. Like all operations, this can be used regardless of the Allocator used for the source data.

2.3.5 Listings

Copy Example Listing

```
////////////////////////////////////  
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire  
// project contributors. See the COPYRIGHT file for details.  
//  
// SPDX-License-Identifier: (MIT)  
////////////////////////////////////
```

(continues on next page)

(continued from previous page)

```

#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

void copy_data(double* source_data, std::size_t size, const std::string& destination)
{
    auto& rm = umpire::ResourceManager::getInstance();
    auto dest_allocator = rm.getAllocator(destination);

    double* dest_data = static_cast<double*>(
        dest_allocator.allocate(size*sizeof(double)));

    rm.copy(dest_data, source_data);

    std::cout << "Copied source data (" << source_data << ") to destination "
        << destination << " (" << dest_data << ")" << std::endl;

    dest_allocator.deallocate(dest_data);
}

int main(int, char**) {
    constexpr std::size_t SIZE = 1024;

    auto& rm = umpire::ResourceManager::getInstance();

    auto allocator = rm.getAllocator("HOST");

    double* data = static_cast<double*>(
        allocator.allocate(SIZE*sizeof(double)));

    std::cout << "Allocated " << (SIZE*sizeof(double)) << " bytes using the "
        << allocator.getName() << " allocator." << std::endl;

    std::cout << "Filling with 0.0...";

    for (std::size_t i = 0; i < SIZE; i++) {
        data[i] = 0.0;
    }

    std::cout << "done." << std::endl;

    copy_data(data, SIZE, "HOST");
    #if defined(UMPIRE_ENABLE_CUDA)
    copy_data(data, SIZE, "DEVICE");
    copy_data(data, SIZE, "UM");
    copy_data(data, SIZE, "PINNED");
    #endif
    #if defined(UMPIRE_ENABLE_HIP)
    copy_data(data, SIZE, "DEVICE");
    copy_data(data, SIZE, "PINNED");
    #endif

    allocator.deallocate(data);

    return 0;
}

```

Move Example Listing

```

////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////
#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

double* move_data(double* source_data, const std::string& destination)
{
    auto& rm = umpire::ResourceManager::getInstance();
    auto dest_allocator = rm.getAllocator(destination);

    std::cout << "Moved source data (" << source_data << ") to destination ";

    double* dest_data = static_cast<double*>(
        rm.move(source_data, dest_allocator));

    std::cout << destination << " (" << dest_data << ")" << std::endl;

    return dest_data;
}

int main(int, char**) {
    constexpr std::size_t SIZE = 1024;

    auto& rm = umpire::ResourceManager::getInstance();

    auto allocator = rm.getAllocator("HOST");

    double* data = static_cast<double*>(
        allocator.allocate(SIZE*sizeof(double)));

    std::cout << "Allocated " << (SIZE*sizeof(double)) << " bytes using the "
        << allocator.getName() << " allocator." << std::endl;

    std::cout << "Filling with 0.0...";

    for (std::size_t i = 0; i < SIZE; i++) {
        data[i] = 0.0;
    }

    std::cout << "done." << std::endl;

    data = move_data(data, "HOST");
    #if defined(UMPIRE_ENABLE_CUDA)
    data = move_data(data, "DEVICE");
    data = move_data(data, "UM");
    data = move_data(data, "PINNED");
    #endif
    #if defined(UMPIRE_ENABLE_HIP)
    data = move_data(data, "DEVICE");
    data = move_data(data, "PINNED");
    #endif

    rm.deallocate(data);
}

```

(continues on next page)

(continued from previous page)

```

return 0;
}

```

Memset Example Listing

```

////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////
#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

int main(int, char**) {
    constexpr std::size_t SIZE = 1024;

    auto& rm = umpire::ResourceManager::getInstance();

    const std::string destinations[] = {
        "HOST"
#ifdef UMPIRE_ENABLE_CUDA
        , "DEVICE"
        , "UM"
        , "PINNED"
#endif
#ifdef UMPIRE_ENABLE_HIP
        , "DEVICE"
        , "PINNED"
#endif
    };

    for (auto& destination : destinations) {
        auto allocator = rm.getAllocator(destination);
        double* data = static_cast<double*>(
            allocator.allocate(SIZE*sizeof(double)));

        std::cout << "Allocated " << (SIZE*sizeof(double)) << " bytes using the "
            << allocator.getName() << " allocator." << std::endl;

        rm.memset(data, 0);

        std::cout << "Set data from " << destination << " (" << data << ") to 0." <<
        ↪std::endl;

        allocator.deallocate(data);
    }

    return 0;
}

```

Reallocate Example Listing

```

////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.

```

(continues on next page)

```

//
// SPDX-License-Identifier: (MIT)
//
//
#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

int main(int, char**) {
    constexpr std::size_t SIZE = 1024;
    constexpr std::size_t REALLOCATED_SIZE = 256;

    auto& rm = umpire::ResourceManager::getInstance();

    const std::string destinations[] = {
        "HOST"
#ifdef UMPIRE_ENABLE_CUDA
        , "DEVICE"
        , "UM"
        , "PINNED"
#endif
#ifdef UMPIRE_ENABLE_HIP
        , "DEVICE"
        , "PINNED"
#endif
    };

    for (auto& destination : destinations) {
        auto allocator = rm.getAllocator(destination);
        double* data = static_cast<double*>(
            allocator.allocate(SIZE*sizeof(double)));

        std::cout << "Allocated " << (SIZE*sizeof(double)) << " bytes using the "
            << allocator.getName() << " allocator." << std::endl;

        std::cout << "Reallocating data (" << data << ") to size "
            << REALLOCATED_SIZE << "...";

        data = static_cast<double*>(rm.reallocate(data, REALLOCATED_SIZE));

        std::cout << "done. Reallocated data (" << data << ")" << std::endl;

        allocator.deallocate(data);
    }

    return 0;
}

```


2.4 Dynamic Pools

Frequently allocating and deallocating memory can be quite costly, especially when you are making large allocations or allocating on different memory resources. To mitigate this, Umpire provides allocation strategies that can be used to customize how data is obtained from the system.

In this example, we will look at the `umpire::strategy::DynamicPool` strategy. This is a simple pooling algorithm that can fulfill requests for allocations of any size. To create a new Allocator using the `umpire::strategy::DynamicPool` strategy:

```
auto allocator = rm.getAllocator(resource);

auto pooled_allocator =
    rm.makeAllocator<umpire::strategy::DynamicPool>(resource + "_pool",
                                                    allocator);
```

We have to provide a new name for the Allocator, as well as the underlying Allocator we wish to use to grab memory.

Once you have an Allocator, you can allocate and deallocate memory as before, without needing to worry about the underlying algorithm used for the allocations:

```
double* data = static_cast<double*>(
    pooled_allocator.allocate(SIZE*sizeof(double)));

std::cout << "Allocated " << (SIZE*sizeof(double)) << " bytes using the "
    << pooled_allocator.getName() << " allocator...";

pooled_allocator.deallocate(data);
```

Don't forget, these strategies can be created on top of any valid Allocator:

```
allocate_and_deallocate_pool("HOST");

#ifdef UMPIRE_ENABLE_CUDA
    allocate_and_deallocate_pool("DEVICE");
    allocate_and_deallocate_pool("UM");
    allocate_and_deallocate_pool("PINNED");
#endif
#ifdef UMPIRE_ENABLE_HIP
    allocate_and_deallocate_pool("DEVICE");
    allocate_and_deallocate_pool("PINNED");
#endif
```

Most Umpire users will make allocations that use the GPU via the `umpire::strategy::DynamicPool`, to help mitigate the cost of allocating memory on these devices.

You can tune the way that `umpire::strategy::DynamicPool` allocates memory using two parameters: the initial size, and the minimum size. The initial size controls how large the first underlying allocation made will be, regardless of the requested size. The minimum size controls the minimum size of any future underlying allocations. These two parameters can be passed when constructing a pool:

```
auto allocator = rm.getAllocator(resource);

auto pooled_allocator =
    rm.makeAllocator<umpire::strategy::DynamicPool>(resource + "_pool",
                                                    allocator,
```

(continues on next page)

(continued from previous page)

```

initial_size, /* default = 512Mb*/
min_block_size /* default = 1Mb */
↪);

```

Depending on where you are allocating data, you might want to use different sizes. It's easy to construct multiple pools with different configurations:

```

allocate_and_deallocate_pool("HOST", 65536, 512);
#if defined(UMPIRE_ENABLE_CUDA)
allocate_and_deallocate_pool("DEVICE", (1024*1024*1024), (1024*1024));
allocate_and_deallocate_pool("UM", (1024*64), 1024);
allocate_and_deallocate_pool("PINNED", (1024*16), 1024);
#endif
#if defined(UMPIRE_ENABLE_HIP)
allocate_and_deallocate_pool("DEVICE", (1024*1024*1024), (1024*1024));
allocate_and_deallocate_pool("PINNED", (1024*16), 1024);
#endif

```

There are lots of different strategies that you can use, we will look at some of them in this tutorial. A complete list of strategies can be found [here](#).

```

////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

#include "umpire/strategy/DynamicPool.hpp"

void allocate_and_deallocate_pool(const std::string& resource)
{
    constexpr std::size_t SIZE = 1024;

    auto& rm = umpire::ResourceManager::getInstance();

    auto allocator = rm.getAllocator(resource);

    auto pooled_allocator =
        rm.makeAllocator<umpire::strategy::DynamicPool>(resource + "_pool",
                                                       allocator);

    double* data = static_cast<double*>(
        pooled_allocator.allocate(SIZE*sizeof(double)));

    std::cout << "Allocated " << (SIZE*sizeof(double)) << " bytes using the "
              << pooled_allocator.getName() << " allocator...";

    pooled_allocator.deallocate(data);

    std::cout << " deallocated." << std::endl;
}

int main(int, char**) {

```

(continues on next page)

(continued from previous page)

```

    allocate_and_deallocate_pool("HOST");

#ifdef UMPIRE_ENABLE_CUDA
    allocate_and_deallocate_pool("DEVICE");
    allocate_and_deallocate_pool("UM");
    allocate_and_deallocate_pool("PINNED");
#endif
#ifdef UMPIRE_ENABLE_HIP
    allocate_and_deallocate_pool("DEVICE");
    allocate_and_deallocate_pool("PINNED");
#endif

    return 0;
}

```

```

/////////////////////////////////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
//
// SPDX-License-Identifier: (MIT)
/////////////////////////////////////////////////////////////////
#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

#include "umpire/strategy/DynamicPool.hpp"

void allocate_and_deallocate_pool(
    const std::string& resource,
    std::size_t initial_size,
    std::size_t min_block_size)
{
    constexpr std::size_t SIZE = 1024;

    auto& rm = umpire::ResourceManager::getInstance();

    auto allocator = rm.getAllocator(resource);

    auto pooled_allocator =
        rm.makeAllocator<umpire::strategy::DynamicPool>(resource + "_pool",
                                                       allocator,
                                                       initial_size, /* default = 512Mb*/
                                                       min_block_size /* default = 1Mb */
    ↪);

    double* data = static_cast<double*>(
        pooled_allocator.allocate(SIZE*sizeof(double)));

    std::cout << "Allocated " << (SIZE*sizeof(double)) << " bytes using the "
              << pooled_allocator.getName() << " allocator...";

    pooled_allocator.deallocate(data);

    std::cout << " deallocated." << std::endl;
}

int main(int, char**) {

```

(continues on next page)

(continued from previous page)

```

    allocate_and_deallocate_pool("HOST", 65536, 512);
#ifdef UMPIRE_ENABLE_CUDA
    allocate_and_deallocate_pool("DEVICE", (1024*1024*1024), (1024*1024));
    allocate_and_deallocate_pool("UM", (1024*64), 1024);
    allocate_and_deallocate_pool("PINNED", (1024*16), 1024);
#endif
#ifdef UMPIRE_ENABLE_HIP
    allocate_and_deallocate_pool("DEVICE", (1024*1024*1024), (1024*1024));
    allocate_and_deallocate_pool("PINNED", (1024*16), 1024);
#endif

    return 0;
}

```

2.5 Introspection

When writing code to run on computers with a complex memory hierarchy, one of the most difficult things can be keeping track of where each pointer has been allocated. Umpire's introspection capability keeps track of this information, as well as other useful bits and pieces you might want to know.

The `umpire::ResourceManager` can be used to find the allocator associated with an address:

```
auto found_allocator = rm.getAllocator(data);
```

Once you have this, it's easy to query things like the name of the Allocator:

```
<< found_allocator.getName()
```

You can also find out the associated `umpire::Platform`, which can help you decide where to operate on this data:

```
<< static_cast<int>(found_allocator.getPlatform()) << std::endl;
```

You can also find out how big the allocation is, in case you forgot:

```
<< found_allocator.getSize(data) << std::endl;
```

Remember that these functions will work on any allocation made using an Allocator or `umpire::TypedAllocator`.

```

////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////
#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

int main(int, char**) {
    constexpr std::size_t SIZE = 1024;

    auto& rm = umpire::ResourceManager::getInstance();

    const std::string destinations[] = {

```

(continues on next page)

(continued from previous page)

```

"HOST"
#if defined(UMPIRE_ENABLE_CUDA)
    , "DEVICE"
    , "UM"
    , "PINNED"
#endif
#if defined(UMPIRE_ENABLE_HIP)
    , "DEVICE"
    , "PINNED"
#endif
};

for (auto& destination : destinations) {
    auto allocator = rm.getAllocator(destination);
    double* data = static_cast<double*>(
        allocator.allocate(SIZE*sizeof(double)));

    std::cout << "Allocated " << (SIZE*sizeof(double)) << " bytes using the "
        << allocator.getName() << " allocator." << std::endl;

    auto found_allocator = rm.getAllocator(data);

    std::cout << "According to the ResourceManager, the Allocator used is "
        << found_allocator.getName()
        << ", which has the Platform "
        << static_cast<int>(found_allocator.getPlatform()) << std::endl;

    std::cout << "The size of the allocation is << "
        << found_allocator.getSize(data) << std::endl;

    allocator.deallocate(data);
}

return 0;
}

```

2.6 Typed Allocators

Sometimes, you might want to construct an allocator that allocates objects of a specific type. Umpire provides a `umpire::TypedAllocator` for this purpose. It can also be used with STL objects like `std::vector`.

A `umpire::TypedAllocator` is constructed from any existing Allocator, and provides the same interface as the normal `umpire::Allocator`. However, when you call `allocate`, this argument is the number of objects you want to allocate, not the total number of bytes:

```

umpire::TypedAllocator<double> double_allocator{alloc};

double* my_doubles = double_allocator.allocate(1024);

double_allocator.deallocate(my_doubles, 1024);

```

To use this allocator with an STL object like a vector, you need to pass the type as a template parameter for the vector, and also pass the allocator to the vector when you construct it:

```
std::vector< double, umpire::TypedAllocator<double> >
    my_vector(double_allocator);

my_vector.resize(100);
```

One thing to remember is that whatever allocator you use with an STL object, it must be compatible with the inner workings of that object. For example, if you try and use a “DEVICE”-based allocator it will fail, since the vector will try and construct each element. The CPU cannot access DEVICE memory in most systems, thus causing a segfault. Be careful!

```
////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////
#include "umpire/ResourceManager.hpp"
#include "umpire/Allocator.hpp"

#include "umpire/TypedAllocator.hpp"

int main(int, char**) {
    auto& rm = umpire::ResourceManager::getInstance();
    auto alloc = rm.getAllocator("HOST");

    umpire::TypedAllocator<double> double_allocator{alloc};

    double* my_doubles = double_allocator.allocate(1024);

    double_allocator.deallocate(my_doubles, 1024);

    std::vector< double, umpire::TypedAllocator<double> >
        my_vector(double_allocator);

    my_vector.resize(100);

    return 0;
}
```

2.7 Replay

Umpire provides a lightweight replay capability that can be used to investigate performance of particular allocation patterns and reproduce bugs.

2.7.1 Input Example

A log can be captured and stored as a JSON file, then used as input to the `replay` application (available under the `bin` directory). The `replay` program will read the replay log, and recreate the events that occurred as part of the run that generated the log.

The file `tut_replay.cpp` makes a `umpire::strategy::DynamicPool`:

```
auto pool = rm.makeAllocator<umpire::strategy::DynamicPool>(
    "pool",
    allocator);
```

This allocator is used to perform some randomly sized allocations, and later free them:

```
std::generate(allocations.begin(), allocations.end(),
             [&] () { return pool.allocate(random_number()); });
```

```
for (auto& ptr : allocations) pool.deallocate(ptr);
```

2.7.2 Running the Example

Running this program:

```
UMPIRE_REPLAY="On" ./bin/examples/tutorial/tut_replay > tut_replay_log.json
```

will write Umpire replay events to the file `tut_replay_log.json`. You can see that this file contains JSON formatted lines.

2.7.3 Replaying the session

Loading this file with the `replay` program will replay this sequence of `umpire::Allocator` creation, allocations, and deallocations:

```
./bin/replay -i ../tutorial/examples/tut_replay_log.json
```

We also have a tutorial for the C interface to Umpire. Complete example listings are available, and will be compiled if you have configured Umpire with `-DENABLE_C=On`.

The C tutorial assumes an understanding of C, and it would be useful to have some knowledge of C++ to understand how the C API maps to the native C++ classes that Umpire provides.

2.8 C API: Allocators

The fundamental concept for accessing memory through Umpire is an `umpire::Allocator`. In C, this means using the type `umpire_allocator`. There are corresponding functions that take an `umpire_allocator` and let you allocate and deallocate memory.

As with the native C++ interface, all allocators are accessed via the `umpire::ResourceManager`. In the C API, there is a corresponding `umpire_resourcemanager` type. To get an `umpire_allocator`:

```
umpire_resourcemanager rm;
umpire_resourcemanager_get_instance(&rm);

umpire_allocator allocator;
umpire_resourcemanager_get_allocator_by_name(&rm, "HOST", &allocator);
```

Once you have an `umpire_allocator`, you can use it to allocate and deallocate memory:

```
double* data = (double*) umpire_allocator_allocate(&allocator, SIZE*sizeof(double));

printf("Allocated %lu bytes using the %s allocator...", (SIZE*sizeof(double)),
↳umpire_allocator_get_name(&allocator));

umpire_allocator_deallocate(&allocator, data);
```

In the next section, we will see how to allocate memory in different places.

2.9 C API: Resources

Each computer system will have a number of distinct places in which the system will allow you to allocate memory. In Umpire’s world, these are *memory resources*. A memory resource can correspond to a hardware resource, but can also be used to identify memory with a particular characteristic, like “pinned” memory in a GPU system.

When you configure Umpire, it will create `umpire::resource::MemoryResource`s according to what is available on the system you are building for. For each resource, Umpire will create a default `umpire_allocator` that you can use. In the previous example, we were actually using an `umpire_allocator` created for the memory resource corresponding to the CPU memory.

The easiest way to identify resources is by name. The “HOST” resource is always available. In a system configured with NVIDIA GPUs, we also have resources that represent global GPU memory (“DEVICE”), unified memory that can be accessed by the CPU or GPU (“UM”) and host memory that can be accessed by the GPU (“PINNED”);

Umpire will create an `umpire_allocator` for each of these resources, and you can get them using the same `umpire_resourcemanager_get_allocator_by_name` call you saw in the previous example:

Note that every allocator supports the same calls, no matter which resource it is for, this means we can run the same code for all the resources available in the system:

As you can see, we can call this function with any valid resource name:

In the next example, we will learn how to move data between resources using operations.

2.10 C API: Pools

Frequently allocating and deallocating memory can be quite costly, especially when you are making large allocations or allocating on different memory resources. To mitigate this, Umpire provides allocation strategies that can be used to customize how data is obtained from the system.

In this example, we will look at creating a pool that can fulfill requests for allocations of any size. To create a new `umpire_allocator` using the pooling algorithm:

The two arguments are the size of the initial block that is allocated, and the minimum size of any future blocks. We have to provide a new name for the allocator, as well as the underlying `umpire_allocator` we wish to use to grab memory.

Once you have the allocator, you can allocate and deallocate memory as before, without needing to worry about the underlying algorithm used for the allocations:

This pool can be created with any valid underlying `umpire_allocator`.

Finally, we have a tutorial for Umpire's FORTRAN API. These examples will be compiled when configuring with `-DENABLE_FORTRAN=On`. The FORTRAN tutorial assumes an understanding of FORTRAN. Familiarity with the FORTRAN's ISO C bindings can be useful for understanding why the interface looks the way it does.

2.11 FORTRAN API: Allocators

The fundamental concept for accessing memory through Umpire is an `umpire:Allocator`. In FORTRAN, this means using the type `UmpireAllocator`. This type provides an `allocate_pointer` function to allocate raw memory, and a generic `allocate` procedure that takes an array pointer and an array of dimensions and will allocate the correct amount of memory.

As with the native C++ interface, all allocators are accessed via the `umpire::ResourceManager`. In the FORTRAN API, there is a corresponding `UmpireResourceManager` type. To get an `UmpireAllocator`:

```
rm = rm%get_instance()
allocator = rm%get_allocator_by_id(0)
```

In this example we fetch the allocator by id, using 0 means you will always get a host allocator. Once you have an `UmpireAllocator`, you can use it to allocate and deallocate memory:

```
call allocator%allocate(array, [ 10 ])

write(10,*) "Allocated array of size ", 10

call allocator%deallocate(array)
```

In this case, we allocate a one-dimensional array using the generic `allocate` function.

ADVANCED CONFIGURATION

In addition to the normal options provided by CMake, Umpire uses some additional configuration arguments to control optional features and behavior. Each argument is a boolean option, and can be turned on or off:

```
-DENABLE_CUDA=Off
```

Here is a summary of the configuration options, their default value, and meaning:

These arguments are explained in more detail below:

- `ENABLE_CUDA` This option enables support for NVIDIA GPUs using the CUDA programming model. If Umpire is built without CUDA or HIP support, then only the `HOST` allocator is available for use.
- `ENABLE_HIP` This option enables support for AMD GPUs using the ROCm stack and HIP programming model. If Umpire is built without CUDA or HIP support, then only the `HOST` allocator is available for use.
- `ENABLE_NUMA` This option enables support for NUMA. The `umpire::strategy::NumaPolicy` is available when built with this option, which may be used to locate the allocation to a specific node.
- `ENABLE_STATISTICS` This option enables collection of memory statistics. If Umpire is built with this option, the Conduit library will also be built.
- `ENABLE_TESTING` This option controls whether or not test executables will be built.
- `ENABLE_BENCHMARKS` This option will build the benchmark programs used to test performance.
- `ENABLE_LOGGING` This option enables usage of Logging services for Umpire
- `ENABLE_SLIC` This option enables usage of logging services provided by SLIC.
- `ENABLE_BACKTRACE` This option enables collection of backtrace information for each allocation.
- `ENABLE_BACKTRACE_SYMBOLS` This option enables symbol information to be provided with backtraces. This requires `-ldl` to be specified for using programs.
- `ENABLE_TOOLS` Enable development tools for Umpire (replay, etc.)
- `ENABLE_DOCS` Build user documentation (with Sphinx) and code documentation (with Doxygen)
- `ENABLE_C` Build the C API, this allows accessing Umpire Allocators and the ResourceManager through a C interface.
- `ENABLE_FORTRAN` Build the Fortran API.

UMPIRE COOKBOOK

This section provides a set of recipes that show you how to accomplish specific tasks using Umpire. The main focus is things that can be done by composing different parts of Umpire to achieve a particular use case.

Examples include being able to grow and shrink a pool, constructing Allocators that have introspection disabled for improved performance, and applying CUDA “memory advise” to all the allocations in a particular pool.

4.1 Growing and Shrinking a Pool

When sharing a pool between different parts of your application, or even between co-ordinating libraries in the same application, you might want to grow and shrink a pool on demand. By limiting the size of a pool using device memory, you leave more space on the GPU for “unified memory” to move data there.

The basic idea is to create a pool that allocates a block of your minimum size, and then allocate a single word from this pool to ensure the initial block is never freed:

```
auto pooled_allocator = rm.makeAllocator<umpire::strategy::DynamicPool>(
    "GPU_POOL",
    allocator,
    4ul * 1024ul * 1024ul * 1024ul + 1);
void* hold = pooled_allocator.allocate(64);
UMPIRE_USE_VAR(hold);
```

To increase the pool size you can preallocate a large chunk and then immediately free it. The pool will retain this memory for use by later allocations:

```
void* grow = pooled_allocator.allocate( 8ul * 1024ul * 1024ul * 1024ul );
pooled_allocator.deallocate(grow);
```

Assuming that there are no allocations left in the larger “chunk” of the pool, you can shrink the pool back down to the initial size by calling `umpire::Allocator::release()`:

```
pooled_allocator.release();
```

The complete example is included below:

```
////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////
#include "umpire/strategy/DynamicPool.hpp"
```

(continues on next page)

```
#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

#include "umpire/util/Macros.hpp"

#include <iostream>

int main(int, char**) {
    auto& rm = umpire::ResourceManager::getInstance();

    auto allocator = rm.getAllocator("DEVICE");

    /*
     * Create a 4 Gb pool and reserve one word (to maintain alignment)
     */
    auto pooled_allocator = rm.makeAllocator<umpire::strategy::DynamicPool>(
        "GPU_POOL",
        allocator,
        4ul * 1024ul * 1024ul * 1024ul + 1);
    void* hold = pooled_allocator.allocate(64);
    UMPIRE_USE_VAR(hold);

    std::cout << "Pool has allocated " << pooled_allocator.getActualSize()
              << " bytes of memory. " << pooled_allocator.getCurrentSize()
              << " bytes are used" << std::endl;

    /*
     * Grow pool to ~12 by grabbing a 8Gb chunk
     */
    void* grow = pooled_allocator.allocate( 8ul * 1024ul * 1024ul * 1024ul );
    pooled_allocator.deallocate(grow);

    std::cout << "Pool has allocated " << pooled_allocator.getActualSize()
              << " bytes of memory. " << pooled_allocator.getCurrentSize()
              << " bytes are used" << std::endl;

    /*
     * Shrink pool back to ~4Gb
     */
    pooled_allocator.release();
    std::cout << "Pool has allocated " << pooled_allocator.getActualSize()
              << " bytes of memory. " << pooled_allocator.getCurrentSize()
              << " bytes are used" << std::endl;

    return 0;
}
```

4.2 Disable Introspection

If you know that you won't be using any of Umpire's introspection capabilities for allocations that come from a particular `umpire::Allocator`, you can turn off the introspection and avoid the overhead of tracking the associated metadata.

Warning: Disabling introspection means that allocations from this Allocator cannot be used for operations, or size and location queries.

In this recipe, we look at disabling introspection for a pool. To turn off introspection, you pass a boolean as the second template parameter to the `umpire::ResourceManager::makeAllocator()` method:

```
auto pooled_allocator = rm.makeAllocator<umpire::strategy::DynamicPool, false>(
    "NO_INTROSPECTION_POOL",
    allocator);
```

Remember that disabling introspection will stop tracking the size of allocations made from the pool, so the `umpire::Allocator::getCurrentSize()` method will return 0:

```
<< " bytes of memory. " << pooled_allocator.getCurrentSize()
```

The complete example is included below:

```
////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////
#include "umpire/strategy/DynamicPool.hpp"

#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

#include "umpire/util/Macros.hpp"

#include <iostream>

int main(int, char**) {
    auto& rm = umpire::ResourceManager::getInstance();

    auto allocator = rm.getAllocator("HOST");

    /*
     * Create a pool with introspection disabled (can improve performance)
     */
    auto pooled_allocator = rm.makeAllocator<umpire::strategy::DynamicPool, false>(
        "NO_INTROSPECTION_POOL",
        allocator);

    void* data = pooled_allocator.allocate(1024);

    std::cout << "Pool has allocated " << pooled_allocator.getActualSize()
               << " bytes of memory. " << pooled_allocator.getCurrentSize()
               << " bytes are used" << std::endl;
```

(continues on next page)

(continued from previous page)

```
pooled_allocator.deallocate(data);

return 0;
}
```

4.3 Apply Memory Advice to a Pool

When using unified memory on systems with CUDA GPUs, various types of memory advice can be applied to modify how the CUDA runtime moves this memory around between the CPU and GPU. One type of advice that can be applied is “preferred location”, and you can specify where you want the preferred location of the memory to be. This can be useful for ensuring that the memory is kept on the GPU.

By creating a pool on top of an `umpire::strategy::AllocationAdvisor`, you can amortize the cost of applying memory advice:

```
auto preferred_location_allocator =
    rm.makeAllocator<umpire::strategy::AllocationAdvisor>(
        "preferred_location_device", allocator, "PREFERRED_LOCATION");

/*
 * Create a pool using the preferred_location_allocator. This makes all
 * allocations in the pool have the same preferred location, the GPU.
 */
auto pooled_allocator = rm.makeAllocator<umpire::strategy::DynamicPool>(
    "GPU_POOL",
    preferred_location_allocator);
```

The complete example is included below:

```
////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////
#include "umpire/strategy/DynamicPool.hpp"
#include "umpire/strategy/AllocationAdvisor.hpp"

#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

#include "umpire/util/Macros.hpp"

#include <iostream>

int main(int, char**) {
    auto& rm = umpire::ResourceManager::getInstance();

    auto allocator = rm.getAllocator("UM");

    /*
     * Create an allocator that applied "PREFERRED_LOCATION" advice to set the
     * GPU as the preferred location.
     */
}
```

(continues on next page)

(continued from previous page)

```

*/
auto preferred_location_allocator =
    rm.makeAllocator<umpire::strategy::AllocationAdvisor>(
        "preferred_location_device", allocator, "PREFERRED_LOCATION");

/*
 * Create a pool using the preferred_location_allocator. This makes all
 * allocations in the pool have the same preferred location, the GPU.
 */
auto pooled_allocator = rm.makeAllocator<umpire::strategy::DynamicPool>(
    "GPU_POOL",
    preferred_location_allocator);

UMPIRE_USE_VAR(pooled_allocator);

return 0;
}

```

4.4 Apply Memory Advice with a Specific Device ID

When using unified memory on systems with CUDA GPUs, various types of memory advice can be applied to modify how the CUDA runtime moves this memory around between the CPU and GPU. When applying memory advice, a device ID can be used to specify which device the advice relates to. One type of advice that can be applied is “preferred location”, and you can specify where you want the preferred location of the memory to be. This can be useful for ensuring that the memory is kept on the GPU.

By passing a specific device id when constructing an `umpire::strategy::AllocationAdvisor`, you can ensure that the advice will be applied with respect to that device

```

auto preferred_location_allocator =
    rm.makeAllocator<umpire::strategy::AllocationAdvisor>(
        "preferred_location_device_2", allocator, "PREFERRED_LOCATION", device_id);

```

The complete example is included below:

```

////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
#include "umpire/strategy/AllocationAdvisor.hpp"

#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

#include "umpire/util/Exception.hpp"

#include <iostream>

int main(int, char**) {
    auto& rm = umpire::ResourceManager::getInstance();

    auto allocator = rm.getAllocator("UM");

```

(continues on next page)

(continued from previous page)

```

/*
 * Create an allocator that applied "PREFERRED_LOCATION" advice to set a
 * specific GPU device as the preferred location.
 *
 * In this case, device #2.
 */
const int device_id = 2;

try {
    auto preferred_location_allocator =
        rm.makeAllocator<umpire::strategy::AllocationAdvisor>(
            "preferred_location_device_2", allocator, "PREFERRED_LOCATION", device_id);

    void* data = preferred_location_allocator.allocate(1024);

    preferred_location_allocator.deallocate(data);
} catch (umpire::util::Exception& e) {
    std::cout << "Couldn't create Allocator with device_id = " << device_id
              << std::endl;

    std::cout << e.message() << std::endl;
}

return 0;
}

```

4.5 Moving Host Data to Managed Memory

When using a system with NVIDIA GPUs, you may realize that some host data should be moved to unified memory in order to make it accessible by the GPU. You can do this with the `umpire::ResourceManager::move()` operation:

```
double* um_data = static_cast<double*>(rm.move(host_data, um_allocator));
```

The move operation will copy the data from host memory to unified memory, allocated using the provided `um_allocator`. The original allocation in host memory will be deallocated. The complete example is included below:

```

////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

int main(int, char**) {
    constexpr std::size_t SIZE = 1024;

    auto& rm = umpire::ResourceManager::getInstance();
    auto allocator = rm.getAllocator("HOST");

```

(continues on next page)

(continued from previous page)

```

/*
 * Allocate host data
 */
double* host_data = static_cast<double*>(
    allocator.allocate(SIZE*sizeof(double));

/*
 * Move data to unified memory
 */
auto um_allocator = rm.getAllocator("UM");
double* um_data = static_cast<double*>(rm.move(host_data, um_allocator));

/*
 * Deallocate um_data, host_data is already deallocated by move operation.
 */
rm.deallocate(um_data);

return 0;
}

```

4.6 Improving DynamicPool Performance with a Coalesce Heuristic

As needed, the `umpire::strategy::DynamicPool` will continue to allocate blocks to satisfy allocation requests that cannot be satisfied by blocks currently in the pool it is managing. Under certain application-specific memory allocation patterns, fragmentation within the blocks or allocations that are for sizes greater than the size of the largest available block can cause the pool to grow too large. For example, a problematic allocation pattern is when an application makes several allocations of incrementing size where each allocation is larger than the previous block size allocated.

The `umpire::strategy::DynamicPool::coalesce()` method may be used to cause the `umpire::strategy::DynamicPool` to coalesce the releasable blocks into a single larger block. This is accomplished by: tallying the size of all blocks without allocations against them, releasing those blocks back to the memory resource, and creating a new block of the previously tallied size.

Applications may offer a heuristic function to the `umpire::strategy::DynamicPool` during instantiation that will return true whenever a pool reaches a specific threshold of releasable bytes (represented by completely free blocks) to the total size of the pool. The `DynamicPool` will call this heuristic function just before it returns from its `umpire::strategy::DynamicPool::deallocate()` method and when the function returns true, the `DynamicPool` will call the `umpire::strategy::DynamicPool::coalesce()` method.

The default heuristic of 100 will cause the `DynamicPool` to automatically coalesce when all of the bytes in the pool are releasable and there is more than one block in the pool.

A heuristic of 0 will cause the `DynamicPool` to never automatically coalesce.

Creation of the heuristic function is accomplished by:

```
//
```

The heuristic function is then provided as a parameter when the object is instantiated:

```

auto pooled_allocator = rm.makeAllocator<umpire::strategy::DynamicPool>(
    "HOST_POOL"
    , allocator
    , 1024ul

```

(continues on next page)

(continued from previous page)

```

        , 1024ul
        , 16

```

The complete example is included below:

```

////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////
#include "umpire/strategy/DynamicPool.hpp"
#include "umpire/strategy/DynamicPoolHeuristic.hpp"

#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

#include "umpire/util/Macros.hpp"

#include <iostream>

int main(int, char**) {
    auto& rm = umpire::ResourceManager::getInstance();

    auto allocator = rm.getAllocator("HOST");

    //
    // Create a heuristic function that will return true to the DynamicPool
    // object when the threshold of releasable size to total size is 75%.
    //
    auto heuristic_function = umpire::strategy::heuristic_percent_releasable(75);

    //
    // Create a pool with an initial block size of 1 Kb and 1 Kb block size for
    // all subsequent allocations and with our previously created heuristic
    // function.
    //
    auto pooled_allocator = rm.makeAllocator<umpire::strategy::DynamicPool>(
        "HOST_POOL"
        , allocator
        , 1024ul
        , 1024ul
        , 16
        , heuristic_function);

    //
    // Obtain a pointer to our specific DynamicPool instance in order to see the
    // DynamicPool-specific statistics
    //
    auto dynamic_pool = umpire::util::unwrap_allocator<umpire::strategy::DynamicPool>
↳ (pooled_allocator);

    void* a[4];
    for (int i = 0; i < 4; ++i)
        a[i] = pooled_allocator.allocate(1024);

    for (int i = 0; i < 4; ++i) {

```

(continues on next page)

(continued from previous page)

```

pooled_allocator.deallocate(a[i]);
std::cout
  << "Pool has " << pooled_allocator.getActualSize() << " bytes of memory. "
  << pooled_allocator.getCurrentSize() << " bytes are used. "
  << dynamic_pool->getBlocksInPool() << " blocks are in the pool. "
  << dynamic_pool->getReleasableSize() << " bytes are releasable. "
  << std::endl;
}

return 0;
}

```

4.7 Move Allocations Between NUMA Nodes

When using NUMA (cache coherent or non uniform memory access) systems, there are different latencies to parts of the memory. From an application perspective, the memory looks the same, yet especially for high-performance computing it is advantageous to have finer control. `malloc()` attempts to allocate memory close to your node, but it can make no guarantees. Therefore, Linux provides both a process-level interface for setting NUMA policies with the system utility `numactl`, and a fine-grained interface with `libnuma`. These interfaces work on ranges of memory in multiples of the page size, which is the length or unit of address space loaded into a processor cache at once.

A page range may be bound to a NUMA node using the `umpire::strategy::NumaPolicy`. It can therefore also be moved between NUMA nodes using the `umpire::ResourceManager::move()` with a different allocator. The power of using such an abstraction is that the NUMA node can be associated with a device, in which case the memory is moved to, for example, GPU memory.

In this recipe we create an allocation bound to a NUMA node, and move it to another NUMA node.

The complete example is included below:

```

////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

#include "umpire/strategy/NumaPolicy.hpp"

#include "umpire/util/numa.hpp"
#include "umpire/util/Macros.hpp"

#include <iostream>

#ifdef UMPIRE_ENABLE_CUDA
#include <cuda_runtime_api.h>
#endif

int main(int, char**) {
    auto& rm = umpire::ResourceManager::getInstance();

    const std::size_t alloc_size = 5 * umpire::get_page_size();

```

(continues on next page)

(continued from previous page)

```

// Get a list of the host NUMA nodes (e.g. one per socket)
auto host_nodes = umpire::numa::get_host_nodes();

if (host_nodes.size() < 1) {
    UMPIRE_ERROR("No NUMA nodes detected");
}

// Create an allocator on the first NUMA node
auto host_src_alloc = rm.makeAllocator<umpire::strategy::NumaPolicy>(
    "host_numa_src_alloc", rm.getAllocator("HOST"), host_nodes[0]);

// Create an allocation on that node
void* src_ptr = host_src_alloc.allocate(alloc_size);

if (host_nodes.size() > 1) {
    // Create an allocator on another host NUMA node.
    auto host_dst_alloc = rm.makeAllocator<umpire::strategy::NumaPolicy>(
        "host_numa_dst_alloc", rm.getAllocator("HOST"), host_nodes[1]);

    // Move the memory
    void* dst_ptr = rm.move(src_ptr, host_dst_alloc);

    // The pointer shouldn't change even though the memory location changes
    if (dst_ptr != src_ptr) {
        UMPIRE_ERROR("Pointers should match");
    }

    // Touch it
    rm.memset(dst_ptr, 0);

    // Verify NUMA node
    if (umpire::numa::get_location(dst_ptr) != host_nodes[1]) {
        UMPIRE_ERROR("Move was unsuccessful");
    }
}

#ifdef UMPIRE_ENABLE_DEVICE
// Get a list of the device nodes
auto device_nodes = umpire::numa::get_device_nodes();

if (device_nodes.size() > 0) {
    // Create an allocator on the first device NUMA node. Note that
    // this still requires using the "HOST" allocator. The allocations
    // are moved after the address space is reserved.
    auto device_alloc = rm.makeAllocator<umpire::strategy::NumaPolicy>(
        "device_numa_src_alloc", rm.getAllocator("HOST"), device_nodes[0]);

    // Move the memory
    void* dst_ptr = rm.move(src_ptr, device_alloc);

    // The pointer shouldn't change even though the memory location changes
    if (dst_ptr != src_ptr) {
        UMPIRE_ERROR("Pointers should match");
    }

    // Touch it -- this currently uses the host memset operation (thus, copying the
    ↪memory back)

```

(continues on next page)

(continued from previous page)

```

rm.memset(dst_ptr, 0);

// Verify NUMA node
if (umpire::numa::get_location(dst_ptr) != device_nodes[0]) {
    UMPIRE_ERROR("Move was unsuccessful");
}
}
#endif

// Clean up by deallocating from the original allocator, since the
// allocation record is still associated with that allocator
host_src_alloc.deallocate(src_ptr);

return 0;
}

```

4.8 Determining the Largest Block of Available Memory in Pool

The `umpire::strategy::DynamicPool` provides a `umpire::strategy::DynamicPool::getLargestAvailableBlock` that may be used to determine the size of the largest block currently available for allocation within the pool. To call this function, you must get the pointer to the `umpire::strategy::AllocationStrategy` from the `umpire::Allocator`:

```

auto& rm = umpire::ResourceManager::getInstance();

auto pool = rm.makeAllocator<umpire::strategy::DynamicPool>(
    "pool", rm.getAllocator("HOST"));

auto dynamic_pool =
    umpire::util::unwrap_allocator<umpire::strategy::DynamicPool>(pool);

```

Once you have the pointer to the appropriate strategy, you can call the function:

```

std::cout
    << "Largest available block in pool is "
    << dynamic_pool->getLargestAvailableBlock() << " bytes in size"
    << std::endl;

```

The complete example is included below:

```

////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
#include "umpire/strategy/DynamicPool.hpp"

#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

#include "umpire/util/Exception.hpp"
#include "umpire/util/wrap_allocator.hpp"

```

(continues on next page)

(continued from previous page)

```

#include <iostream>

int main(int, char**) {
    auto& rm = umpire::ResourceManager::getInstance();

    auto pool = rm.makeAllocator<umpire::strategy::DynamicPool>(
        "pool", rm.getAllocator("HOST"));

    auto dynamic_pool =
        umpire::util::unwrap_allocator<umpire::strategy::DynamicPool>(pool);

    if ( dynamic_pool == nullptr ) {
        UMPIRE_ERROR(pool.getName() << " is not a DynamicPool");
    }

    auto ptr = pool.allocate(1024);

    std::cout
        << "Largest available block in pool is "
        << dynamic_pool->getLargestAvailableBlock() << " bytes in size"
        << std::endl;

    pool.deallocate(ptr);

    return 0;
}

```

4.9 Coalescing Pool Memory

The `umpire::strategy::DynamicPool` provides a `umpire::strategy::DynamicPool::coalesce()` that can be used to release unused memory and allocate a single large block that will be able to satisfy allocations up to the previously observed high-watermark. To call this function, you must get the pointer to the `umpire::strategy::AllocationStrategy` from the `umpire::Allocator`:

```

auto dynamic_pool =
    umpire::util::unwrap_allocator<umpire::strategy::DynamicPool>(pool);

```

Once you have the pointer to the appropriate strategy, you can call the function:

```
dynamic_pool->coalesce();
```

The complete example is included below:

```

////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////
#include "umpire/strategy/DynamicPool.hpp"
#include "umpire/strategy/AllocationTracker.hpp"

#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

```

(continues on next page)

(continued from previous page)

```

#include "umpire/util/Exception.hpp"
#include "umpire/util/wrap_allocator.hpp"

#include <iostream>

int main(int, char**) {
    auto& rm = umpire::ResourceManager::getInstance();

    auto pool = rm.makeAllocator<umpire::strategy::DynamicPool>(
        "pool", rm.getAllocator("HOST"));

    auto dynamic_pool =
        umpire::util::unwrap_allocator<umpire::strategy::DynamicPool>(pool);

    if (dynamic_pool) {
        dynamic_pool->coalesce();
    } else {
        UMPIRE_ERROR(pool.getName() << " is not a DynamicPool, cannot coalesce!");
    }

    return 0;
}

```

4.10 Building a Pinned Memory Pool in FORTRAN

In this recipe, we show you how to build a pool in pinned memory using Umpire’s FORTRAN API. These kinds of pools can be useful for allocating buffers to be used in communication routines in various scientific applications.

Building the pool takes two steps: 1) getting a base “PINNED” allocator, and 2) creating the pool:

```

base_allocator = rm%get_allocator_by_name("PINNED")

pinned_pool = rm%make_allocator_pool("PINNED_POOL", &
                                     base_allocator, &
                                     512_8*1024_8, &
                                     1024_8)

```

The complete example is included below:

```

!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
! Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
! project contributors. See the COPYRIGHT file for details.
!
! SPDX-License-Identifier: (MIT)
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!

program umpire_f_pinned_pool
    use umpire_mod
    implicit none
    logical ok

    integer(C_INT), pointer, dimension(:) :: array(:)
    type(UmpireAllocator) base_allocator

```

(continues on next page)

(continued from previous page)

```

type(UmpireAllocator) pinned_pool
type(UmpireResourceManager) rm

rm = rm%get_instance()
base_allocator = rm%get_allocator_by_name("PINNED")

pinned_pool = rm%make_allocator_pool("PINNED_POOL", &
                                     base_allocator, &
                                     512_8*1024_8, &
                                     1024_8)

call pinned_pool%allocate(array, [10])
end program umpire_f_pinned_pool

```


4.11 Visualizing Allocators

The python script *plot_allocations.py* is included with Umpire to plot allocations. This script uses series of three arguments: an output file with allocation records, a color, and an alpha (transparency) value *0.0-1.0*. Although these could be used to plot records from a single allocator, 3 arguments, it can also be used to overlay multiple allocators, by passing 3n arguments after the script name. In this cookbook we use this feature to visualize a pooled allocator.

The cookbook generates two files, *allocator.log* and *pooled_allocator.log*, that contain the allocation records from the underlying allocator and the pool. These can then be plotted using a command similar to the following:

```
tools/plot_allocations allocator.log gray 0.2 pooled_allocator.log purple 0.8
```

That script uses Python and Matplotlib to generate the following image



The complete example is included below:

```

////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
#include "umpire/Umpire.hpp"
#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"
#include "umpire/strategy/DynamicPool.hpp"

#include <fstream>

int main(int, char**) {
    auto& rm = umpire::ResourceManager::getInstance();

    auto allocator = rm.getAllocator("HOST");
    auto pooled_allocator = rm.makeAllocator<umpire::strategy::DynamicPool>("HOST_POOL",
                                                                              allocator,
                                                                              1024 * 16);

```

(continues on next page)

(continued from previous page)

```

void* a[4];
for (int i = 0; i < 4; ++i) a[i] = pooled_allocator.allocate(1024);

// Create fragmentation
pooled_allocator.deallocate(a[2]);
a[2] = pooled_allocator.allocate(1024 * 2);

// Output the records from the underlying host allocator
{
    std::ofstream out("allocator.log");
    umpire::print_allocator_records(allocator, out);
    out.close();
}

// Output the records from the pooled allocator
{
    std::ofstream out("pooled_allocator.log");
    umpire::print_allocator_records(pooled_allocator, out);
    out.close();
}

for (int i = 0; i < 4; ++i) pooled_allocator.deallocate(a[i]);

// Visualize this using the python script. Example usage:
// tools/analysis/plot_allocations allocator.log gray 0.2 pooled_allocator.log_
→purple 0.8

return 0;
}

```

4.12 Mixed Pool Creation and Algorithm Basics

This recipe shows how to create a default mixed pool, and one that might be tailored to a specific application's needs. Mixed pools allocate in an array of `umpire::strategy::FixedPool` for small allocations, because these have simpler bookkeeping and are very fast, and a `umpire::strategy::DynamicPool` for larger allocations.

The class `umpire::strategy::MixedPool` uses a generic choice of `umpire::strategy::FixedPool` of size 256 bytes to 4MB in increments of powers of 2, while `umpire::strategy::MixedPoolImpl` has template arguments that select the first, power of 2 increment, and last fixed pool size.

The complete example is included below:

```

////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
#include "umpire/strategy/MixedPool.hpp"

#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

#include <iostream>

```

(continues on next page)

```

int main(int, char**) {
    auto& rm = umpire::ResourceManager::getInstance();
    auto allocator = rm.getAllocator("HOST");

    /*
     * Create a default mixed pool.
     */
    auto default_mixed_allocator = rm.makeAllocator<umpire::strategy::MixedPool>(
        "default_mixed_pool", allocator);

    UMPIRE_USE_VAR(default_mixed_allocator);

    /*
     * Create a mixed pool using fixed pool bins of size 2^8 = 256 Bytes
     * to 2^14 = 16 kB in increments of 5x, where each individual fixed
     * pool is kept under 4MB in size to begin.
     */
    auto custom_mixed_allocator = rm.makeAllocator<umpire::strategy::MixedPool>(
        "custom_mixed_pool", allocator, 256, 16*1024, 4*1024*1024, 5);

    /*
     * Although this calls for only 4*4=16 bytes, this allocation will
     * come from the smallest fixed pool, thus ptr will actually be the
     * first address in a range of 256 bytes.
     */
    void *ptr1 = custom_mixed_allocator.allocate(4 * sizeof(int));

    /*
     * This is too beyond the range of the fixed pools, and therefore is
     * allocated from a dynamic pool. The range of address space
     * reserved will be exactly what was requested by the allocate()
     * method.
     */
    void *ptr2 = custom_mixed_allocator.allocate(1 << 18);

    /*
     * Clean up
     */
    custom_mixed_allocator.deallocate(ptr1);
    custom_mixed_allocator.deallocate(ptr2);

    return 0;
}

```

4.13 Thread Safe Allocator

If you want thread-safe access to allocations that come from a particular `umpire::Allocator`, you can create an instance of a `umpire::strategy::ThreadSafeAllocator` object that will synchronize access to it.

In this recipe, we look at creating a `umpire::strategy::ThreadSafeAllocator` for an `umpire::strategy::DynamicPool` object:

```

auto& rm = umpire::ResourceManager::getInstance();

auto pool = rm.makeAllocator<umpire::strategy::DynamicPool>(
    "pool", rm.getAllocator("HOST"));

auto thread_safe_pool =
    rm.makeAllocator<umpire::strategy::ThreadSafeAllocator>
    ("thread_safe_pool", pool);

```

The complete example is included below:

```

////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
// Copyright (c) 2016-20, Lawrence Livermore National Security, LLC and Umpire
// project contributors. See the COPYRIGHT file for details.
//
//
// SPDX-License-Identifier: (MIT)
////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
#include "umpire/strategy/DynamicPool.hpp"
#include "umpire/strategy/ThreadSafeAllocator.hpp"

#include "umpire/Allocator.hpp"
#include "umpire/ResourceManager.hpp"

int main(int, char**) {
    auto& rm = umpire::ResourceManager::getInstance();

    auto pool = rm.makeAllocator<umpire::strategy::DynamicPool>(
        "pool", rm.getAllocator("HOST"));

    auto thread_safe_pool =
        rm.makeAllocator<umpire::strategy::ThreadSafeAllocator>
        ("thread_safe_pool", pool);

    auto allocation = thread_safe_pool.allocate(256);
    thread_safe_pool.deallocate(allocation);

    return 0;
}

```


FEATURES

5.1 Allocators

Allocators are the fundamental object used to allocate and deallocate memory using Umpire.

class Allocator

Provides a unified interface to allocate and free data.

An *Allocator* encapsulates all the details of how and where allocations will be made, and can also be used to introspect the memory resource. *Allocator* objects do not return typed allocations, so the pointer returned from the allocate method must be cast to the relevant type.

See *TypedAllocator*

template<typename T>

class TypedAllocator

Allocator for objects of type T.

This class is an adaptor that allows using an *Allocator* to allocate objects of type T. You can use this class as an allocator for STL containers like `std::vector`.

5.2 Strategies

Strategies are used in Umpire to allow custom algorithms to be applied when allocating memory. These strategies can do anything, from providing different pooling methods to speed up allocations to applying different operations to every allocation. Strategies can be composed to combine their functionality, allowing flexible and reusable implementations of different components.

class AllocationStrategy

AllocationStrategy provides a unified interface to all classes that can be used to allocate and free data.

Subclassed by `umpire::resource::MemoryResource`, `umpire::strategy::AlignedAllocator`, `umpire::strategy::AllocationAdvisor`, `umpire::strategy::AllocationPrefetcher`, `umpire::strategy::AllocationTracker`, `umpire::strategy::DynamicPoolList`, `umpire::strategy::DynamicPoolMap`, `umpire::strategy::FixedPool`, `umpire::strategy::MixedPool`, `umpire::strategy::MonotonicAllocationStrategy`, `umpire::strategy::NamedAllocationStrategy`, `umpire::strategy::NumaPolicy`, `umpire::strategy::QuickPool`, `umpire::strategy::SizeLimiter`, `umpire::strategy::SlotPool`, `umpire::strategy::ThreadSafeAllocator`, `umpire::strategy::ZeroByteHandler`

5.2.1 Provided Strategies

class AllocationAdvisor : public `umpire::strategy::AllocationStrategy`
Applies the given `MemoryOperation` to every allocation.

This `AllocationStrategy` is designed to be used with the following operations:

- `op::CudaAdviseAccessedByOperation`
- `op::CudaAdvisePreferredLocationOperation`
- `op::CudaAdviseReadMostlyOperation`

Using this `AllocationStrategy` when combined with a pool like `DynamicPool` is a good way to mitigate the overhead of applying the memory advice.

Warning: doxygenclass: Cannot find class “`umpire::strategy::DynamicPool`” in doxygen xml output for project “umpire” from directory: `../doxygen/xml/`

class FixedPool : public `umpire::strategy::AllocationStrategy`
Pool for fixed size allocations.

This `AllocationStrategy` provides an efficient pool for fixed size allocations, and used to quickly allocate and deallocate objects.

class MonotonicAllocationStrategy : public `umpire::strategy::AllocationStrategy`

class SlotPool : public `umpire::strategy::AllocationStrategy`

class ThreadSafeAllocator : public `umpire::strategy::AllocationStrategy`
Make an `Allocator` thread safe.

Using this `AllocationStrategy` will make the provided allocator thread-safe by synchronizing access to the allocators interface.

5.3 Operations

Operations provide an abstract interface to modifying and moving data between Umpire `class::umpire::Allocator`s`.

5.3.1 Provided Operations

```
namespace umpire::op
```

```
class CudaAdviseAccessedByOperation : public umpire::op::MemoryOperation  
    #include <umpire/op/CudaAdviseAccessedByOperation.hpp>
```

```
class CudaAdvisePreferredLocationOperation : public umpire::op::MemoryOperation  
    #include <umpire/op/CudaAdvisePreferredLocationOperation.hpp>
```

```
class CudaAdviseReadMostlyOperation : public umpire::op::MemoryOperation  
    #include <umpire/op/CudaAdviseReadMostlyOperation.hpp>
```

```
class CudaAdviseUnsetAccessedByOperation : public umpire::op::MemoryOperation  
    #include <umpire/op/CudaAdviseUnsetAccessedByOperation.hpp>
```



```

class CudaAdviseUnsetPreferredLocationOperation : public umpire::op::MemoryOperation
    #include <umpire/op/CudaAdviseUnsetPreferredLocationOperation.hpp>

class CudaAdviseUnsetReadMostlyOperation : public umpire::op::MemoryOperation
    #include <umpire/op/CudaAdviseUnsetReadMostlyOperation.hpp>

class CudaCopyFromOperation : public umpire::op::MemoryOperation
    #include <umpire/op/CudaCopyFromOperation.hpp> Copy operation to move data from a NVIDIA GPU
    to CPU memory.

class CudaCopyOperation : public umpire::op::MemoryOperation
    #include <umpire/op/CudaCopyOperation.hpp> Copy operation to move data between two GPU ad-
    dresses.

class CudaCopyToOperation : public umpire::op::MemoryOperation
    #include <umpire/op/CudaCopyToOperation.hpp> Copy operation to move data from CPU to NVIDIA
    GPU memory.

template<cudaMemRangeAttribute ATTRIBUTE>
class CudaGetAttributeOperation : public umpire::op::MemoryOperation
    #include <umpire/op/CudaGetAttributeOperation.hpp> Copy operation to move data from CPU to
    NVIDIA GPU memory.

class CudaMemPrefetchOperation : public umpire::op::MemoryOperation
    #include <umpire/op/CudaMemPrefetchOperation.hpp>

class CudaMemsetOperation : public umpire::op::MemoryOperation
    #include <umpire/op/CudaMemsetOperation.hpp> Memset on NVIDIA device memory.

class GenericReallocateOperation : public umpire::op::MemoryOperation
    #include <umpire/op/GenericReallocateOperation.hpp> Generic reallocate operation to work on any cur-
    rent_ptr location.

class HipCopyFromOperation : public umpire::op::MemoryOperation
    #include <umpire/op/HipCopyFromOperation.hpp> Copy operation to move data from a AMD GPU to
    CPU memory.

class HipCopyOperation : public umpire::op::MemoryOperation
    #include <umpire/op/HipCopyOperation.hpp> Copy operation to move data between two GPU addresses.

class HipCopyToOperation : public umpire::op::MemoryOperation
    #include <umpire/op/HipCopyToOperation.hpp> Copy operation to move data from CPU to AMD GPU
    memory.

class HipMemsetOperation : public umpire::op::MemoryOperation
    #include <umpire/op/HipMemsetOperation.hpp> Memset on AMD device memory.

class HostCopyOperation : public umpire::op::MemoryOperation
    #include <umpire/op/HostCopyOperation.hpp> Copy memory between two allocations in CPU memory.

class HostMemsetOperation : public umpire::op::MemoryOperation
    #include <umpire/op/HostMemsetOperation.hpp> Memset an allocation in CPU memory.

class HostReallocateOperation : public umpire::op::MemoryOperation
    #include <umpire/op/HostReallocateOperation.hpp> Reallocate data in CPU memory.

class MemoryOperation
    #include <umpire/op/MemoryOperation.hpp> Base class of an operation on memory.

```

Neither the transform or apply methods are pure virtual, so inheriting classes only need overload the appropriate method. However, both methods will throw an error if called.

Subclassed by `umpire::op::CudaAdviseAccessedByOperation`, `umpire::op::CudaAdvisePreferredLocationOperation`, `umpire::op::CudaAdviseReadMostlyOperation`, `umpire::op::CudaAdviseUnsetAccessedByOperation`, `umpire::op::CudaAdviseUnsetPreferredLocationOperation`, `umpire::op::CudaAdviseUnsetReadMostlyOperation`, `umpire::op::CudaCopyFromOperation`, `umpire::op::CudaCopyOperation`, `umpire::op::CudaCopyToOperation`, `umpire::op::CudaGetAttributeOperation< ATTRIBUTE >`, `umpire::op::CudaMemPrefetchOperation`, `umpire::op::CudaMemsetOperation`, `umpire::op::GenericReallocateOperation`, `umpire::op::HipCopyFromOperation`, `umpire::op::HipCopyOperation`, `umpire::op::HipCopyToOperation`, `umpire::op::HipMemsetOperation`, `umpire::op::HostCopyOperation`, `umpire::op::HostMemsetOperation`, `umpire::op::HostReallocateOperation`, `umpire::op::NumaMoveOperation`, `umpire::op::OpenMPTargetCopyOperation`, `umpire::op::OpenMPTargetMemsetOperation`

class MemoryOperationRegistry

`#include <umpire/op/MemoryOperationRegistry.hpp>` The *MemoryOperationRegistry* serves as a registry for *MemoryOperation* objects. It is a singleton class, typically accessed through the *ResourceManager*.

The *MemoryOperationRegistry* class provides lookup mechanisms allowing searching for the appropriate *MemoryOperation* to be applied to allocations made with particular *AllocationStrategy* objects.

MemoryOperations provided by Umpire are registered with the *MemoryOperationRegistry* when it is constructed. Additional MemoryOperations can be registered later using the `registerOperation` method.

The following operations are pre-registered for all *AllocationStrategy* pairs:

- "COPY"
- "MEMSET"
- "REALLOCATE"

See *MemoryOperation*

See *AllocationStrategy*

class NumaMoveOperation : public umpire::op::MemoryOperation

`#include <umpire/op/NumaMoveOperation.hpp>` Relocate a pointer to a different NUMA node.

class OpenMPTargetCopyOperation : public umpire::op::MemoryOperation

`#include <umpire/op/OpenMPTargetCopyOperation.hpp>`

class OpenMPTargetMemsetOperation : public umpire::op::MemoryOperation

`#include <umpire/op/OpenMPTargetMemsetOperation.hpp>`

struct pair_hash

`#include <umpire/op/MemoryOperationRegistry.hpp>`

5.4 Logging and Replay of Umpire Events

5.4.1 Logging

When debugging memory operation problems, it is sometimes helpful to enable Umpire's logging facility. The logging functionality is enabled for default builds unless `-DENABLE_LOGGING='Off'` has been specified in which case it is disabled.

If Umpire logging is enabled, it may be controlled by setting the `UMPIRE_LOG_LEVEL` environment variable to Error, Warning, Info, or Debug. The Debug value is the most verbose.

When `UMPIRE_LOG_LEVEL` has been set, events will be logged to the standard output.

5.4.2 Replay

Umpire provides a lightweight replay capability that can be used to investigate performance of particular allocation patterns and reproduce bugs. By running an executable that uses Umpire with the environment variable `UMPIRE_REPLAY` set to `On`, Umpire will emit information for the following Umpire events:

- **version** `umpire::get_major_version()`, `umpire::get_minor_version()`, and `umpire::get_patch_version()`
- **makeMemoryResource** `umpire::resource::MemoryResourceRegistry::makeMemoryResource()`
- **makeAllocator** `umpire::ResourceManager::makeAllocator()`
- **allocate** `umpire::Allocator::allocate()`
- **deallocate** `umpire::Allocator::deallocate()`

5.4.3 Running with Replay

To enable Umpire replay, one may execute as follows:

```
UMPIRE_REPLAY="On" ./my_umpire_using_program > replay_log.json
```

will write Umpire replay events to the file `replay_log.json` that will contain the following kinds of information:

5.4.4 Interpreting Results - Version Event

The first event captured is the **version** event which shows the version information as follows:

```
{ "kind": "replay", "uid": 27494, "timestamp": 1558388052595911583, "event": "allocate",
  ↪ "payload": { "allocator_ref": "0x108a8730", "size": 0 } }
```

Each line contains the following set of common elements:

kind Always set to `replay`

uid This is the MPI rank of the process generating the event for mpi programs or the PID for non-mpi.

timestamp Set to the time when the event occurred.

event Set to one of: `version`, `makeMemoryResource`, `makeAllocator`, `allocate`, or `deallocate`

payload Optional and varies upon event type

result Optional and varies upon event type

As can be seen, the *major*, *minor*, and *patch* version numbers are captured within the *payload* for this event.

5.4.5 makeMemoryResource Event

Next you will see events for the creation of the default memory resources provided by Umpire with the **makeMemoryResource** event:

```
{ "kind": "replay", "uid": 27494, "timestamp": 1558388052595934822, "event": "allocate",
  ↪ "payload": { "allocator_ref": "0x108a8730", "size": 0 }, "result": { "memory_ptr":
  ↪ "0x200040000010" } }
{ "kind": "replay", "uid": 27494, "timestamp": 1558388052595939623, "event": "allocate",
  ↪ "payload": { "allocator_ref": "0x108a8730", "size": 134 } }
```

(continues on next page)

(continued from previous page)

```

{ "kind":"replay", "uid":27494, "timestamp":1558388052595943793, "event": "allocate",
↪ "payload": { "allocator_ref": "0x108a8730", "size": 134 }, "result": { "memory_ptr
↪ ": "0x200040000010" } }
{ "kind":"replay", "uid":27494, "timestamp":1558388052595947408, "event": "allocate",
↪ "payload": { "allocator_ref": "0x108a8730", "size": 774 } }
{ "kind":"replay", "uid":27494, "timestamp":1558388052595951548, "event": "allocate",
↪ "payload": { "allocator_ref": "0x108a8730", "size": 774 }, "result": { "memory_ptr
↪ ": "0x2000400000a0" } }

```

The *payload* shows that a memory resource was created for *HOST*, *DEVICE*, *PINNED*, *UM*, and *DEVICE_CONST* respectively. The *result* is a reference to the object that was created within Umpire for that resource.

5.4.6 makeAllocator Event

The **makeAllocator** event occurs whenever a new allocator instance is being created. Each call to *makeAllocator* will generate a pair of JSON lines. The first line will show the intent of the call and the second line will show both the intent and the result. This is because the *makeAllocator* call can fail and keeping both the intent and result allows us to reproduce this failure later.

umpire::Allocator:

```

{ "kind":"replay", "uid":27494, "timestamp":1558388052595954839, "event": "allocate",
↪ "payload": { "allocator_ref": "0x108a8730", "size": 470 } }
{ "kind":"replay", "uid":27494, "timestamp":1558388052595958585, "event": "allocate",
↪ "payload": { "allocator_ref": "0x108a8730", "size": 470 }, "result": { "memory_ptr
↪ ": "0x2000400003b0" } }

```

The *payload* shows how the allocator was constructed. The *result* shows the reference to the allocated object.

5.4.7 allocate Event

Like the **makeAllocator** event, the **allocate** event is captured as an intention/result pair so that an error may be replayed in the event that there is an allocation failure.

```

{ "kind":"replay", "uid":27494, "timestamp":1558388052595961448, "event": "allocate",
↪ "payload": { "allocator_ref": "0x108a8730", "size": 546 } }
{ "kind":"replay", "uid":27494, "timestamp":1558388052595964866, "event": "allocate",
↪ "payload": { "allocator_ref": "0x108a8730", "size": 546 }, "result": { "memory_ptr
↪ ": "0x200040000590" } }

```

The *payload* shows the object reference of the allocator and the size of the allocation request. The *result* shows the pointer to the memory allocated.

5.4.8 deallocate Event

```
{ "kind": "replay", "uid": 27494, "timestamp": 1558388052596397388, "event": "deallocate", "payload": { "allocator_ref": "0x108a8730", "memory_ptr": "0x200040000b90" } }
```

The *payload* shows the reference to the allocator object and the pointer to the allocated memory that is to be freed.

5.4.9 Replaying the session

Loading this file with the `replay` program will replay this sequence of `umpire::Allocator` creation, allocations, and deallocations:

```
./bin/replay -i replay_log.json
```

5.5 File I/O

Umpire provides support for writing files containing log and replay data, rather than directing this output to stdout. When logging or replay are enabled, the following environment variables can be used to determine where the output is written:

`UMPIRE_OUTPUT_DIR`. Directory to write log and replay files
`UMPIRE_OUTPUT_BASENAME` `umpire`
 Basename of logging and relpay files

The values of these variables are used to construct unique filenames for output. The extension `.log` is used for logging output, and `.replay` for replay output. The filenames additionally contain three integers, one corresponding to the rank of the process, one corresponding to the process ID, and one that is used to make multiple files with the same basename and rank unique. This ensures that multiple runs with the same IO configuration do not overwrite files.

The format of the filenames is:

```
<UMPIRE_OUTPUT_BASENAME>.<RANK>.<PID>.<UID>.<log|replay>
```

If Umpire is compiled without MPI support, then rank will always be 0.

6.1 Class Hierarchy

6.2 File Hierarchy

6.3 Full API

6.3.1 Namespaces

Namespace `genumpiresplicer`

Contents

- *Functions*
- *Variables*

Functions

- *Function `genumpiresplicer::gen_bounds`*
- *Function `genumpiresplicer::gen_fortran`*
- *Function `genumpiresplicer::gen_methods`*

Variables

- *Variable `genumpiresplicer::maxdims`*
- *Variable `genumpiresplicer::types`*

Namespace `iso_c_binding`

Namespace `std`

STL namespace.

Namespace `umpire`

Contents

- *Namespaces*
- *Classes*
- *Functions*
- *Typedefs*
- *Variables*

Namespaces

- *Namespace `umpire::alloc`*
- *Namespace `umpire::numa`*
- *Namespace `umpire::op`*
- *Namespace `umpire::resource`*
- *Namespace `umpire::strategy`*
- *Namespace `umpire::util`*

Classes

- *Struct `MemoryResourceTraits`*
- *Class `Allocator`*
- *Class `DeviceAllocator`*
- *Class `Replay`*
- *Class `ResourceManager`*
- *Template Class `TypedAllocator`*

Functions

- *Function* `umpire::cpu_vendor_type`
- *Function* `umpire::error`
- *Function* `umpire::finalize`
- *Function* `umpire::free`
- *Function* `umpire::get_allocator_records`
- *Function* `umpire::get_backtrace`
- *Function* `umpire::get_device_memory_usage`
- *Function* `umpire::get_leaked_allocations`
- *Function* `umpire::get_major_version`
- *Function* `umpire::get_minor_version`
- *Function* `umpire::get_page_size`
- *Function* `umpire::get_patch_version`
- *Function* `umpire::get_process_memory_usage`
- *Function* `umpire::get_rc_version`
- *Function* `umpire::initialize`
- *Function* `umpire::log`
- *Function* `umpire::malloc`
- *Function* `umpire::operator<<(std::ostream&, const Allocator&)`
- *Function* `umpire::operator<<(std::ostream&, umpire::Allocator&)`
- *Function* `umpire::operator<<(std::ostream&, umpire::strategy::DynamicPoolMap::CoalesceHeuristic&)`
- *Function* `umpire::operator<<(std::ostream&, umpire::strategy::DynamicPoolList::CoalesceHeuristic&)`
- *Function* `umpire::operator<<(std::ostream&, umpire::strategy::QuickPool::CoalesceHeuristic&)`
- *Function* `umpire::pointer_contains`
- *Function* `umpire::pointer_overlaps`
- *Function* `umpire::print_allocator_records`
- *Function* `umpire::replay`

Typedefs

- *Typedef* `umpire::Platform`

Variables

- Variable `umpire::env_name`

Namespace `umpire::alloc`

Contents

- *Classes*

Classes

- *Struct `CudaMallocAllocator`*
- *Struct `CudaMallocManagedAllocator`*
- *Struct `CudaPinnedAllocator`*
- *Struct `HipMallocAllocator`*
- *Struct `HipPinnedAllocator`*
- *Struct `MallocAllocator`*
- *Struct `OpenMPTargetAllocator`*
- *Struct `PosixMemalignAllocator`*

Namespace `umpire::numa`

Contents

- *Functions*

Functions

- *Function `umpire::numa::get_allocatable_nodes`*
- *Function `umpire::numa::get_device_nodes`*
- *Function `umpire::numa::get_host_nodes`*
- *Function `umpire::numa::get_location`*
- *Function `umpire::numa::move_to_node`*
- *Function `umpire::numa::preferred_node`*

Namespace `umpire::op`

Contents

- *Classes*

Classes

- *Struct* `pair_hash`
- *Class* `CudaAdviseAccessedByOperation`
- *Class* `CudaAdvisePreferredLocationOperation`
- *Class* `CudaAdviseReadMostlyOperation`
- *Class* `CudaAdviseUnsetAccessedByOperation`
- *Class* `CudaAdviseUnsetPreferredLocationOperation`
- *Class* `CudaAdviseUnsetReadMostlyOperation`
- *Class* `CudaCopyFromOperation`
- *Class* `CudaCopyOperation`
- *Class* `CudaCopyToOperation`
- *Template Class* `CudaGetAttributeOperation`
- *Class* `CudaMemPrefetchOperation`
- *Class* `CudaMemsetOperation`
- *Class* `GenericReallocateOperation`
- *Class* `HipCopyFromOperation`
- *Class* `HipCopyOperation`
- *Class* `HipCopyToOperation`
- *Class* `HipMemsetOperation`
- *Class* `HostCopyOperation`
- *Class* `HostMemsetOperation`
- *Class* `HostReallocateOperation`
- *Class* `MemoryOperation`
- *Class* `MemoryOperationRegistry`
- *Class* `NumaMoveOperation`
- *Class* `OpenMPTargetCopyOperation`
- *Class* `OpenMPTargetMemsetOperation`

Namespace `umpire::resource`

Contents

- *Classes*
- *Enums*

Classes

- *Struct* `MemoryResourceTypeHash`
- *Class* `CudaConstantMemoryResource`
- *Class* `CudaConstantMemoryResourceFactory`
- *Class* `CudaDeviceMemoryResource`
- *Class* `CudaDeviceResourceFactory`
- *Class* `CudaPinnedMemoryResourceFactory`
- *Class* `CudaUnifiedMemoryResourceFactory`
- *Template Class* `DefaultMemoryResource`
- *Class* `HipConstantMemoryResource`
- *Class* `HipConstantMemoryResourceFactory`
- *Class* `HipDeviceResourceFactory`
- *Class* `HipPinnedMemoryResourceFactory`
- *Class* `HostResourceFactory`
- *Class* `MemoryResource`
- *Class* `MemoryResourceFactory`
- *Class* `MemoryResourceRegistry`
- *Class* `NullMemoryResource`
- *Class* `NullMemoryResourceFactory`
- *Class* `OpenMPTargetResourceFactory`

Enums

- *Enum* `MemoryResourceType`

Namespace `umpire::strategy`

Contents

- *Namespaces*
- *Classes*
- *Functions*
- *Typedefs*
- *Variables*

Namespaces

- *Namespace `umpire::strategy::@143`*
- *Namespace `umpire::strategy::mixins`*

Classes

- *Struct `FixedPool::Pool`*
- *Struct `QuickPool::Chunk`*
- *Class `AlignedAllocator`*
- *Class `AllocationAdvisor`*
- *Class `AllocationPrefetcher`*
- *Class `AllocationStrategy`*
- *Class `AllocationTracker`*
- *Class `DynamicPoolList`*
- *Class `DynamicPoolMap`*
- *Class `FixedPool`*
- *Class `MixedPool`*
- *Class `MonotonicAllocationStrategy`*
- *Class `NamedAllocationStrategy`*
- *Class `NumaPolicy`*
- *Class `QuickPool`*
- *Template Class `QuickPool::pool_allocator`*
- *Class `SizeLimiter`*
- *Class `SlotPool`*
- *Class `ThreadSafeAllocator`*
- *Class `ZeroByteHandler`*

Functions

- *Function* `umpire::strategy::find_first_set`
- *Function* `umpire::strategy::heuristic_percent_releasable`
- *Function* `umpire::strategy::heuristic_percent_releasable_list`
- *Function* `umpire::strategy::operator<<`

Typedefs

- *Typedef* `umpire::strategy::DynamicPool`

Variables

- *Variable* `umpire::strategy::bits_per_int`
- *Variable* `umpire::strategy::heuristic_percent_releasable`
- *Variable* `umpire::strategy::heuristic_percent_releasable_list`

Namespace `umpire::strategy::@143`

Namespace `umpire::strategy::mixins`

Contents

- *Classes*

Classes

- *Class* `Inspector`

Namespace `umpire::util`

Contents

- *Namespaces*
- *Classes*
- *Functions*
- *Variables*

Namespaces

- *Namespace `umpire::util::@164`*
- *Namespace `umpire::util::@179`*
- *Namespace `umpire::util::detail`*
- *Namespace `umpire::util::message`*

Classes

- *Template Struct `RecordList::Block`*
- *Struct `AllocationRecord`*
- *Struct `backtrace`*
- *Template Struct `backtracer`*
- *Template Struct `backtracer< trace_always >`*
- *Template Struct `backtracer< trace_optional >`*
- *Struct `FixedMallocPool::Pool`*
- *Struct `iterator_begin`*
- *Struct `iterator_end`*
- *Struct `trace_always`*
- *Struct `trace_optional`*
- *Class `AllocationMap`*
- *Class `AllocationMap::ConstIterator`*
- *Class `AllocationMap::RecordList`*
- *Class `RecordList::ConstIterator`*
- *Class `Exception`*
- *Class `FixedMallocPool`*
- *Class `Logger`*
- *Template Class `MemoryMap`*
- *Template Class `MemoryMap::Iterator_`*
- *Class `MPI`*
- *Class `OutputBuffer`*
- *Class `Statistic`*
- *Class `StatisticsDatabase`*

Functions

- *Function* `umpire::util::case_insensitive_match`
- *Function* `umpire::util::directory_exists`
- *Template Function* `umpire::util::do_wrap(std::unique_ptr<Base>&&)`
- *Template Function* `umpire::util::do_wrap(std::unique_ptr<Base>&&)`
- *Function* `umpire::util::file_exists`
- *Function* `umpire::util::flush_files`
- *Function* `umpire::util::initialize_io`
- *Template Function* `umpire::util::make_unique`
- *Function* `umpire::util::make_unique_filename`
- *Function* `umpire::util::relative_fragmentation`
- *Template Function* `umpire::util::unwrap_allocation_strategy`
- *Template Function* `umpire::util::unwrap_allocator`
- *Template Function* `umpire::util::wrap_allocator`

Variables

- *Variable* `umpire::util::defaultLevel`
- *Variable* `umpire::util::env_name`
- *Variable* `umpire::util::MessageLevelName`

Namespace `umpire::util::@164`

Namespace `umpire::util::@179`

Namespace `umpire::util::detail`

Contents

- *Functions*

Functions

- *Template Function* `umpire::util::detail::add_entry(conduit::Node&, T, U)`
- *Template Function* `umpire::util::detail::add_entry(conduit::Node&, T, U, Args...)`
- *Function* `umpire::util::detail::add_entry(conduit::Node&)`
- *Template Function* `umpire::util::detail::record_statistic`

Namespace `umpire::util::message`

Contents

- *Enums*

Enums

- *Enum Level*

Namespace `umpire_mod`

Contents

- *Functions*

Functions

- *Function `umpire_mod::allocator_allocate`*
- *Function `umpire_mod::allocator_allocate_double_array_1d`*
- *Function `umpire_mod::allocator_allocate_double_array_2d`*
- *Function `umpire_mod::allocator_allocate_double_array_3d`*
- *Function `umpire_mod::allocator_allocate_double_array_4d`*
- *Function `umpire_mod::allocator_allocate_float_array_1d`*
- *Function `umpire_mod::allocator_allocate_float_array_2d`*
- *Function `umpire_mod::allocator_allocate_float_array_3d`*
- *Function `umpire_mod::allocator_allocate_float_array_4d`*
- *Function `umpire_mod::allocator_allocate_int_array_1d`*
- *Function `umpire_mod::allocator_allocate_int_array_2d`*
- *Function `umpire_mod::allocator_allocate_int_array_3d`*
- *Function `umpire_mod::allocator_allocate_int_array_4d`*
- *Function `umpire_mod::allocator_allocate_long_array_1d`*
- *Function `umpire_mod::allocator_allocate_long_array_2d`*
- *Function `umpire_mod::allocator_allocate_long_array_3d`*
- *Function `umpire_mod::allocator_allocate_long_array_4d`*
- *Function `umpire_mod::allocator_associated`*
- *Function `umpire_mod::allocator_deallocate`*
- *Function `umpire_mod::allocator_deallocate_double_array_1d`*

- *Function `umpire_mod::allocator_deallocate_double_array_2d`*
- *Function `umpire_mod::allocator_deallocate_double_array_3d`*
- *Function `umpire_mod::allocator_deallocate_double_array_4d`*
- *Function `umpire_mod::allocator_deallocate_float_array_1d`*
- *Function `umpire_mod::allocator_deallocate_float_array_2d`*
- *Function `umpire_mod::allocator_deallocate_float_array_3d`*
- *Function `umpire_mod::allocator_deallocate_float_array_4d`*
- *Function `umpire_mod::allocator_deallocate_int_array_1d`*
- *Function `umpire_mod::allocator_deallocate_int_array_2d`*
- *Function `umpire_mod::allocator_deallocate_int_array_3d`*
- *Function `umpire_mod::allocator_deallocate_int_array_4d`*
- *Function `umpire_mod::allocator_deallocate_long_array_1d`*
- *Function `umpire_mod::allocator_deallocate_long_array_2d`*
- *Function `umpire_mod::allocator_deallocate_long_array_3d`*
- *Function `umpire_mod::allocator_deallocate_long_array_4d`*
- *Function `umpire_mod::allocator_delete`*
- *Function `umpire_mod::allocator_eq`*
- *Function `umpire_mod::allocator_get_actual_size`*
- *Function `umpire_mod::allocator_get_allocation_count`*
- *Function `umpire_mod::allocator_get_current_size`*
- *Function `umpire_mod::allocator_get_high_watermark`*
- *Function `umpire_mod::allocator_get_id`*
- *Function `umpire_mod::allocator_get_instance`*
- *Function `umpire_mod::allocator_get_name`*
- *Function `umpire_mod::allocator_get_size`*
- *Function `umpire_mod::allocator_ne`*
- *Function `umpire_mod::allocator_release`*
- *Function `umpire_mod::allocator_set_instance`*
- *Function `umpire_mod::get_backtrace`*
- *Function `umpire_mod::pointer_contains`*
- *Function `umpire_mod::pointer_overlaps`*
- *Function `umpire_mod::resourcemanager_associated`*
- *Function `umpire_mod::resourcemanager_copy_all`*
- *Function `umpire_mod::resourcemanager_copy_with_size`*
- *Function `umpire_mod::resourcemanager_deallocate`*
- *Function `umpire_mod::resourcemanager_eq`*

- *Function `umpire_mod::resourcemanager_get_allocator_by_id`*
- *Function `umpire_mod::resourcemanager_get_allocator_by_name`*
- *Function `umpire_mod::resourcemanager_get_allocator_for_ptr`*
- *Function `umpire_mod::resourcemanager_get_instance`*
- *Function `umpire_mod::resourcemanager_get_size`*
- *Function `umpire_mod::resourcemanager_has_allocator`*
- *Function `umpire_mod::resourcemanager_is_allocator`*
- *Function `umpire_mod::resourcemanager_make_allocator_advisor`*
- *Function `umpire_mod::resourcemanager_make_allocator_fixed_pool`*
- *Function `umpire_mod::resourcemanager_make_allocator_list_pool`*
- *Function `umpire_mod::resourcemanager_make_allocator_named`*
- *Function `umpire_mod::resourcemanager_make_allocator_pool`*
- *Function `umpire_mod::resourcemanager_make_allocator_prefetcher`*
- *Function `umpire_mod::resourcemanager_make_allocator_thread_safe`*
- *Function `umpire_mod::resourcemanager_memset_all`*
- *Function `umpire_mod::resourcemanager_memset_with_size`*
- *Function `umpire_mod::resourcemanager_move`*
- *Function `umpire_mod::resourcemanager_ne`*
- *Function `umpire_mod::resourcemanager_reallocate_default`*
- *Function `umpire_mod::resourcemanager_reallocate_with_allocator`*
- *Function `umpire_mod::resourcemanager_register_allocator`*

Namespace `umpire_strategy_mod`

Contents

- *Functions*

Functions

- *Function `umpire_strategy_mod::allocationadvisor_associated`*
- *Function `umpire_strategy_mod::allocationadvisor_eq`*
- *Function `umpire_strategy_mod::allocationadvisor_get_instance`*
- *Function `umpire_strategy_mod::allocationadvisor_ne`*
- *Function `umpire_strategy_mod::allocationadvisor_set_instance`*
- *Function `umpire_strategy_mod::dynamicpool_associated`*
- *Function `umpire_strategy_mod::dynamicpool_eq`*

- *Function `umpire_strategy_mod::dynamicpool_get_instance`*
- *Function `umpire_strategy_mod::dynamicpool_ne`*
- *Function `umpire_strategy_mod::dynamicpool_set_instance`*
- *Function `umpire_strategy_mod::namedallocationstrategy_associated`*
- *Function `umpire_strategy_mod::namedallocationstrategy_eq`*
- *Function `umpire_strategy_mod::namedallocationstrategy_get_instance`*
- *Function `umpire_strategy_mod::namedallocationstrategy_ne`*
- *Function `umpire_strategy_mod::namedallocationstrategy_set_instance`*

6.3.2 Classes and Structs

Struct `DynamicSizePool::Block`

- Defined in file `umpire_strategy_DynamicSizePool.hpp`

Nested Relationships

This struct is a nested type of *Template Class `DynamicSizePool`*.

Struct Documentation

struct `DynamicSizePool::Block`

Public Members

`char *data`

`std::size_t size`

`std::size_t blockSize`

Block *next

Struct `FixedSizePool::Pool`

- Defined in file `umpire_strategy_FixedSizePool.hpp`

Nested Relationships

This struct is a nested type of *Template Class `FixedSizePool`*.

Struct Documentation

struct FixedSizePool::Pool

Public Members

unsigned char ***data**
unsigned int ***avail**
unsigned int **numAvail**
struct Pool ***next**

Struct s_umpire_allocator

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Struct Documentation

struct s_umpire_allocator

Public Members

void ***addr**
int **idtor**

Struct s_umpire_resourcemanager

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Struct Documentation

struct s_umpire_resourcemanager

Public Members

void ***addr**
int **idtor**

Struct `s_umpire_SHROUD_array`

- Defined in file `umpire_interface_c_fortran_typesUmpire.h`

Struct Documentation

```
struct s_umpire_SHROUD_array
```

Public Members

```
umpire_SHROUD_capsule_data cxx  
const void *base  
const char *ccharp  
union s_umpire_SHROUD_array::[anonymous] addr  
int type  
size_t elem_len  
size_t size  
int rank  
long shape[7]
```

Struct `s_umpire_SHROUD_capsule_data`

- Defined in file `umpire_interface_c_fortran_typesUmpire.h`

Struct Documentation

```
struct s_umpire_SHROUD_capsule_data
```

Public Members

```
void *addr  
int idtor
```

Struct `s_umpire_strategy_allocationadvisor`

- Defined in file `umpire_interface_c_fortran_typesUmpire.h`

Struct Documentation

`struct s_umpire_strategy_allocationadvisor`

Public Members

void *`addr`

int `idtor`

Struct `s_umpire_strategy_allocationprefetcher`

- Defined in file `umpire_interface_c_fortran_typesUmpire.h`

Struct Documentation

`struct s_umpire_strategy_allocationprefetcher`

Public Members

void *`addr`

int `idtor`

Struct `s_umpire_strategy_dynamicpool`

- Defined in file `umpire_interface_c_fortran_typesUmpire.h`

Struct Documentation

`struct s_umpire_strategy_dynamicpool`

Public Members

void *`addr`

int `idtor`

Struct `s_umpire_strategy_dynamicpoollist`

- Defined in file `umpire_interface_c_fortran_typesUmpire.h`

Struct Documentation

`struct s_umpire_strategy_dynamicpoollist`

Public Members

void ***addr**

int **idtor**

Struct `s_umpire_strategy_fixedpool`

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Struct Documentation

`struct s_umpire_strategy_fixedpool`

Public Members

void ***addr**

int **idtor**

Struct `s_umpire_strategy_namedallocationstrategy`

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Struct Documentation

`struct s_umpire_strategy_namedallocationstrategy`

Public Members

void ***addr**

int **idtor**

Struct `s_umpire_strategy_threadsafeallocator`

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Struct Documentation

```
struct s_umpire_strategy_threadsafeallocator
```

Public Members

```
void *addr
```

```
int idtor
```

Struct StdAllocator

- Defined in file_umpire_strategy_StdAllocator.hpp

Struct Documentation

```
struct StdAllocator
```

Public Static Functions

```
void *allocate (std::size_t size)
```

```
void deallocate (void *ptr)
```

Struct CudaMallocAllocator

- Defined in file_umpire_alloc_CudaMallocAllocator.hpp

Struct Documentation

```
struct umpire::alloc::CudaMallocAllocator
```

Uses cudaMalloc and cudaFree to allocate and deallocate memory on NVIDIA GPUs.

Public Functions

```
void *allocate (std::size_t size)
```

Allocate bytes of memory using cudaMalloc.

Return Pointer to start of the allocation.

Parameters

- *bytes*: Number of bytes to allocate.

Exceptions

- *umpire::util::Exception*: if memory cannot be allocated.

```
void deallocate (void *ptr)
```

Deallocate memory using cudaFree.

Parameters

- `ptr`: Address to deallocate.

Exceptions

- `umpire::util::Exception`: if memory cannot be free'd.

Struct `CudaMallocManagedAllocator`

- Defined in `file_umpire_alloc_CudaMallocManagedAllocator.hpp`

Struct Documentation

struct `umpire::alloc::CudaMallocManagedAllocator`

Uses `cudaMallocManaged` and `cudaFree` to allocate and deallocate unified memory on NVIDIA GPUs.

Public Functions

`void *allocate` (`std::size_t bytes`)

Allocate bytes of memory using `cudaMallocManaged`.

Return Pointer to start of the allocation.

Parameters

- `bytes`: Number of bytes to allocate.

Exceptions

- `umpire::util::Exception`: if memory cannot be allocated.

`void deallocate` (`void *ptr`)

Deallocate memory using `cudaFree`.

Parameters

- `ptr`: Address to deallocate.

Exceptions

- `umpire::util::Exception`: if memory be free'd.

Struct `CudaPinnedAllocator`

- Defined in `file_umpire_alloc_CudaPinnedAllocator.hpp`

Struct Documentation

struct `umpire::alloc::CudaPinnedAllocator`

Public Functions

void **allocate** (`std::size_t bytes`)

void **deallocate** (`void *ptr`)

Struct HipMallocAllocator

- Defined in file `umpire_alloc_HipMallocAllocator.hpp`

Struct Documentation

struct `umpire::alloc::HipMallocAllocator`

Uses `hipMalloc` and `hipFree` to allocate and deallocate memory on AMD GPUs.

Public Functions

void **allocate** (`std::size_t size`)

Allocate bytes of memory using `hipMalloc`.

Return Pointer to start of the allocation.

Parameters

- `bytes`: Number of bytes to allocate.

Exceptions

- `umpire::util::Exception`: if memory cannot be allocated.

void **deallocate** (`void *ptr`)

Deallocate memory using `hipFree`.

Parameters

- `ptr`: Address to deallocate.

Exceptions

- `umpire::util::Exception`: if memory cannot be free'd.

Struct HipPinnedAllocator

- Defined in file_umpire_alloc_HipPinnedAllocator.hpp

Struct Documentation

```
struct umpire::alloc::HipPinnedAllocator
```

Public Functions

```
void *allocate (std::size_t bytes)
```

```
void deallocate (void *ptr)
```

Struct MallocAllocator

- Defined in file_umpire_alloc_MallocAllocator.hpp

Struct Documentation

```
struct umpire::alloc::MallocAllocator
```

Uses malloc and free to allocate and deallocate CPU memory.

Public Functions

```
void *allocate (std::size_t bytes)  
Allocate bytes of memory using malloc.
```

Return Pointer to start of the allocation.

Parameters

- *bytes*: Number of bytes to allocate.

Exceptions

- `umpire::util::Exception`: if memory cannot be allocated.

```
void deallocate (void *ptr)  
Deallocate memory using free.
```

Parameters

- *ptr*: Address to deallocate.

Exceptions

- `umpire::util::Exception`: if memory cannot be free'd.

Struct OpenMPTargetAllocator

- Defined in file_umpire_alloc_OpenMPTargetAllocator.hpp

Struct Documentation

struct `umpire::alloc::OpenMPTargetAllocator`

Uses malloc and free to allocate and deallocate CPU memory.

Public Functions

OpenMPTargetAllocator (int *_device*)

void ***allocate** (std::size_t *bytes*)

Allocate bytes of memory using malloc.

Return Pointer to start of the allocation.

Parameters

- *bytes*: Number of bytes to allocate.

Exceptions

- `umpire::util::Exception`: if memory cannot be allocated.

void **deallocate** (void **ptr*)

Deallocate memory using free.

Parameters

- *ptr*: Address to deallocate.

Exceptions

- `umpire::util::Exception`: if memory cannot be free'd.

Public Members

int **device**

Struct PosixMemalignAllocator

- Defined in file_umpire_alloc_PosixMemalignAllocator.hpp

Struct Documentation

struct `umpire::alloc::PosixMemalignAllocator`

Uses `posix_memalign()` and `free()` to allocate page-aligned memory.

Public Functions

`void *allocate` (`std::size_t bytes`)

Allocate bytes of memory using `posix_memalign`.

Return Pointer to start of the allocation.

Parameters

- `bytes`: Number of bytes to allocate. Does not have to be a multiple of the system page size.

Exceptions

- `umpire::util::Exception`: if memory cannot be allocated.

`void deallocate` (`void *ptr`)

Deallocate memory using `free`.

Parameters

- `ptr`: Address to deallocate.

Exceptions

- `umpire::util::Exception`: if memory cannot be free'd.

Struct MemoryResourceTraits

- Defined in file `umpire_util_MemoryResourceTraits.hpp`

Struct Documentation

struct `umpire::MemoryResourceTraits`

Public Types

enum `optimized_for`

Values:

`enumerator any`

`enumerator latency`

`enumerator bandwidth`

`enumerator access`

enum `vendor_type`

Values:

`enumerator UNKNOWN`

```

    enumerator AMD
    enumerator IBM
    enumerator INTEL
    enumerator NVIDIA

enum memory_type
    Values:
    enumerator UNKNOWN
    enumerator DDR
    enumerator GDDR
    enumerator HBM
    enumerator NVME

```

Public Members

```

int id
bool unified = false
std::size_t size = 0
vendor_type vendor = vendor_type::UNKNOWN
memory_type kind = memory_type::UNKNOWN
optimized_for used_for = optimized_for::any

```

Struct pair_hash

- Defined in file_umpire_op_MemoryOperationRegistry.hpp

Struct Documentation

```
struct umpire::op::pair_hash
```

Public Functions

```
std::size_t operator () (const std::pair<Platform, Platform> &p) const noexcept
```

Struct MemoryResourceTypeHash

- Defined in file_umpire_resource_MemoryResourceTypes.hpp

Struct Documentation

struct `umpire::resource::MemoryResourceTypeHash`

Public Functions

```
template<typename T>
std::size_t operator () (T t) const noexcept
```

Struct FixedPool::Pool

- Defined in file_umpire_strategy_FixedPool.hpp

Nested Relationships

This struct is a nested type of *Class FixedPool*.

Struct Documentation

struct `umpire::strategy::FixedPool::Pool`

Public Functions

Pool (*AllocationStrategy* **allocation_strategy*, **const** `std::size_t` *object_bytes*, **const** `std::size_t` *objects_per_pool*, **const** `std::size_t` *avail_bytes*)

Public Members

AllocationStrategy ***strategy**

`char` ***data**

`int` ***avail**

`std::size_t` **num_avail**

Struct QuickPool::Chunk

- Defined in file_umpire_strategy_QuickPool.hpp

Nested Relationships

This struct is a nested type of *Class QuickPool*.

Struct Documentation

```
struct umpire::strategy::QuickPool::Chunk
```

Public Functions

Chunk (void **ptr*, std::size_t *s*, std::size_t *cs*)

Public Members

void ***data** = {nullptr}

std::size_t **size** = {0}

std::size_t **chunk_size** = {0}

bool **free** = {true}

Chunk ***prev** = {nullptr}

Chunk ***next** = {nullptr}

SizeMap::iterator **size_map_it**

Template Struct RecordList::Block

- Defined in file_umpire_util_AllocationMap.hpp

Nested Relationships

This struct is a nested type of *Class AllocationMap::RecordList*.

Struct Documentation

```
template<typename T>
```

```
struct umpire::util::AllocationMap::RecordList::Block
```

Public Members

T **rec**

Block ***prev**

Struct AllocationRecord

- Defined in file_umpire_util_AllocationRecord.hpp

Struct Documentation

```
struct umpire::util::AllocationRecord
```

Public Functions

```
AllocationRecord (void *p, std::size_t s, strategy::AllocationStrategy *strat)
```

```
AllocationRecord ()
```

Public Members

```
void *ptr
```

```
std::size_t size
```

```
strategy::AllocationStrategy *strategy
```

```
util::backtrace allocation_backtrace
```

Struct backtrace

- Defined in file_umpire_util_backtrace.hpp

Struct Documentation

```
struct umpire::util::backtrace
```

Public Members

```
std::vector<void*> frames
```

Template Struct backtracer

- Defined in file_umpire_util_backtrace.hpp

Struct Documentation

```
template<typename TraceType = trace_optional>
```

```
struct backtracer
```

Template Struct `backtracer< trace_always >`

- Defined in `file_umpire_util_backtrace.inl`

Struct Documentation

```
template<>
struct umpire::util::backtracer<trace_always>
```

Public Static Functions

```
void get_backtrace (backtrace &bt)
std::string print (const backtrace &bt)
```

Template Struct `backtracer< trace_optional >`

- Defined in `file_umpire_util_backtrace.inl`

Struct Documentation

```
template<>
struct umpire::util::backtracer<trace_optional>
```

Public Static Functions

```
void get_backtrace (backtrace &bt)
std::string print (const backtrace &bt)
```

Struct `FixedMallocPool::Pool`

- Defined in `file_umpire_util_FixedMallocPool.hpp`

Nested Relationships

This struct is a nested type of *Class FixedMallocPool*.

Struct Documentation

```
struct umpire::util::FixedMallocPool::Pool
```

Public Functions

Pool (**const** std::size_t *object_bytes*, **const** std::size_t *objects_per_pool*)

Public Members

unsigned char ***data**

unsigned char ***next**

unsigned int **num_initialized**

std::size_t **num_free**

Struct `iterator_begin`

- Defined in file_umpire_util_MemoryMap.hpp

Struct Documentation

```
struct iterator_begin
```

Struct `iterator_end`

- Defined in file_umpire_util_MemoryMap.hpp

Struct Documentation

```
struct iterator_end
```

Struct `trace_always`

- Defined in file_umpire_util_backtrace.hpp

Struct Documentation

```
struct trace_always
```

Struct `trace_optional`

- Defined in file_umpire_util_backtrace.hpp

Struct Documentation

```
struct trace_optional
```

Template Class DynamicSizePool

- Defined in file_umpire_strategy_DynamicSizePool.hpp

Nested Relationships

Nested Types

- *Struct DynamicSizePool::Block*

Class Documentation

```
template<class IA = StdAllocator>
class DynamicSizePool
```

Public Functions

```
DynamicSizePool (umpire::strategy::AllocationStrategy *strat, const std::size_t _minInitialBytes =
                 (16 * 1024), const std::size_t _minBytes = 256)
```

```
~DynamicSizePool ()
```

```
void *allocate (std::size_t size)
```

```
void deallocate (void *ptr)
```

```
std::size_t getCurrentSize () const
```

```
std::size_t getActualSize () const
```

```
std::size_t getHighWatermark () const
```

```
std::size_t getBlocksInPool () const
```

```
std::size_t getLargestAvailableBlock () const
```

```
std::size_t getReleasableSize () const
```

```
std::size_t getFreeBlocks () const
```

```
std::size_t getInUseBlocks () const
```

```
void coalesce ()
```

```
void release ()
```

Protected Types

```
typedef FixedSizePool<struct Block, IA, IA, (1 << 6)> BlockPool
```

Protected Functions

```
void findUsableBlock (struct Block *&best, struct Block *&prev, std::size_t size)  
std::size_t alignmentAdjust (const std::size_t size)  
void allocateBlock (struct Block *&curr, struct Block *&prev, const std::size_t size)  
void splitBlock (struct Block *&curr, struct Block *&prev, const std::size_t size)  
void releaseBlock (struct Block *curr, struct Block *prev)  
std::size_t freeReleasedBlocks ()  
void coalesceFreeBlocks (std::size_t size)  
void freeAllBlocks ()
```

Protected Attributes

```
BlockPool blockPool  
struct Block *usedBlocks  
struct Block *freeBlocks  
std::size_t totalBlocks  
std::size_t totalBytes  
std::size_t allocBytes  
std::size_t minInitialBytes  
std::size_t minBytes  
std::size_t highWatermark  
umpire::strategy::AllocationStrategy *allocator  
struct Block
```

Public Members

```
char *data  
std::size_t size  
std::size_t blockSize  
Block *next
```

Template Class FixedSizePool

- Defined in file_umpire_strategy_FixedSizePool.hpp

Nested Relationships

Nested Types

- Struct *FixedSizePool::Pool*

Class Documentation

```
template<class T, class MA, class IA = StdAllocator, int NP = (1 << 6)>
class FixedSizePool
```

Public Functions

```
FixedSizePool ()
```

```
~FixedSizePool ()
```

```
T *allocate ()
```

```
void deallocate (T *ptr)
```

```
std::size_t getCurrentSize () const
    Return allocated size to user.
```

```
std::size_t getActualSize () const
    Return total size with internal overhead.
```

```
std::size_t numPools () const
    Return the number of pools.
```

```
std::size_t poolSize () const
    Return the pool size.
```

Public Static Functions

```
FixedSizePool &getInstance ()
```

Protected Functions

```
void newPool (struct Pool **pnew)
```

```
T *allocInPool (struct Pool *p)
```

Protected Attributes

```
struct Pool *pool
const std::size_t numPerPool
const std::size_t totalPoolSize
std::size_t numBlocks
struct Pool
```

Public Members

```
unsigned char *data
unsigned int *avail
unsigned int numAvail
struct Pool *next
```

Class Allocator

- Defined in file_umpire_Allocator.hpp

Class Documentation

```
class umpire::Allocator
```

Provides a unified interface to allocate and free data.

An *Allocator* encapsulates all the details of how and where allocations will be made, and can also be used to introspect the memory resource. *Allocator* objects do not return typed allocations, so the pointer returned from the allocate method must be cast to the relevant type.

See *TypedAllocator*

Public Functions

```
void *allocate (std::size_t bytes)
Allocate bytes of memory.
```

The memory will be allocated as determined by the AllocationStrategy used by this *Allocator*. Note that this method does not guarantee new memory pages being requested from the underlying memory system, as the associated AllocationStrategy could have already allocated sufficient memory, or re-use existing allocations that were not returned to the system.

Return Pointer to start of the allocation.

Parameters

- `bytes`: Number of bytes to allocate (≥ 0)

void **deallocate** (void *ptr)
Free the memory at ptr.

This method will throw an `umpire::Exception` if ptr was not allocated using this *Allocator*. If you need to deallocate memory allocated by an unknown object, use the *ResourceManager::deallocate* method.

Parameters

- ptr: Pointer to free (!nullptr)

void **release** ()
Release any and all unused memory held by this *Allocator*.

std::size_t **getSize** (void *ptr) **const**
Return number of bytes allocated for allocation.

Return number of bytes allocated for ptr

Parameters

- ptr: Pointer to allocation in question

std::size_t **getHighWatermark** () **const noexcept**
Return the memory high watermark for this *Allocator*.

This is the largest amount of memory allocated by this *Allocator*. Note that this may be larger than the largest value returned by `getCurrentSize`.

Return Memory high watermark.

std::size_t **getCurrentSize** () **const noexcept**
Return the current size of this *Allocator*.

This is sum of the sizes of all the tracked allocations. Note that this doesn't ever have to be equal to `getHighWatermark`.

Return current size of *Allocator*.

std::size_t **getActualSize** () **const noexcept**
Return the actual size of this *Allocator*.

For non-pool allocators, this will be the same as `getCurrentSize()`.

For pools, this is the total amount of memory allocated for blocks managed by the pool.

Return actual size of *Allocator*.

std::size_t **getAllocationCount** () **const noexcept**
Return the number of active allocations.

const std::string &**getName** () **const noexcept**
Get the name of this *Allocator*.

Allocators are uniquely named, and the name of the *Allocator* can be used to retrieve the same *Allocator* from the *ResourceManager* at a later time.

See *ResourceManager::getAllocator*

Return name of *Allocator*.

`int getId () const noexcept`

Get the integer ID of this *Allocator*.

Allocators are uniquely identified, and the ID of the *Allocator* can be used to retrieve the same *Allocator* from the *ResourceManager* at a later time.

See *ResourceManager::getAllocator*

Return integer id of *Allocator*.

`strategy::AllocationStrategy *getAllocationStrategy () noexcept`

Get the AllocationStrategy object used by this *Allocator*.

Return Pointer to the AllocationStrategy.

`Platform getPlatform () noexcept`

Get the Platform object appropriate for this *Allocator*.

Return Platform for this *Allocator*.

`Allocator () = default`

Friends

`friend class ::AllocatorTest`

`friend std::ostream &operator<< (std::ostream&, const Allocator&)`

Class DeviceAllocator

- Defined in file_umpire_DeviceAllocator.hpp

Class Documentation

`class umpire::DeviceAllocator`

Lightweight allocator for use in GPU code.

Public Functions

`__host__ DeviceAllocator (Allocator allocator, size_t size)`

Construct a new *DeviceAllocator* that will use allocator to allocate data.

Parameters

- `allocator`: *Allocator* to use for allocating memory.

`__host__ ~DeviceAllocator ()`

`__host__ __device__ DeviceAllocator (const DeviceAllocator &other)`

`__device__ void * allocate (size_t size)`

Class CudaAdviseAccessedByOperation

- Defined in file_umpire_op_CudaAdviseAccessedByOperation.hpp

Inheritance Relationships

Base Type

- public umpire::op::MemoryOperation (*Class MemoryOperation*)

Class Documentation

```
class umpire::op::CudaAdviseAccessedByOperation : public umpire::op::MemoryOperation
```

Public Functions

```
void apply (void *src_ptr, util::AllocationRecord *src_allocation, int val, std::size_t length)
```

Apply val to the first length bytes of src_ptr.

Uses cudaMemAdvise to set data as accessed by the appropriate device.

Parameters

- src_ptr: Pointer to source memory location.
- src_allocation: AllocationRecord of source.
- val: Value to apply.
- length: Number of bytes to modify.

Exceptions

- *util::Exception:*

```
void transform (void *src_ptr, void **dst_ptr, util::AllocationRecord *src_allocation,
               util::AllocationRecord *dst_allocation, std::size_t length)
```

Transform length bytes of memory from src_ptr to dst_ptr.

Parameters

- src_ptr: Pointer to source memory location.
- dst_ptr: Pointer to destination memory location.
- src_allocation: AllocationRecord of source.
- dst_allocation: AllocationRecord of destination.
- length: Number of bytes to transform.

Exceptions

- *util::Exception:*

```
camp::resources::Event transform_async (void *src_ptr, void **dst_ptr, util::AllocationRecord
                                       *src_allocation, util::AllocationRecord *dst_allocation,
                                       std::size_t length, camp::resources::Resource &ctx)
```

```
camp::resources::Event apply_async (void *src_ptr, util::AllocationRecord *src_allocation, int val,
                                     std::size_t length, camp::resources::Resource &ctx)
```

Class CudaAdvisePreferredLocationOperation

- Defined in file_umpire_op_CudaAdvisePreferredLocationOperation.hpp

Inheritance Relationships

Base Type

- public umpire::op::MemoryOperation (*Class MemoryOperation*)

Class Documentation

```
class umpire::op::CudaAdvisePreferredLocationOperation : public umpire::op::MemoryOperation
```

Public Functions

```
void apply (void *src_ptr, util::AllocationRecord *src_allocation, int val, std::size_t length)  
Apply val to the first length bytes of src_ptr.
```

Uses cudaMemAdvise to set preferred location of data.

Parameters

- src_ptr: Pointer to source memory location.
- src_allocation: AllocationRecord of source.
- val: Value to apply.
- length: Number of bytes to modify.

Exceptions

- *util::Exception:*

```
void transform (void *src_ptr, void **dst_ptr, util::AllocationRecord *src_allocation,  
               util::AllocationRecord *dst_allocation, std::size_t length)  
Transform length bytes of memory from src_ptr to dst_ptr.
```

Parameters

- src_ptr: Pointer to source memory location.
- dst_ptr: Pointer to destination memory location.
- src_allocation: AllocationRecord of source.
- dst_allocation: AllocationRecord of destination.
- length: Number of bytes to transform.

Exceptions

- *util::Exception:*

```

camp::resources::Event transform_async (void *src_ptr, void **dst_ptr, util::AllocationRecord
    *src_allocation, util::AllocationRecord *dst_allocation,
    std::size_t length, camp::resources::Resource &ctx)

camp::resources::Event apply_async (void *src_ptr, util::AllocationRecord *src_allocation, int val,
    std::size_t length, camp::resources::Resource &ctx)
    
```

Class CudaAdviseReadMostlyOperation

- Defined in file_umpire_op_CudaAdviseReadMostlyOperation.hpp

Inheritance Relationships

Base Type

- public umpire::op::MemoryOperation (*Class MemoryOperation*)

Class Documentation

```

class umpire::op::CudaAdviseReadMostlyOperation : public umpire::op::MemoryOperation
    
```

Public Functions

```

void apply (void *src_ptr, util::AllocationRecord *src_allocation, int val, std::size_t length)
    Apply val to the first length bytes of src_ptr.
    
```

Uses cudaMemAdvise to set data as “read mostly” on the appropriate device.

Parameters

- src_ptr: Pointer to source memory location.
- src_allocation: AllocationRecord of source.
- val: Value to apply.
- length: Number of bytes to modify.

Exceptions

- *util::Exception:*

```

void transform (void *src_ptr, void **dst_ptr, util::AllocationRecord *src_allocation,
    util::AllocationRecord *dst_allocation, std::size_t length)
    Transfrom length bytes of memory from src_ptr to dst_ptr.
    
```

Parameters

- src_ptr: Pointer to source memory location.
- dst_ptr: Pointer to destinatino memory location.
- src_allocation: AllocationRecord of source.
- dst_allocation: AllocationRecord of destination.
- length: Number of bytes to transform.

Exceptions

- `util::Exception`:

camp::resources::Event **transform_async** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*, camp::resources::Resource &*ctx*)

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class CudaAdviseUnsetAccessedByOperation

- Defined in file_umpire_op_CudaAdviseUnsetAccessedByOperation.hpp

Inheritance Relationships

Base Type

- public `umpire::op::MemoryOperation` (Class *MemoryOperation*)

Class Documentation

```
class umpire::op::CudaAdviseUnsetAccessedByOperation : public umpire::op::MemoryOperation
```

Public Functions

void **apply** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*)
Apply *val* to the first *length* bytes of *src_ptr*.

Uses `cudaMemAdvise` to set data as accessed by the appropriate device.

Parameters

- *src_ptr*: Pointer to source memory location.
- *src_allocation*: AllocationRecord of source.
- *val*: Value to apply.
- *length*: Number of bytes to modify.

Exceptions

- `util::Exception`:

void **transform** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*)
Transform *length* bytes of memory from *src_ptr* to *dst_ptr*.

Parameters

- *src_ptr*: Pointer to source memory location.
- *dst_ptr*: Pointer to destination memory location.
- *src_allocation*: AllocationRecord of source.

- `dst_allocation`: AllocationRecord of destination.
- `length`: Number of bytes to transform.

Exceptions

- `util::Exception`:

camp::resources::Event **transform_async** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*, camp::resources::Resource &*ctx*)

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class CudaAdviseUnsetPreferredLocationOperation

- Defined in file_umpire_op_CudaAdviseUnsetPreferredLocationOperation.hpp

Inheritance Relationships

Base Type

- public umpire::op::MemoryOperation (*Class MemoryOperation*)

Class Documentation

```
class umpire::op::CudaAdviseUnsetPreferredLocationOperation : public umpire::op::MemoryOperation
```

Public Functions

void **apply** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*)
Apply *val* to the first *length* bytes of *src_ptr*.

Uses cudaMemAdvise to set preferred location of data.

Parameters

- `src_ptr`: Pointer to source memory location.
- `src_allocation`: AllocationRecord of source.
- `val`: Value to apply.
- `length`: Number of bytes to modify.

Exceptions

- `util::Exception`:

void **transform** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*)
Transform *length* bytes of memory from *src_ptr* to *dst_ptr*.

Parameters

- `src_ptr`: Pointer to source memory location.

- `dst_ptr`: Pointer to destination memory location.
- `src_allocation`: `AllocationRecord` of source.
- `dst_allocation`: `AllocationRecord` of destination.
- `length`: Number of bytes to transform.

Exceptions

- `util::Exception`:

camp::resources::Event **transform_async** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*, camp::resources::Resource &*ctx*)

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class CudaAdviseUnsetReadMostlyOperation

- Defined in file_umpire_op_CudaAdviseUnsetReadMostlyOperation.hpp

Inheritance Relationships

Base Type

- public `umpire::op::MemoryOperation` (Class `MemoryOperation`)

Class Documentation

```
class umpire::op::CudaAdviseUnsetReadMostlyOperation : public umpire::op::MemoryOperation
```

Public Functions

void **apply** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*)

Apply *val* to the first *length* bytes of *src_ptr*.

Uses `cudaMemAdvise` to set data as “read mostly” on the appropriate device.

Parameters

- `src_ptr`: Pointer to source memory location.
- `src_allocation`: `AllocationRecord` of source.
- `val`: Value to apply.
- `length`: Number of bytes to modify.

Exceptions

- `util::Exception`:

void **transform** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*)

Transform *length* bytes of memory from *src_ptr* to *dst_ptr*.

Parameters

- `src_ptr`: Pointer to source memory location.
- `dst_ptr`: Pointer to destination memory location.
- `src_allocation`: AllocationRecord of source.
- `dst_allocation`: AllocationRecord of destination.
- `length`: Number of bytes to transform.

Exceptions

- `util::Exception`:

camp::resources::Event **transform_async** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*, camp::resources::Resource &*ctx*)

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class CudaCopyFromOperation

- Defined in file_umpire_op_CudaCopyFromOperation.hpp

Inheritance Relationships**Base Type**

- public umpire::op::MemoryOperation (*Class MemoryOperation*)

Class Documentation

class umpire::op::CudaCopyFromOperation : public umpire::op::MemoryOperation
Copy operation to move data from a NVIDIA GPU to CPU memory.

Public Functions

void **transform** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*)

Transform length bytes of memory from `src_ptr` to `dst_ptr`.

Uses `cudaMemcpy` to move data when `src_ptr` is on a NVIDIA GPU and `dst_ptr` is on the CPU.

Parameters

- `src_ptr`: Pointer to source memory location.
- `dst_ptr`: Pointer to destination memory location.
- `src_allocation`: AllocationRecord of source.
- `dst_allocation`: AllocationRecord of destination.
- `length`: Number of bytes to transform.

Exceptions

- `util::Exception`:

camp::resources::Event **transform_async** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*, camp::resources::Resource &*ctx*)

void **apply** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*)
Apply *val* to the first *length* bytes of *src_ptr*.

Parameters

- *src_ptr*: Pointer to source memory location.
- *src_allocation*: AllocationRecord of source.
- *val*: Value to apply.
- *length*: Number of bytes to modify.

Exceptions

- `util::Exception`:

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class CudaCopyOperation

- Defined in file_umpire_op_CudaCopyOperation.hpp

Inheritance Relationships

Base Type

- public `umpire::op::MemoryOperation` (*Class MemoryOperation*)

Class Documentation

class `umpire::op::CudaCopyOperation` : public `umpire::op::MemoryOperation`
Copy operation to move data between two GPU addresses.

Public Functions

void **transform** (void **src_ptr*, void ***dst_ptr*, umpire::util::AllocationRecord **src_allocation*, umpire::util::AllocationRecord **dst_allocation*, std::size_t *length*)
Transform *length* bytes of memory from *src_ptr* to *dst_ptr*.

Uses `cudaMemcpy` to move data when both *src_ptr* and *dst_ptr* are on NVIDIA GPUs.

Parameters

- *src_ptr*: Pointer to source memory location.
- *dst_ptr*: Pointer to destination memory location.

- `src_allocation`: AllocationRecord of source.
- `dst_allocation`: AllocationRecord of destination.
- `length`: Number of bytes to transform.

Exceptions

- `util::Exception`:

`camp::resources::Event transform_async` (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*, camp::resources::Resource &*ctx*)

void **apply** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*)
Apply *val* to the first *length* bytes of *src_ptr*.

Parameters

- `src_ptr`: Pointer to source memory location.
- `src_allocation`: AllocationRecord of source.
- `val`: Value to apply.
- `length`: Number of bytes to modify.

Exceptions

- `util::Exception`:

`camp::resources::Event apply_async` (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class CudaCopyToOperation

- Defined in file_umpire_op_CudaCopyToOperation.hpp

Inheritance Relationships

Base Type

- public `umpire::op::MemoryOperation` (*Class MemoryOperation*)

Class Documentation

class `umpire::op::CudaCopyToOperation` : public `umpire::op::MemoryOperation`
Copy operation to move data from CPU to NVIDIA GPU memory.

Public Functions

void **transform** (void **src_ptr*, void ***dst_ptr*, umpire::util::AllocationRecord **src_allocation*, umpire::util::AllocationRecord **dst_allocation*, std::size_t *length*)

Transform *length* bytes of memory from *src_ptr* to *dst_ptr*.

Uses `cudaMemcpy` to move data when *src_ptr* is on the CPU and *dst_ptr* is on an NVIDIA GPU.

Parameters

- *src_ptr*: Pointer to source memory location.
- *dst_ptr*: Pointer to destination memory location.
- *src_allocation*: AllocationRecord of source.
- *dst_allocation*: AllocationRecord of destination.
- *length*: Number of bytes to transform.

Exceptions

- `util::Exception`:

camp::resources::Event **transform_async** (void **src_ptr*, void ***dst_ptr*, umpire::util::AllocationRecord **src_allocation*, umpire::util::AllocationRecord **dst_allocation*, std::size_t *length*, camp::resources::Resource &*ctx*)

void **apply** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*)

Apply *val* to the first *length* bytes of *src_ptr*.

Parameters

- *src_ptr*: Pointer to source memory location.
- *src_allocation*: AllocationRecord of source.
- *val*: Value to apply.
- *length*: Number of bytes to modify.

Exceptions

- `util::Exception`:

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Template Class `CudaGetAttributeOperation`

- Defined in `file_umpire_op_CudaGetAttributeOperation.hpp`

Inheritance Relationships

Base Type

- `public umpire::op::MemoryOperation` (*Class MemoryOperation*)

Class Documentation

template<cudaMemRangeAttribute **ATTRIBUTE**>

class `umpire::op::CudaGetAttributeOperation` : **public** `umpire::op::MemoryOperation`
Copy operation to move data from CPU to NVIDIA GPU memory.

Public Functions

bool **check_apply** (void **src_ptr*, `umpire::util::AllocationRecord` **src_allocation*, int *val*, `std::size_t` *length*) **override**
Uses `cudaMemRangeGetAttribute` to check attributes of a CUDA memory range.

Parameters

- *src_ptr*: Pointer to source memory location.
- *dst_ptr*: Pointer to destination memory location.
- *src_allocation*: `AllocationRecord` of source.
- *dst_allocation*: `AllocationRecord` of destination.
- *length*: Number of bytes to transform.

Exceptions

- `util::Exception`:

void **transform** (void **src_ptr*, void ***dst_ptr*, `util::AllocationRecord` **src_allocation*,
`util::AllocationRecord` **dst_allocation*, `std::size_t` *length*)
Transform *length* bytes of memory from *src_ptr* to *dst_ptr*.

Parameters

- *src_ptr*: Pointer to source memory location.
- *dst_ptr*: Pointer to destination memory location.
- *src_allocation*: `AllocationRecord` of source.
- *dst_allocation*: `AllocationRecord` of destination.
- *length*: Number of bytes to transform.

Exceptions

- `util::Exception`:

`camp::resources::Event` **transform_async** (void **src_ptr*, void ***dst_ptr*, `util::AllocationRecord` **src_allocation*,
`util::AllocationRecord` **dst_allocation*, `std::size_t` *length*, `camp::resources::Resource` &*ctx*)

void **apply** (void **src_ptr*, `util::AllocationRecord` **src_allocation*, int *val*, `std::size_t` *length*)
Apply *val* to the first *length* bytes of *src_ptr*.

Parameters

- `src_ptr`: Pointer to source memory location.
- `src_allocation`: AllocationRecord of source.
- `val`: Value to apply.
- `length`: Number of bytes to modify.

Exceptions

- `util::Exception`:

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class CudaMemPrefetchOperation

- Defined in file_umpire_op_CudaMemPrefetchOperation.hpp

Inheritance Relationships

Base Type

- public umpire::op::MemoryOperation (*Class MemoryOperation*)

Class Documentation

```
class umpire::op::CudaMemPrefetchOperation : public umpire::op::MemoryOperation
```

Public Functions

void **apply** (void **src_ptr*, umpire::util::AllocationRecord **src_allocation*, int *value*, std::size_t *length*)
Apply val to the first length bytes of src_ptr.

Parameters

- `src_ptr`: Pointer to source memory location.
- `src_allocation`: AllocationRecord of source.
- `val`: Value to apply.
- `length`: Number of bytes to modify.

Exceptions

- `util::Exception`:

void **transform** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*)
Transform length bytes of memory from src_ptr to dst_ptr.

Parameters

- `src_ptr`: Pointer to source memory location.

- `dst_ptr`: Pointer to destination memory location.
- `src_allocation`: AllocationRecord of source.
- `dst_allocation`: AllocationRecord of destination.
- `length`: Number of bytes to transform.

Exceptions

- `util::Exception`:

camp::resources::Event **transform_async** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*, camp::resources::Resource &*ctx*)

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class CudaMemsetOperation

- Defined in file_umpire_op_CudaMemsetOperation.hpp

Inheritance Relationships

Base Type

- public umpire::op::MemoryOperation (*Class MemoryOperation*)

Class Documentation

class umpire::op::CudaMemsetOperation : public umpire::op::MemoryOperation
Memset on NVIDIA device memory.

Public Functions

void **apply** (void **src_ptr*, util::AllocationRecord **ptr*, int *value*, std::size_t *length*)
Apply *val* to the first *length* bytes of *src_ptr*.

Uses `cudaMemset` to set first *length* bytes of *src_ptr* to *value*.

Parameters

- `src_ptr`: Pointer to source memory location.
- `src_allocation`: AllocationRecord of source.
- `val`: Value to apply.
- `length`: Number of bytes to modify.

Exceptions

- `util::Exception`:

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **ptr*, int *value*, std::size_t *length*, camp::resources::Resource &*ctx*)

```
void transform(void *src_ptr, void **dst_ptr, util::AllocationRecord *src_allocation,
               util::AllocationRecord *dst_allocation, std::size_t length)
    Transfrom length bytes of memory from src_ptr to dst_ptr.
```

Parameters

- *src_ptr*: Pointer to source memory location.
- *dst_ptr*: Pointer to destinatio memory location.
- *src_allocation*: *AllocationRecord* of source.
- *dst_allocation*: *AllocationRecord* of destination.
- *length*: Number of bytes to transform.

Exceptions

- *util::Exception*:

```
camp::resources::Event transform_async(void *src_ptr, void **dst_ptr, util::AllocationRecord
                                         *src_allocation, util::AllocationRecord *dst_allocation,
                                         std::size_t length, camp::resources::Resource &ctx)
```

Class GenericReallocateOperation

- Defined in file_umpire_op_GenericReallocateOperation.hpp

Inheritance Relationships

Base Type

- public `umpire::op::MemoryOperation` (*Class MemoryOperation*)

Class Documentation

```
class umpire::op::GenericReallocateOperation : public umpire::op::MemoryOperation
    Generic reallocate operation to work on any current_ptr location.
```

Public Functions

```
void transform(void *current_ptr, void **new_ptr, util::AllocationRecord *current_allocation,
               util::AllocationRecord *new_allocation, std::size_t new_size)
    Transfrom length bytes of memory from src_ptr to dst_ptr.
```

This operation relies on *ResourceManager::copy*, *AllocationStrategy::allocate* and *AllocationStrategy::deallocate* to implement a reallocate operation that can work for any *current_ptr* location.

Parameters

- *src_ptr*: Pointer to source memory location.
- *dst_ptr*: Pointer to destinatio memory location.
- *src_allocation*: *AllocationRecord* of source.
- *dst_allocation*: *AllocationRecord* of destination.

- `length`: Number of bytes to transform.

Exceptions

- `util::Exception`:

`camp::resources::Event transform_async` (void **src_ptr*, void ***dst_ptr*, `util::AllocationRecord` **src_allocation*, `util::AllocationRecord` **dst_allocation*, `std::size_t` *length*, `camp::resources::Resource` &*ctx*)

void `apply` (void **src_ptr*, `util::AllocationRecord` **src_allocation*, int *val*, `std::size_t` *length*)
Apply *val* to the first *length* bytes of *src_ptr*.

Parameters

- `src_ptr`: Pointer to source memory location.
- `src_allocation`: `AllocationRecord` of source.
- `val`: Value to apply.
- `length`: Number of bytes to modify.

Exceptions

- `util::Exception`:

`camp::resources::Event apply_async` (void **src_ptr*, `util::AllocationRecord` **src_allocation*, int *val*, `std::size_t` *length*, `camp::resources::Resource` &*ctx*)

Class HipCopyFromOperation

- Defined in `file_umpire_op_HipCopyFromOperation.hpp`

Inheritance Relationships

Base Type

- `public` `umpire::op::MemoryOperation` (*Class MemoryOperation*)

Class Documentation

class `umpire::op::HipCopyFromOperation` : **public** `umpire::op::MemoryOperation`
Copy operation to move data from a AMD GPU to CPU memory.

Public Functions

void `transform` (void **src_ptr*, void ***dst_ptr*, `util::AllocationRecord` **src_allocation*, `util::AllocationRecord` **dst_allocation*, `std::size_t` *length*)

Transform *length* bytes of memory from *src_ptr* to *dst_ptr*.

Uses `hipMemcpy` to move data when *src_ptr* is on a AMD GPU and *dst_ptr* is on the CPU.

Parameters

- `src_ptr`: Pointer to source memory location.

- `dst_ptr`: Pointer to destination memory location.
- `src_allocation`: AllocationRecord of source.
- `dst_allocation`: AllocationRecord of destination.
- `length`: Number of bytes to transform.

Exceptions

- `util::Exception`:

`camp::resources::Event transform_async` (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*, camp::resources::Resource &*ctx*)

void **apply** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*)
Apply *val* to the first *length* bytes of *src_ptr*.

Parameters

- `src_ptr`: Pointer to source memory location.
- `src_allocation`: AllocationRecord of source.
- `val`: Value to apply.
- `length`: Number of bytes to modify.

Exceptions

- `util::Exception`:

`camp::resources::Event apply_async` (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class HipCopyOperation

- Defined in file_umpire_op_HipCopyOperation.hpp

Inheritance Relationships

Base Type

- public `umpire::op::MemoryOperation` (Class *MemoryOperation*)

Class Documentation

class `umpire::op::HipCopyOperation` : **public** `umpire::op::MemoryOperation`
Copy operation to move data between two GPU addresses.

Public Functions

void **transform** (void **src_ptr*, void ***dst_ptr*, umpire::util::AllocationRecord **src_allocation*, umpire::util::AllocationRecord **dst_allocation*, std::size_t *length*)

Transform *length* bytes of memory from *src_ptr* to *dst_ptr*.

Uses hipMemcpy to move data when both *src_ptr* and *dst_ptr* are on AMD GPUs.

Parameters

- *src_ptr*: Pointer to source memory location.
- *dst_ptr*: Pointer to destination memory location.
- *src_allocation*: AllocationRecord of source.
- *dst_allocation*: AllocationRecord of destination.
- *length*: Number of bytes to transform.

Exceptions

- *util::Exception*:

camp::resources::Event **transform_async** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*, camp::resources::Resource &*ctx*)

void **apply** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*)

Apply *val* to the first *length* bytes of *src_ptr*.

Parameters

- *src_ptr*: Pointer to source memory location.
- *src_allocation*: AllocationRecord of source.
- *val*: Value to apply.
- *length*: Number of bytes to modify.

Exceptions

- *util::Exception*:

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class HipCopyToOperation

- Defined in file_umpire_op_HipCopyToOperation.hpp

Inheritance Relationships

Base Type

- `public umpire::op::MemoryOperation` (*Class MemoryOperation*)

Class Documentation

class `umpire::op::HipCopyToOperation` : **public** `umpire::op::MemoryOperation`
Copy operation to move data from CPU to AMD GPU memory.

Public Functions

`void transform`(`void *src_ptr`, `void **dst_ptr`, `umpire::util::AllocationRecord *src_allocation`, `umpire::util::AllocationRecord *dst_allocation`, `std::size_t length`)
Transform length bytes of memory from `src_ptr` to `dst_ptr`.

Uses `hipMemcpy` to move data when `src_ptr` is on the CPU and `dst_ptr` is on an AMD GPU.

Parameters

- `src_ptr`: Pointer to source memory location.
- `dst_ptr`: Pointer to destination memory location.
- `src_allocation`: `AllocationRecord` of source.
- `dst_allocation`: `AllocationRecord` of destination.
- `length`: Number of bytes to transform.

Exceptions

- `util::Exception`:

`camp::resources::Event transform_async`(`void *src_ptr`, `void **dst_ptr`, `util::AllocationRecord *src_allocation`, `util::AllocationRecord *dst_allocation`, `std::size_t length`, `camp::resources::Resource &ctx`)

`void apply`(`void *src_ptr`, `util::AllocationRecord *src_allocation`, `int val`, `std::size_t length`)
Apply `val` to the first `length` bytes of `src_ptr`.

Parameters

- `src_ptr`: Pointer to source memory location.
- `src_allocation`: `AllocationRecord` of source.
- `val`: Value to apply.
- `length`: Number of bytes to modify.

Exceptions

- `util::Exception`:

`camp::resources::Event apply_async`(`void *src_ptr`, `util::AllocationRecord *src_allocation`, `int val`, `std::size_t length`, `camp::resources::Resource &ctx`)

Class HipMemsetOperation

- Defined in file_umpire_op_HipMemsetOperation.hpp

Inheritance Relationships

Base Type

- public umpire::op::MemoryOperation (*Class MemoryOperation*)

Class Documentation

class umpire::op::HipMemsetOperation : public umpire::op::MemoryOperation
Memset on AMD device memory.

Public Functions

void **apply** (void *src_ptr, util::AllocationRecord *ptr, int value, std::size_t length)
Apply val to the first length bytes of src_ptr.

Uses hipMemset to set first length bytes of src_ptr to value.

Parameters

- src_ptr: Pointer to source memory location.
- src_allocation: AllocationRecord of source.
- val: Value to apply.
- length: Number of bytes to modify.

Exceptions

- util::Exception:

void **transform** (void *src_ptr, void **dst_ptr, util::AllocationRecord *src_allocation,
util::AllocationRecord *dst_allocation, std::size_t length)
Transform length bytes of memory from src_ptr to dst_ptr.

Parameters

- src_ptr: Pointer to source memory location.
- dst_ptr: Pointer to destination memory location.
- src_allocation: AllocationRecord of source.
- dst_allocation: AllocationRecord of destination.
- length: Number of bytes to transform.

Exceptions

- util::Exception:

```
camp::resources::Event transform_async (void *src_ptr, void **dst_ptr, util::AllocationRecord
    *src_allocation, util::AllocationRecord *dst_allocation,
    std::size_t length, camp::resources::Resource &ctx)

camp::resources::Event apply_async (void *src_ptr, util::AllocationRecord *src_allocation, int val,
    std::size_t length, camp::resources::Resource &ctx)
```

Class HostCopyOperation

- Defined in file_umpire_op_HostCopyOperation.hpp

Inheritance Relationships

Base Type

- public `umpire::op::MemoryOperation` (*Class MemoryOperation*)

Class Documentation

```
class umpire::op::HostCopyOperation : public umpire::op::MemoryOperation
    Copy memory between two allocations in CPU memory.
```

Public Functions

```
void transform (void *src_ptr, void **dst_ptr, umpire::util::AllocationRecord *src_allocation, um-
    pire::util::AllocationRecord *dst_allocation, std::size_t length)
    Transform length bytes of memory from src_ptr to dst_ptr.
```

Parameters

- `src_ptr`: Pointer to source memory location.
- `dst_ptr`: Pointer to destination memory location.
- `src_allocation`: AllocationRecord of source.
- `dst_allocation`: AllocationRecord of destination.
- `length`: Number of bytes to transform.

Exceptions

- `util::Exception`:

```
camp::resources::Event transform_async (void *src_ptr, void **dst_ptr, util::AllocationRecord
    *src_allocation, util::AllocationRecord *dst_allocation,
    std::size_t length, camp::resources::Resource &ctx)
```

```
void apply (void *src_ptr, util::AllocationRecord *src_allocation, int val, std::size_t length)
    Apply val to the first length bytes of src_ptr.
```

Parameters

- `src_ptr`: Pointer to source memory location.
- `src_allocation`: AllocationRecord of source.

- `val`: Value to apply.
- `length`: Number of bytes to modify.

Exceptions

- `util::Exception`:

`camp::resources::Event` **apply_async** (void **src_ptr*, `util::AllocationRecord` **src_allocation*, int *val*, `std::size_t` *length*, `camp::resources::Resource` &*ctx*)

Class HostMemsetOperation

- Defined in `file_umpire_op_HostMemsetOperation.hpp`

Inheritance Relationships

Base Type

- `public` `umpire::op::MemoryOperation` (*Class MemoryOperation*)

Class Documentation

class `umpire::op::HostMemsetOperation` : **public** `umpire::op::MemoryOperation`
 Memset an allocation in CPU memory.

Public Functions

void **apply** (void **src_ptr*, `util::AllocationRecord` **allocation*, int *value*, `std::size_t` *length*)
 Apply *val* to the first *length* bytes of *src_ptr*.

Uses `std::memset` to set the first *length* bytes of *src_ptr* to *value*.

Parameters

- `src_ptr`: Pointer to source memory location.
- `src_allocation`: `AllocationRecord` of source.
- `val`: Value to apply.
- `length`: Number of bytes to modify.

Exceptions

- `util::Exception`:

void **transform** (void **src_ptr*, void ***dst_ptr*, `util::AllocationRecord` **src_allocation*,
`util::AllocationRecord` **dst_allocation*, `std::size_t` *length*)
 Transform *length* bytes of memory from *src_ptr* to *dst_ptr*.

Parameters

- `src_ptr`: Pointer to source memory location.
- `dst_ptr`: Pointer to destination memory location.

- `src_allocation`: AllocationRecord of source.
- `dst_allocation`: AllocationRecord of destination.
- `length`: Number of bytes to transform.

Exceptions

- `util::Exception`:

`camp::resources::Event transform_async` (void **src_ptr*, void ***dst_ptr*, `util::AllocationRecord` **src_allocation*, `util::AllocationRecord` **dst_allocation*, `std::size_t` *length*, `camp::resources::Resource` &*ctx*)

`camp::resources::Event apply_async` (void **src_ptr*, `util::AllocationRecord` **src_allocation*, int *val*, `std::size_t` *length*, `camp::resources::Resource` &*ctx*)

Class HostReallocateOperation

- Defined in file `umpire_op_HostReallocateOperation.hpp`

Inheritance Relationships

Base Type

- public `umpire::op::MemoryOperation` (*Class MemoryOperation*)

Class Documentation

class `umpire::op::HostReallocateOperation` : public `umpire::op::MemoryOperation`
Reallocate data in CPU memory.

Public Functions

void **transform** (void **current_ptr*, void ***new_ptr*, `util::AllocationRecord` **current_allocation*,
`util::AllocationRecord` **new_allocation*, `std::size_t` *new_size*)

Transform *length* bytes of memory from *src_ptr* to *dst_ptr*.

Uses POSIX `realloc` to reallocate memory in the CPU memory.

Parameters

- `src_ptr`: Pointer to source memory location.
- `dst_ptr`: Pointer to destination memory location.
- `src_allocation`: AllocationRecord of source.
- `dst_allocation`: AllocationRecord of destination.
- `length`: Number of bytes to transform.

Exceptions

- `util::Exception`:

camp::resources::Event **transform_async** (void *src_ptr, void **dst_ptr, util::AllocationRecord *src_allocation, util::AllocationRecord *dst_allocation, std::size_t length, camp::resources::Resource &ctx)

void **apply** (void *src_ptr, util::AllocationRecord *src_allocation, int val, std::size_t length)
Apply val to the first length bytes of src_ptr.

Parameters

- src_ptr: Pointer to source memory location.
- src_allocation: AllocationRecord of source.
- val: Value to apply.
- length: Number of bytes to modify.

Exceptions

- *util::Exception:*

camp::resources::Event **apply_async** (void *src_ptr, util::AllocationRecord *src_allocation, int val, std::size_t length, camp::resources::Resource &ctx)

Class MemoryOperation

- Defined in file_umpire_op_MemoryOperation.hpp

Inheritance Relationships

Derived Types

- public umpire::op::CudaAdviseAccessedByOperation (*Class CudaAdviseAccessedByOperation*)
- public umpire::op::CudaAdvisePreferredLocationOperation (*Class CudaAdvisePreferredLocationOperation*)
- public umpire::op::CudaAdviseReadMostlyOperation (*Class CudaAdviseReadMostlyOperation*)
- public umpire::op::CudaAdviseUnsetAccessedByOperation (*Class CudaAdviseUnsetAccessedByOperation*)
- public umpire::op::CudaAdviseUnsetPreferredLocationOperation (*Class CudaAdviseUnsetPreferredLocationOperation*)
- public umpire::op::CudaAdviseUnsetReadMostlyOperation (*Class CudaAdviseUnsetReadMostlyOperation*)
- public umpire::op::CudaCopyFromOperation (*Class CudaCopyFromOperation*)
- public umpire::op::CudaCopyOperation (*Class CudaCopyOperation*)
- public umpire::op::CudaCopyToOperation (*Class CudaCopyToOperation*)
- public umpire::op::CudaGetAttributeOperation< ATTRIBUTE > (*Template Class CudaGetAttributeOperation*)
- public umpire::op::CudaMemPrefetchOperation (*Class CudaMemPrefetchOperation*)

- `public umpire::op::CudaMemsetOperation (Class CudaMemsetOperation)`
- `public umpire::op::GenericReallocateOperation (Class GenericReallocateOperation)`
- `public umpire::op::HipCopyFromOperation (Class HipCopyFromOperation)`
- `public umpire::op::HipCopyOperation (Class HipCopyOperation)`
- `public umpire::op::HipCopyToOperation (Class HipCopyToOperation)`
- `public umpire::op::HipMemsetOperation (Class HipMemsetOperation)`
- `public umpire::op::HostCopyOperation (Class HostCopyOperation)`
- `public umpire::op::HostMemsetOperation (Class HostMemsetOperation)`
- `public umpire::op::HostReallocateOperation (Class HostReallocateOperation)`
- `public umpire::op::NumaMoveOperation (Class NumaMoveOperation)`
- `public umpire::op::OpenMPTargetCopyOperation (Class OpenMPTargetCopyOperation)`
- `public umpire::op::OpenMPTargetMemsetOperation (Class OpenMPTargetMemsetOperation)`

Class Documentation

class `umpire::op::MemoryOperation`

Base class of an operation on memory.

Neither the `transform` or `apply` methods are pure virtual, so inheriting classes only need overload the appropriate method. However, both methods will throw an error if called.

Subclassed by `umpire::op::CudaAdviseAccessedByOperation`, `umpire::op::CudaAdvisePreferredLocationOperation`, `umpire::op::CudaAdviseReadMostlyOperation`, `umpire::op::CudaAdviseUnsetAccessedByOperation`, `umpire::op::CudaAdviseUnsetPreferredLocationOperation`, `umpire::op::CudaAdviseUnsetReadMostlyOperation`, `umpire::op::CudaCopyFromOperation`, `umpire::op::CudaCopyOperation`, `umpire::op::CudaCopyToOperation`, `umpire::op::CudaGetAttributeOperation` < ATTRIBUTE >, `umpire::op::CudaMemPrefetchOperation`, `umpire::op::CudaMemsetOperation`, `umpire::op::GenericReallocateOperation`, `umpire::op::HipCopyFromOperation`, `umpire::op::HipCopyOperation`, `umpire::op::HipCopyToOperation`, `umpire::op::HipMemsetOperation`, `umpire::op::HostCopyOperation`, `umpire::op::HostMemsetOperation`, `umpire::op::HostReallocateOperation`, `umpire::op::NumaMoveOperation`, `umpire::op::OpenMPTargetCopyOperation`, `umpire::op::OpenMPTargetMemsetOperation`

Public Functions

`~MemoryOperation ()` = default

void **transform** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*)
 Transform length bytes of memory from *src_ptr* to *dst_ptr*.

Parameters

- *src_ptr*: Pointer to source memory location.
- *dst_ptr*: Pointer to destination memory location.
- *src_allocation*: AllocationRecord of source.
- *dst_allocation*: AllocationRecord of destination.
- *length*: Number of bytes to transform.

Exceptions

- `util::Exception`:

camp::resources::Event **transform_async** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*, camp::resources::Resource &*ctx*)

void **apply** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*)
Apply *val* to the first *length* bytes of *src_ptr*.

Parameters

- *src_ptr*: Pointer to source memory location.
- *src_allocation*: AllocationRecord of source.
- *val*: Value to apply.
- *length*: Number of bytes to modify.

Exceptions

- `util::Exception`:

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class MemoryOperationRegistry

- Defined in file_umpire_op_MemoryOperationRegistry.hpp

Class Documentation**class** `umpire::op::MemoryOperationRegistry`

The *MemoryOperationRegistry* serves as a registry for *MemoryOperation* objects. It is a singleton class, typically accessed through the *ResourceManager*.

The *MemoryOperationRegistry* class provides lookup mechanisms allowing searching for the appropriate *MemoryOperation* to be applied to allocations made with particular *AllocationStrategy* objects.

MemoryOperations provided by Umpire are registered with the *MemoryOperationRegistry* when it is constructed. Additional MemoryOperations can be registered later using the `registerOperation` method.

The following operations are pre-registered for all *AllocationStrategy* pairs:

- "COPY"
- "MEMSET"
- "REALLOCATE"

See *MemoryOperation*

See *AllocationStrategy*

Public Functions

```
std::shared_ptr<umpire::op::MemoryOperation> find(const std::string &name, strategy::AllocationStrategy *source_allocator, strategy::AllocationStrategy *dst_allocator)
```

Function to find a *MemoryOperation* object.

Finds the *MemoryOperation* object that matches the given name and AllocationStrategy objects. If the requested *MemoryOperation* is not found, this method will throw an Exception.

Parameters

- name: Name of operation.
- src_allocator: AllocationStrategy of the source allocation.
- dst_allocator: AllocationStrategy of the destination allocation.

Exceptions

- *umpire::util::Exception*: if the requested *MemoryOperation* is not found.

```
void registerOperation(const std::string &name, std::pair<Platform, Platform> platforms, std::shared_ptr<MemoryOperation> &&operation) noexcept
```

Add a new *MemoryOperation* to the registry.

This object will register the provided *MemoryOperation*, making it available for later retrieval using *MemoryOperation::find*

Parameters

- name: Name of the operation.
- platforms: pair of Platforms for the source and destination.
- operation: pointer to the *MemoryOperation*.

```
MemoryOperationRegistry (const MemoryOperationRegistry&) = delete
```

```
MemoryOperationRegistry &operator=(const MemoryOperationRegistry&) = delete
```

```
~MemoryOperationRegistry () = default
```

Public Static Functions

```
MemoryOperationRegistry &getInstance () noexcept
```

Get the *MemoryOperationRegistry* singleton instance.

Protected Functions

```
MemoryOperationRegistry () noexcept
```

Class NumaMoveOperation

- Defined in file_umpire_op_NumaMoveOperation.hpp

Inheritance Relationships

Base Type

- public `umpire::op::MemoryOperation` (*Class MemoryOperation*)

Class Documentation

class `umpire::op::NumaMoveOperation` : public `umpire::op::MemoryOperation`
Relocate a pointer to a different NUMA node.

Public Functions

void **transform** (void **src_ptr*, void ***dst_ptr*, `umpire::util::AllocationRecord` **src_allocation*, `umpire::util::AllocationRecord` **dst_allocation*, `std::size_t` *length*)
Transform *length* bytes of memory from *src_ptr* to *dst_ptr*.

Parameters

- *src_ptr*: Pointer to source memory location.
- *dst_ptr*: Pointer to destination memory location.
- *src_allocation*: `AllocationRecord` of source.
- *dst_allocation*: `AllocationRecord` of destination.
- *length*: Number of bytes to transform.

Exceptions

- `util::Exception`:

`camp::resources::Event` **transform_async** (void **src_ptr*, void ***dst_ptr*, `util::AllocationRecord` **src_allocation*, `util::AllocationRecord` **dst_allocation*, `std::size_t` *length*, `camp::resources::Resource` &*ctx*)

void **apply** (void **src_ptr*, `util::AllocationRecord` **src_allocation*, int *val*, `std::size_t` *length*)
Apply *val* to the first *length* bytes of *src_ptr*.

Parameters

- *src_ptr*: Pointer to source memory location.
- *src_allocation*: `AllocationRecord` of source.
- *val*: Value to apply.
- *length*: Number of bytes to modify.

Exceptions

- `util::Exception`:

```
camp::resources::Event apply_async (void *src_ptr, util::AllocationRecord *src_allocation, int val,
                                     std::size_t length, camp::resources::Resource &ctx)
```

Class OpenMPTargetCopyOperation

- Defined in file_umpire_op_OpenMPTargetCopyOperation.hpp

Inheritance Relationships

Base Type

- public umpire::op::MemoryOperation (*Class MemoryOperation*)

Class Documentation

```
class umpire::op::OpenMPTargetCopyOperation : public umpire::op::MemoryOperation
```

Public Functions

```
OpenMPTargetCopyOperation () = default
```

```
void transform (void *src_ptr, void **dst_ptr, umpire::util::AllocationRecord *src_allocation, um-
               pire::util::AllocationRecord *dst_allocation, std::size_t length)
```

Transform length bytes of memory from src_ptr to dst_ptr.

Parameters

- src_ptr: Pointer to source memory location.
- dst_ptr: Pointer to destination memory location.
- src_allocation: AllocationRecord of source.
- dst_allocation: AllocationRecord of destination.
- length: Number of bytes to transform.

Exceptions

- *util::Exception*:

```
camp::resources::Event transform_async (void *src_ptr, void **dst_ptr, util::AllocationRecord
                                         *src_allocation, util::AllocationRecord *dst_allocation,
                                         std::size_t length, camp::resources::Resource &ctx)
```

```
void apply (void *src_ptr, util::AllocationRecord *src_allocation, int val, std::size_t length)
Apply val to the first length bytes of src_ptr.
```

Parameters

- src_ptr: Pointer to source memory location.
- src_allocation: AllocationRecord of source.
- val: Value to apply.
- length: Number of bytes to modify.

Exceptions

- *util::Exception*:

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class OpenMPTargetMemsetOperation

- Defined in file_umpire_op_OpenMPTargetMemsetOperation.hpp

Inheritance Relationships

Base Type

- public umpire::op::MemoryOperation (*Class MemoryOperation*)

Class Documentation

```
class umpire::op::OpenMPTargetMemsetOperation : public umpire::op::MemoryOperation
```

Public Functions

void **apply** (void **src_ptr*, umpire::util::AllocationRecord **src_allocation*, int *value*, std::size_t *length*)
Apply *val* to the first *length* bytes of *src_ptr*.

Parameters

- *src_ptr*: Pointer to source memory location.
- *src_allocation*: AllocationRecord of source.
- *val*: Value to apply.
- *length*: Number of bytes to modify.

Exceptions

- *util::Exception*:

void **transform** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*)
Transform *length* bytes of memory from *src_ptr* to *dst_ptr*.

Parameters

- *src_ptr*: Pointer to source memory location.
- *dst_ptr*: Pointer to destination memory location.
- *src_allocation*: AllocationRecord of source.
- *dst_allocation*: AllocationRecord of destination.
- *length*: Number of bytes to transform.

Exceptions

- *util::Exception*:

camp::resources::Event **transform_async** (void **src_ptr*, void ***dst_ptr*, util::AllocationRecord **src_allocation*, util::AllocationRecord **dst_allocation*, std::size_t *length*, camp::resources::Resource &*ctx*)

camp::resources::Event **apply_async** (void **src_ptr*, util::AllocationRecord **src_allocation*, int *val*, std::size_t *length*, camp::resources::Resource &*ctx*)

Class Replay

- Defined in file_umpire_Replay.hpp

Class Documentation

class umpire::Replay

Public Functions

void **logMessage** (const std::string &*message*)

bool **replayLoggingEnabled** ()

uint64_t **replayUid** ()

Public Static Functions

Replay ***getReplayLogger** ()

std::string **printReplayAllocator** (void)

template<typename **T**, typename ...**Args**>

std::string **printReplayAllocator** (*T* &&*firstArg*, *Args*&&... *args*)

Class CudaConstantMemoryResource

- Defined in file_umpire_resource_CudaConstantMemoryResource.hpp

Inheritance Relationships

Base Type

- public umpire::resource::MemoryResource (*Class MemoryResource*)

Class Documentation

```
class umpire::resource::CudaConstantMemoryResource : public umpire::resource::MemoryResource
```

Public Functions

```
CudaConstantMemoryResource (const std::string &name, int id, MemoryResourceTraits traits)
```

```
void *allocate (std::size_t bytes)
```

Allocate bytes of memory.

This function is pure virtual and must be implemented by the inheriting class.

Return Pointer to start of allocation.

Parameters

- bytes: Number of bytes to allocate.

```
void deallocate (void *ptr)
```

Free the memory at ptr.

This function is pure virtual and must be implemented by the inheriting class.

Parameters

- ptr: Pointer to free.

```
std::size_t getCurrentSize () const noexcept
```

Return the current size of this *MemoryResource*.

This is sum of the sizes of all the tracked allocations. Note that this doesn't ever have to be equal to getHighWatermark.

Return current total size of active allocations in this *MemoryResource*.

```
std::size_t getHighWatermark () const noexcept
```

Return the memory high watermark for this *MemoryResource*.

This is the largest amount of memory allocated by this *Allocator*. Note that this may be larger than the largest value returned by getCurrentSize.

Return Memory high watermark.

```
Platform getPlatform () noexcept
```

Get the Platform associated with this *MemoryResource*.

This function is pure virtual and must be implemented by the inheriting class.

Return Platform associated with this *MemoryResource*.

```
MemoryResourceTraits getTraits () const noexcept override
```

```
void release ()
```

Release any and all unused memory held by this *AllocationStrategy*.

`std::size_t getActualSize () const noexcept`

Get the current amount of memory allocated by this allocator.

Note that this can be larger than `getCurrentSize()`, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

`std::size_t getAllocationCount () const noexcept`

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

`const std::string &getName () noexcept`

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int getId () noexcept`

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

MemoryResourceTraits `m_traits`

`std::string m_name`

`int m_id`

Class CudaConstantMemoryResourceFactory

- Defined in file `umpire_resource_CudaConstantMemoryResourceFactory.hpp`

Inheritance Relationships

Base Type

- `public umpire::resource::MemoryResourceFactory` (*Class MemoryResourceFactory*)

Class Documentation

class CudaConstantMemoryResourceFactory : **public** `umpire::resource::MemoryResourceFactory`
Factory class for constructing *MemoryResource* objects that use GPU memory.

Class CudaDeviceMemoryResource

- Defined in file_umpire_resource_CudaDeviceMemoryResource.hpp

Inheritance Relationships

Base Type

- public umpire::resource::MemoryResource (*Class MemoryResource*)

Class Documentation

class umpire::resource::CudaDeviceMemoryResource : public umpire::resource::MemoryResource
Concrete *MemoryResource* object that uses the template `_allocator` to allocate and deallocate memory.

Public Functions

CudaDeviceMemoryResource (*Platform platform*, **const** std::string &name, int id, *MemoryResourceTraits traits*)

void ***allocate** (std::size_t bytes)
Allocate bytes of memory.

This function is pure virtual and must be implemented by the inheriting class.

Return Pointer to start of allocation.

Parameters

- bytes: Number of bytes to allocate.

void **deallocate** (void *ptr)
Free the memory at ptr.

This function is pure virtual and must be implemented by the inheriting class.

Parameters

- ptr: Pointer to free.

std::size_t **getCurrentSize** () **const noexcept**
Return the current size of this *MemoryResource*.

This is sum of the sizes of all the tracked allocations. Note that this doesn't ever have to be equal to `getHighWatermark`.

Return current total size of active allocations in this *MemoryResource*.

std::size_t **getHighWatermark** () **const noexcept**
Return the memory high watermark for this *MemoryResource*.

This is the largest amount of memory allocated by this *Allocator*. Note that this may be larger than the largest value returned by `getCurrentSize`.

Return Memory high watermark.

Platform **getPlatform () noexcept**

Get the Platform associated with this *MemoryResource*.

This function is pure virtual and must be implemented by the inheriting class.

Return Platform associated with this *MemoryResource*.

MemoryResourceTraits **getTraits () const noexcept override**

void **release ()**

Release any and all unused memory held by this *AllocationStrategy*.

std::size_t **getActualSize () const noexcept**

Get the current amount of memory allocated by this allocator.

Note that this can be larger than *getCurrentSize()*, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

std::size_t **getAllocationCount () const noexcept**

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

const std::string &**getName () noexcept**

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

int **getId () noexcept**

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

alloc::CudaMallocAllocator **m_allocator**

Platform **m_platform**

MemoryResourceTraits **m_traits**

std::string **m_name**

int **m_id**

Class `CudaDeviceResourceFactory`

- Defined in `file_umpire_resource_CudaDeviceResourceFactory.hpp`

Inheritance Relationships

Base Type

- `public umpire::resource::MemoryResourceFactory` (*Class `MemoryResourceFactory`*)

Class Documentation

class `CudaDeviceResourceFactory` : **public** `umpire::resource::MemoryResourceFactory`
Factory class for constructing *MemoryResource* objects that use GPU memory.

Class `CudaPinnedMemoryResourceFactory`

- Defined in `file_umpire_resource_CudaPinnedMemoryResourceFactory.hpp`

Inheritance Relationships

Base Type

- `public umpire::resource::MemoryResourceFactory` (*Class `MemoryResourceFactory`*)

Class Documentation

class `CudaPinnedMemoryResourceFactory` : **public** `umpire::resource::MemoryResourceFactory`

Class `CudaUnifiedMemoryResourceFactory`

- Defined in `file_umpire_resource_CudaUnifiedMemoryResourceFactory.hpp`

Inheritance Relationships

Base Type

- `public umpire::resource::MemoryResourceFactory` (*Class `MemoryResourceFactory`*)

Class Documentation

class `CudaUnifiedMemoryResourceFactory` : **public** `umpire::resource::MemoryResourceFactory`

Factory class to construct a *MemoryResource* that uses NVIDIA “unified” memory, accessible from both the CPU and NVIDIA GPUs.

Template Class `DefaultMemoryResource`

- Defined in file `_umpire_resource_DefaultMemoryResource.hpp`

Inheritance Relationships

Base Type

- `public` `umpire::resource::MemoryResource` (*Class* `MemoryResource`)

Class Documentation

`template<typename _allocator>`

class `umpire::resource::DefaultMemoryResource` : **public** `umpire::resource::MemoryResource`

Concrete *MemoryResource* object that uses the template `_allocator` to allocate and deallocate memory.

Public Functions

DefaultMemoryResource (*Platform* `platform`, **const** `std::string &name`, `int id`, *MemoryResource-Traits* `traits`)

DefaultMemoryResource (*Platform* `platform`, **const** `std::string &name`, `int id`, *MemoryResource-Traits* `traits`, *_allocator* `alloc`)

`void *allocate` (`std::size_t bytes`)

Allocate bytes of memory.

This function is pure virtual and must be implemented by the inheriting class.

Return Pointer to start of allocation.

Parameters

- `bytes`: Number of bytes to allocate.

`void deallocate` (`void *ptr`)

Free the memory at `ptr`.

This function is pure virtual and must be implemented by the inheriting class.

Parameters

- `ptr`: Pointer to free.

`std::size_t getCurrentSize` () **const noexcept**

Return the current size of this *MemoryResource*.

This is sum of the sizes of all the tracked allocations. Note that this doesn’t ever have to be equal to `getHighWatermark`.

Return current total size of active allocations in this *MemoryResource*.

`std::size_t getHighWatermark () const noexcept`

Return the memory high watermark for this *MemoryResource*.

This is the largest amount of memory allocated by this *Allocator*. Note that this may be larger than the largest value returned by `getCurrentSize`.

Return Memory high watermark.

Platform `getPlatform () noexcept`

Get the Platform associated with this *MemoryResource*.

This function is pure virtual and must be implemented by the inheriting class.

Return Platform associated with this *MemoryResource*.

MemoryResourceTraits `getTraits () const noexcept override`

`void release ()`

Release any and all unused memory held by this *AllocationStrategy*.

`std::size_t getActualSize () const noexcept`

Get the current amount of memory allocated by this allocator.

Note that this can be larger than `getCurrentSize()`, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

`std::size_t getAllocationCount () const noexcept`

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

`const std::string &getName () noexcept`

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int getId () noexcept`

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

_allocator `m_allocator`

Platform `m_platform`

MemoryResourceTraits `m_traits`

`std::string m_name`

`int m_id`

Class HipConstantMemoryResource

- Defined in file_umpire_resource_HipConstantMemoryResource.hpp

Inheritance Relationships

Base Type

- public umpire::resource::MemoryResource (*Class MemoryResource*)

Class Documentation

```
class umpire::resource::HipConstantMemoryResource : public umpire::resource::MemoryResource
```

Public Functions

```
HipConstantMemoryResource (const std::string &name, int id, MemoryResourceTraits traits)
```

```
void *allocate (std::size_t bytes)
```

Allocate bytes of memory.

This function is pure virtual and must be implemented by the inheriting class.

Return Pointer to start of allocation.

Parameters

- bytes: Number of bytes to allocate.

```
void deallocate (void *ptr)
```

Free the memory at ptr.

This function is pure virtual and must be implemented by the inheriting class.

Parameters

- ptr: Pointer to free.

```
std::size_t getCurrentSize () const noexcept
```

Return the current size of this *MemoryResource*.

This is sum of the sizes of all the tracked allocations. Note that this doesn't ever have to be equal to getHighWatermark.

Return current total size of active allocations in this *MemoryResource*.

```
std::size_t getHighWatermark () const noexcept
```

Return the memory high watermark for this *MemoryResource*.

This is the largest amount of memory allocated by this *Allocator*. Note that this may be larger than the largest value returned by getCurrentSize.

Return Memory high watermark.

Platform **getPlatform () noexcept**

Get the Platform associated with this *MemoryResource*.

This function is pure virtual and must be implemented by the inheriting class.

Return Platform associated with this *MemoryResource*.

MemoryResourceTraits **getTraits () const noexcept override**

void **release ()**

Release any and all unused memory held by this *AllocationStrategy*.

std::size_t **getActualSize () const noexcept**

Get the current amount of memory allocated by this allocator.

Note that this can be larger than *getCurrentSize()*, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

std::size_t **getAllocationCount () const noexcept**

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

const std::string &**getName () noexcept**

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

int **getId () noexcept**

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

MemoryResourceTraits **m_traits**

std::string **m_name**

int **m_id**

Class HipConstantMemoryResourceFactory

- Defined in file_umpire_resource_HipConstantMemoryResourceFactory.hpp

Inheritance Relationships

Base Type

- `public umpire::resource::MemoryResourceFactory` (*Class MemoryResourceFactory*)

Class Documentation

class HipConstantMemoryResourceFactory : **public** `umpire::resource::MemoryResourceFactory`
Factory class for constructing *MemoryResource* objects that use GPU memory.

Class HipDeviceResourceFactory

- Defined in `file_umpire_resource_HipDeviceResourceFactory.hpp`

Inheritance Relationships

Base Type

- `public umpire::resource::MemoryResourceFactory` (*Class MemoryResourceFactory*)

Class Documentation

class HipDeviceResourceFactory : **public** `umpire::resource::MemoryResourceFactory`
Factory class for constructing *MemoryResource* objects that use GPU memory.

Class HipPinnedMemoryResourceFactory

- Defined in `file_umpire_resource_HipPinnedMemoryResourceFactory.hpp`

Inheritance Relationships

Base Type

- `public umpire::resource::MemoryResourceFactory` (*Class MemoryResourceFactory*)

Class Documentation

class HipPinnedMemoryResourceFactory : **public** `umpire::resource::MemoryResourceFactory`

Class HostResourceFactory

- Defined in file_umpire_resource_HostResourceFactory.hpp

Inheritance Relationships

Base Type

- `public umpire::resource::MemoryResourceFactory` (*Class MemoryResourceFactory*)

Class Documentation

class HostResourceFactory : **public** umpire::resource::MemoryResourceFactory
Factory class to construct a *MemoryResource* that uses CPU memory.

Class MemoryResource

- Defined in file_umpire_resource_MemoryResource.hpp

Inheritance Relationships

Base Type

- `public umpire::strategy::AllocationStrategy` (*Class AllocationStrategy*)

Derived Types

- `public umpire::resource::CudaConstantMemoryResource` (*Class CudaConstantMemoryResource*)
- `public umpire::resource::CudaDeviceMemoryResource` (*Class CudaDeviceMemoryResource*)
- `public umpire::resource::DefaultMemoryResource< _allocator >` (*Template Class DefaultMemoryResource*)
- `public umpire::resource::HipConstantMemoryResource` (*Class HipConstantMemoryResource*)
- `public umpire::resource::NullMemoryResource` (*Class NullMemoryResource*)

Class Documentation

class `umpire::resource::MemoryResource` : **public** `umpire::strategy::AllocationStrategy`

Base class to represent the available hardware resources for memory allocation in the system.

Objects of this inherit from `strategy::AllocationStrategy`, allowing them to be used directly.

Subclassed by `umpire::resource::CudaConstantMemoryResource`, `umpire::resource::CudaDeviceMemoryResource`, `umpire::resource::DefaultMemoryResource< _allocator >`, `umpire::resource::HipConstantMemoryResource`, `umpire::resource::NullMemoryResource`

Public Functions

MemoryResource (**const** `std::string &name`, `int id`, `MemoryResourceTraits traits`)

Construct a *MemoryResource* with the given name and id.

Parameters

- `name`: Name of the *MemoryResource*.
- `id`: ID of the *MemoryResource* (must be unique).

~MemoryResource () = default

`void *allocate` (`std::size_t bytes`) **override** = 0

Allocate bytes of memory.

This function is pure virtual and must be implemented by the inheriting class.

Return Pointer to start of allocation.

Parameters

- `bytes`: Number of bytes to allocate.

`void deallocate` (`void *ptr`) **override** = 0

Free the memory at `ptr`.

This function is pure virtual and must be implemented by the inheriting class.

Parameters

- `ptr`: Pointer to free.

`std::size_t getCurrentSize` () **const noexcept override** = 0

Return the current size of this *MemoryResource*.

This is sum of the sizes of all the tracked allocations. Note that this doesn't ever have to be equal to `getHighWatermark`.

Return current total size of active allocations in this *MemoryResource*.

`std::size_t getHighWatermark` () **const noexcept override** = 0

Return the memory high watermark for this *MemoryResource*.

This is the largest amount of memory allocated by this *Allocator*. Note that this may be larger than the largest value returned by `getCurrentSize`.

Return Memory high watermark.

Platform **getPlatform () noexcept override = 0**

Get the Platform associated with this *MemoryResource*.

This function is pure virtual and must be implemented by the inheriting class.

Return Platform associated with this *MemoryResource*.

MemoryResourceTraits **getTraits () const noexcept override**

void **release ()**

Release any and all unused memory held by this *AllocationStrategy*.

std::size_t **getActualSize () const noexcept**

Get the current amount of memory allocated by this allocator.

Note that this can be larger than *getCurrentSize()*, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

std::size_t **getAllocationCount () const noexcept**

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

const std::string &**getName () noexcept**

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

int **getId () noexcept**

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

MemoryResourceTraits **m_traits**

std::string **m_name**

int **m_id**

Class MemoryResourceFactory

- Defined in file_umpire_resource_MemoryResourceFactory.hpp

Inheritance Relationships

Derived Types

- `public umpire::resource::CudaConstantMemoryResourceFactory` (Class *CudaConstantMemoryResourceFactory*)
- `public umpire::resource::CudaDeviceResourceFactory` (Class *CudaDeviceResourceFactory*)
- `public umpire::resource::CudaPinnedMemoryResourceFactory` (Class *CudaPinnedMemoryResourceFactory*)
- `public umpire::resource::CudaUnifiedMemoryResourceFactory` (Class *CudaUnifiedMemoryResourceFactory*)
- `public umpire::resource::HipConstantMemoryResourceFactory` (Class *HipConstantMemoryResourceFactory*)
- `public umpire::resource::HipDeviceResourceFactory` (Class *HipDeviceResourceFactory*)
- `public umpire::resource::HipPinnedMemoryResourceFactory` (Class *HipPinnedMemoryResourceFactory*)
- `public umpire::resource::HostResourceFactory` (Class *HostResourceFactory*)
- `public umpire::resource::NullMemoryResourceFactory` (Class *NullMemoryResourceFactory*)
- `public umpire::resource::OpenMPTargetResourceFactory` (Class *OpenMPTargetResourceFactory*)

Class Documentation

class `umpire::resource::MemoryResourceFactory`

Abstract factory class for constructing *MemoryResource* objects.

Concrete implementations of this class are used by the *MemoryResourceRegistry* to construct *MemoryResource* objects.

See *MemoryResourceRegistry*

Subclassed by *umpire::resource::CudaConstantMemoryResourceFactory*, *umpire::resource::CudaDeviceResourceFactory*, *umpire::resource::CudaPinnedMemoryResourceFactory*, *umpire::resource::CudaUnifiedMemoryResourceFactory*, *umpire::resource::HipConstantMemoryResourceFactory*, *umpire::resource::HipDeviceResourceFactory*, *umpire::resource::HipPinnedMemoryResourceFactory*, *umpire::resource::HostResourceFactory*, *umpire::resource::NullMemoryResourceFactory*, *umpire::resource::OpenMPTargetResourceFactory*

Public Functions

~MemoryResourceFactory () = default

bool **isValidMemoryResourceFor** (const std::string &name) noexcept = 0

std::unique_ptr<resource::MemoryResource> **create** (const std::string &name, int id) = 0

Construct a *MemoryResource* with the given name and id.

Parameters

- name: Name of the *MemoryResource*.
- id: ID of the *MemoryResource*.
- traits: Traits for the *MemoryResource*

std::unique_ptr<resource::MemoryResource> **create** (const std::string &name, int id, *MemoryResourceTraits* traits) = 0

Construct a *MemoryResource* with the given name and id.

Parameters

- name: Name of the *MemoryResource*.
- id: ID of the *MemoryResource*.
- traits: Traits for the *MemoryResource*

MemoryResourceTraits **getDefaultTraits** () = 0

Class MemoryResourceRegistry

- Defined in file_umpire_resource_MemoryResourceRegistry.hpp

Class Documentation

class umpire::resource::MemoryResourceRegistry

Public Functions

std::unique_ptr<resource::MemoryResource> **makeMemoryResource** (const std::string &name, int id)

std::unique_ptr<resource::MemoryResource> **makeMemoryResource** (const std::string &name, int id, *MemoryResourceTraits* traits)

void **registerMemoryResource** (std::unique_ptr<*MemoryResourceFactory*> &&factory)

MemoryResourceTraits **getDefaultTraitsForResource** (const std::string &name)

MemoryResourceRegistry (const *MemoryResourceRegistry*&) = delete

MemoryResourceRegistry &**operator=** (const *MemoryResourceRegistry*&) = delete

~MemoryResourceRegistry () = default

Public Static Functions

MemoryResourceRegistry &**getInstance** () **noexcept**

Class NullMemoryResource

- Defined in file_umpire_resource_NullMemoryResource.hpp

Inheritance Relationships

Base Type

- public `umpire::resource::MemoryResource` (*Class MemoryResource*)

Class Documentation

```
class umpire::resource::NullMemoryResource : public umpire::resource::MemoryResource
```

Public Functions

```
NullMemoryResource (Platform platform, const std::string &name, int id, MemoryResourceTraits traits)
```

```
void *allocate (std::size_t bytes)  
Allocate bytes of memory.
```

This function is pure virtual and must be implemented by the inheriting class.

Return Pointer to start of allocation.

Parameters

- `bytes`: Number of bytes to allocate.

```
void deallocate (void *ptr)  
Free the memory at ptr.
```

This function is pure virtual and must be implemented by the inheriting class.

Parameters

- `ptr`: Pointer to free.

```
std::size_t getCurrentSize () const noexcept  
Return the current size of this MemoryResource.
```

This is sum of the sizes of all the tracked allocations. Note that this doesn't ever have to be equal to `getHighWatermark`.

Return current total size of active allocations in this *MemoryResource*.

`std::size_t getHighWatermark () const noexcept`

Return the memory high watermark for this *MemoryResource*.

This is the largest amount of memory allocated by this *Allocator*. Note that this may be larger than the largest value returned by `getCurrentSize`.

Return Memory high watermark.

Platform `getPlatform () noexcept`

Get the Platform associated with this *MemoryResource*.

This function is pure virtual and must be implemented by the inheriting class.

Return Platform associated with this *MemoryResource*.

MemoryResourceTraits `getTraits () const noexcept override`

`void release ()`

Release any and all unused memory held by this *AllocationStrategy*.

`std::size_t getActualSize () const noexcept`

Get the current amount of memory allocated by this allocator.

Note that this can be larger than `getCurrentSize()`, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

`std::size_t getAllocationCount () const noexcept`

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

`const std::string &getName () noexcept`

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int getId () noexcept`

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

Platform `m_platform`

MemoryResourceTraits `m_traits`

`std::string m_name`

`int m_id`

Class NullMemoryResourceFactory

- Defined in file_umpire_resource_NullMemoryResourceFactory.hpp

Inheritance Relationships

Base Type

- `public umpire::resource::MemoryResourceFactory` (Class *MemoryResourceFactory*)

Class Documentation

class NullMemoryResourceFactory : **public** umpire::resource::MemoryResourceFactory (Class *MemoryResourceFactory*)
 Factory class for constructing *MemoryResource* objects that use GPU memory.

Class OpenMPTargetResourceFactory

- Defined in file_umpire_resource_OpenMPTargetMemoryResourceFactory.hpp

Inheritance Relationships

Base Type

- `public umpire::resource::MemoryResourceFactory` (Class *MemoryResourceFactory*)

Class Documentation

class umpire::resource::OpenMPTargetResourceFactory : **public** umpire::resource::MemoryResourceFactory
 Factory class for constructing *MemoryResource* objects that use GPU memory.

Public Functions

```
bool isValidMemoryResourceFor (const std::string &name) noexcept final override
std::unique_ptr<resource::MemoryResource> create (const std::string &name, int id) final
                                             override
    Construct a MemoryResource with the given name and id.
```

Parameters

- name: Name of the *MemoryResource*.
- id: ID of the *MemoryResource*.
- traits: Traits for the *MemoryResource*

```
std::unique_ptr<resource::MemoryResource> create (const std::string &name, int id, MemoryRe-
                                             sourceTraits traits) final override
    Construct a MemoryResource with the given name and id.
```

Parameters

- name: Name of the *MemoryResource*.
- id: ID of the *MemoryResource*.
- traits: Traits for the *MemoryResource*

MemoryResourceTraits **getDefaultTraits () final override**

Class ResourceManager

- Defined in file_umpire_ResourceManager.hpp

Class Documentation

class `umpire::ResourceManager`

Public Functions

void **initialize ()**

Initialize the *ResourceManager*.

This will create all registered *MemoryResource* objects

std::vector<std::string> **getAllocatorNames () const noexcept**

Get the names of all available *Allocator* objects.

std::vector<int> **getAllocatorIds () const noexcept**

Get the ids of all available *Allocator* objects.

Allocator **getAllocator (const std::string &name)**

Get the *Allocator* with the given name.

Allocator **getAllocator (const char *name)**

Allocator **getAllocator (resource::MemoryResourceType resource_type)**

Get the default *Allocator* for the given *resource_type*.

Allocator **getAllocator (int id)**

Get the *Allocator* with the given ID.

Allocator **getDefaultAllocator ()**

Get the default *Allocator*.

The default *Allocator* is used whenever an *Allocator* is required and one is not provided, or cannot be inferred.

Return The default *Allocator*.

void **setDefaultAllocator (Allocator allocator) noexcept**

Set the default *Allocator*.

The default *Allocator* is used whenever an *Allocator* is required and one is not provided, or cannot be inferred.

Parameters

- allocator: The *Allocator* to use as the default.

```
template<typename Strategy, bool introspection = true, typename ...Args>  
Allocator makeAllocator (const std::string &name, Args&&... args)  
    Construct a new Allocator.
```

```
void registerAllocator (const std::string &name, Allocator allocator)  
    Register an Allocator with the ResourceManager.
```

After registration, the *Allocator* can be retrieved by calling `getAllocator(name)`.

The same *Allocator* can be registered under multiple names.

Parameters

- `name`: Name to register *Allocator* with.
- `allocator`: *Allocator* to register.

```
Allocator getAllocator (void *ptr)  
    Get the Allocator used to allocate ptr.
```

Return *Allocator* for the given *ptr*.

Parameters

- `ptr`: Pointer to find the *Allocator* for.

```
bool isAllocator (const std::string &name) noexcept
```

```
bool hasAllocator (void *ptr)  
    Does the given pointer have an associated Allocator.
```

Return True if the pointer has an associated *Allocator*.

```
void registerAllocation (void *ptr, util::AllocationRecord record)  
    register an allocation with the manager.
```

```
util::AllocationRecord deregisterAllocation (void *ptr)  
    de-register the address ptr with the manager.
```

Return the allocation record removed from the manager.

```
const util::AllocationRecord *findAllocationRecord (void *ptr) const  
    Find the allocation record associated with an address ptr.
```

Return the record if found, or throws an exception if not found.

```
bool isAllocatorRegistered (const std::string &name)  
    Check whether the named Allocator exists.
```

```
void copy (void *dst_ptr, void *src_ptr, std::size_t size = 0)  
    Copy size bytes of data from src_ptr to dst_ptr.
```

Both the *src_ptr* and *dst_ptr* addresses must be allocated by Umpire. They can be offset from any Umpire-managed base address.

The *dst_ptr* must be large enough to accommodate *size* bytes of data.

Parameters

- `dst_ptr`: Destination pointer.

- `src_ptr`: Source pointer.
- `size`: Size in bytes.

`camp::resources::Event copy` (void **dst_ptr*, void **src_ptr*, `camp::resources::Resource &ctx`, `std::size_t size = 0`)

void `memset` (void **ptr*, int *val*, `std::size_t length = 0`)
Set the first length bytes of ptr to the value val.

Parameters

- `ptr`: Pointer to data.
- `val`: Value to set.
- `length`: Number of bytes to set to val.

void `*reallocate` (void **current_ptr*, `std::size_t new_size`)
Reallocate `current_ptr` to `new_size`.

If `current_ptr` is `nullptr`, then the default allocator will be used to allocate data. The default allocator may be set with a call to `setDefaultAllocator(Allocator allocator)`.

Parameters

- `current_ptr`: Source pointer to reallocate.
- `new_size`: New size of pointer.

NOTE 1: This is not thread safe NOTE 2: If the allocator for which `current_ptr` is intended is different from the default allocator, then all subsequent `reallocate` calls will result in allocations from the default allocator which may not be the intended behavior.

If `new_size` is 0, then the `current_ptr` will be deallocated if it is not a `nullptr`, and a zero-byte allocation will be returned.

Return Reallocated pointer.

void `*reallocate` (void **current_ptr*, `std::size_t new_size`, `Allocator allocator`)
Reallocate `current_ptr` to `new_size`.

If `current_ptr` is null, then allocator will be used to allocate the data.

Parameters

- `current_ptr`: Source pointer to reallocate.
- `new_size`: New size of pointer.
- `allocator`: `Allocator` to use if `current_ptr` is null.

If `new_size` is 0, then the `current_ptr` will be deallocated if it is not a `nullptr`, and a zero-byte allocation will be returned.

Return Reallocated pointer.

void `*move` (void **src_ptr*, `Allocator allocator`)
Move `src_ptr` to memory from allocator.

Return Pointer to new location of data.

Parameters

- `src_ptr`: Pointer to move.
- `allocator`: *Allocator* to use to allocate new memory for moved data.

void **deallocate** (void **ptr*)

Deallocate any pointer allocated by an Umpire-managed resource.

Parameters

- `ptr`: Pointer to deallocate.

std::size_t **getSize** (void **ptr*) **const**

Get the size in bytes of the allocation for the given pointer.

Return Size of allocation in bytes.

Parameters

- `ptr`: Pointer to find size of.

std::shared_ptr<op::MemoryOperation> **getOperation** (**const** std::string &*operation_name*, *Allocator* *src_allocator*, *Allocator* *dst_allocator*)

int **getNumDevices** () **const**

~ResourceManager ()

ResourceManager (**const** *ResourceManager*&) = delete

ResourceManager &**operator=** (**const** *ResourceManager*&) = delete

Public Static Functions

ResourceManager &**getInstance** ()

Class AlignedAllocator

- Defined in `file_umpire_strategy_AlignedAllocator.hpp`

Inheritance Relationships

Base Type

- public `umpire::strategy::AllocationStrategy` (*Class AllocationStrategy*)

Class Documentation

class `umpire::strategy::AlignedAllocator` : **public** `umpire::strategy::AllocationStrategy`

Public Functions

AlignedAllocator (**const** `std::string &name`, `int id`, *Allocator* `allocator`, `std::size_t alignment` = 16)

`void *allocate` (`std::size_t bytes`) **override**
Allocate bytes of memory.

Return Pointer to start of allocated bytes.

Parameters

- `bytes`: Number of bytes to allocate.

`void deallocate` (`void *ptr`) **override**
Free the memory at `ptr`.

Parameters

- `ptr`: Pointer to free.

Platform **getPlatform** () **noexcept override**
Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

MemoryResourceTraits **getTraits** () **const noexcept override**

`void release` ()
Release any and all unused memory held by this *AllocationStrategy*.

`std::size_t getCurrentSize` () **const noexcept**
Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

`std::size_t getHighWatermark` () **const noexcept**
Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

`std::size_t getActualSize` () **const noexcept**
Get the current amount of memory allocated by this allocator.

Note that this can be larger than `getCurrentSize()`, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

`std::size_t getAllocationCount () const noexcept`
Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

`const std::string &getName () noexcept`
Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int getId () noexcept`
Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

`strategy::AllocationStrategy *m_allocator`

`std::string m_name`

`int m_id`

Class AllocationAdvisor

- Defined in file_umpire_strategy_AllocationAdvisor.hpp

Inheritance Relationships

Base Type

- `public umpire::strategy::AllocationStrategy` (*Class AllocationStrategy*)

Class Documentation

class `umpire::strategy::AllocationAdvisor` : **public** `umpire::strategy::AllocationStrategy`
Applies the given MemoryOperation to every allocation.

This *AllocationStrategy* is designed to be used with the following operations:

- `op::CudaAdviseAccessedByOperation`
- `op::CudaAdvisePreferredLocationOperation`
- `op::CudaAdviseReadMostlyOperation`

Using this *AllocationStrategy* when combined with a pool like *DynamicPool* is a good way to mitigate the overhead of applying the memory advice.

Public Functions

AllocationAdvisor (**const** std::string &name, int id, *Allocator* allocator, **const** std::string &advice_operation, int device_id = 0)

AllocationAdvisor (**const** std::string &name, int id, *Allocator* allocator, **const** std::string &advice_operation, *Allocator* accessing_allocator, int device_id = 0)

void ***allocate** (std::size_t bytes) **override**
Allocate bytes of memory.

Return Pointer to start of allocated bytes.

Parameters

- bytes: Number of bytes to allocate.

void **deallocate** (void *ptr) **override**
Free the memory at ptr.

Parameters

- ptr: Pointer to free.

Platform **getPlatform** () **noexcept override**
Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

MemoryResourceTraits **getTraits** () **const noexcept override**

void **release** ()
Release any and all unused memory held by this *AllocationStrategy*.

std::size_t **getCurrentSize** () **const noexcept**
Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

std::size_t **getHighWatermark** () **const noexcept**
Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

std::size_t **getActualSize** () **const noexcept**
Get the current amount of memory allocated by this allocator.

Note that this can be larger than `getCurrentSize()`, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

std::size_t **getAllocationCount** () **const noexcept**
Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

const std::string &getName () **noexcept**
Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

int getId () **noexcept**
Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

std::string m_name

int m_id

Class AllocationPrefetcher

- Defined in file_umpire_strategy_AllocationPrefetcher.hpp

Inheritance Relationships

Base Type

- public umpire::strategy::AllocationStrategy (*Class AllocationStrategy*)

Class Documentation

class umpire::strategy::AllocationPrefetcher : public umpire::strategy::AllocationStrategy
Apply the appropriate “PREFETCH” operation to every allocation.

Public Functions

AllocationPrefetcher (const std::string &name, int id, Allocator allocator, int device_id = 0)

void *allocate (std::size_t bytes) **override**
Allocate bytes of memory.

Return Pointer to start of allocated bytes.

Parameters

- bytes: Number of bytes to allocate.

void deallocate (void *ptr) **override**
Free the memory at ptr.

Parameters

- ptr: Pointer to free.

Platform `getPlatform () noexcept override`

Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

MemoryResourceTraits `getTraits () const noexcept override``void release ()`

Release any and all unused memory held by this *AllocationStrategy*.

`std::size_t getCurrentSize () const noexcept`

Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

`std::size_t getHighWatermark () const noexcept`

Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

`std::size_t getActualSize () const noexcept`

Get the current amount of memory allocated by this allocator.

Note that this can be larger than *getCurrentSize()*, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

`std::size_t getAllocationCount () const noexcept`

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

`const std::string &getName () noexcept`

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int getId () noexcept`

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

```
std::string m_name
int m_id
```

Class AllocationStrategy

- Defined in file_umpire_strategy_AllocationStrategy.hpp

Inheritance Relationships

Derived Types

- public umpire::resource::MemoryResource (*Class MemoryResource*)
- public umpire::strategy::AlignedAllocator (*Class AlignedAllocator*)
- public umpire::strategy::AllocationAdvisor (*Class AllocationAdvisor*)
- public umpire::strategy::AllocationPrefetcher (*Class AllocationPrefetcher*)
- public umpire::strategy::AllocationTracker (*Class AllocationTracker*)
- public umpire::strategy::DynamicPoolList (*Class DynamicPoolList*)
- public umpire::strategy::DynamicPoolMap (*Class DynamicPoolMap*)
- public umpire::strategy::FixedPool (*Class FixedPool*)
- public umpire::strategy::MixedPool (*Class MixedPool*)
- public umpire::strategy::MonotonicAllocationStrategy (*Class MonotonicAllocationStrategy*)
- public umpire::strategy::NamedAllocationStrategy (*Class NamedAllocationStrategy*)
- public umpire::strategy::NumaPolicy (*Class NumaPolicy*)
- public umpire::strategy::QuickPool (*Class QuickPool*)
- public umpire::strategy::SizeLimiter (*Class SizeLimiter*)
- public umpire::strategy::SlotPool (*Class SlotPool*)
- public umpire::strategy::ThreadSafeAllocator (*Class ThreadSafeAllocator*)
- public umpire::strategy::ZeroByteHandler (*Class ZeroByteHandler*)

Class Documentation

class umpire::strategy::AllocationStrategy

AllocationStrategy provides a unified interface to all classes that can be used to allocate and free data.

Subclassed by *umpire::resource::MemoryResource*, *umpire::strategy::AlignedAllocator*, *umpire::strategy::AllocationAdvisor*, *umpire::strategy::AllocationPrefetcher*, *umpire::strategy::AllocationTracker*, *umpire::strategy::DynamicPoolList*, *umpire::strategy::DynamicPoolMap*, *umpire::strategy::FixedPool*, *umpire::strategy::MixedPool*, *umpire::strategy::MonotonicAllocationStrategy*, *umpire::strategy::NamedAllocationStrategy*, *umpire::strategy::NumaPolicy*, *umpire::strategy::QuickPool*,

umpire::strategy::SizeLimiter, *umpire::strategy::SlotPool*, *umpire::strategy::ThreadSafeAllocator*, *umpire::strategy::ZeroByteHandler*

Public Functions

AllocationStrategy (**const** std::string &*name*, int *id*) **noexcept**

Construct a new *AllocationStrategy* object.

All *AllocationStrategy* objects must will have a unique name and id. This uniqueness is enforced by the *ResourceManager*.

Parameters

- *name*: The name of this *AllocationStrategy* object.
- *id*: The id of this *AllocationStrategy* object.

~AllocationStrategy () = default

void ***allocate** (std::size_t *bytes*) = 0

Allocate bytes of memory.

Return Pointer to start of allocated bytes.

Parameters

- *bytes*: Number of bytes to allocate.

void **deallocate** (void **ptr*) = 0

Free the memory at *ptr*.

Parameters

- *ptr*: Pointer to free.

void **release** ()

Release any and all unused memory held by this *AllocationStrategy*.

std::size_t **getCurrentSize** () **const noexcept**

Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

std::size_t **getHighWatermark** () **const noexcept**

Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of *getCurrentSize*.

Return High watermark allocation size.

std::size_t **getActualSize** () **const noexcept**

Get the current amount of memory allocated by this allocator.

Note that this can be larger than *getCurrentSize()*, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

`std::size_t getAllocationCount () const noexcept`
Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

Platform `getPlatform () noexcept = 0`
Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

`const std::string &getName () noexcept`
Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int getId () noexcept`
Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

MemoryResourceTraits `getTraits () const noexcept`

Protected Attributes

`std::string m_name`

`int m_id`

Friends

`friend std::ostream &operator<< (std::ostream &os, const AllocationStrategy &strategy)`

Class AllocationTracker

- Defined in file_umpire_strategy_AllocationTracker.hpp

Inheritance Relationships

Base Types

- public `umpire::strategy::AllocationStrategy` (*Class AllocationStrategy*)
- private `umpire::strategy::mixins::Inspector` (*Class Inspector*)

Class Documentation

```
class umpire::strategy::AllocationTracker : public umpire::strategy::AllocationStrategy, private umpire::strate
```

Public Functions

```
AllocationTracker (std::unique_ptr<AllocationStrategy> &&allocator) noexcept
```

```
void *allocate (std::size_t bytes) override
```

Allocate bytes of memory.

Return Pointer to start of allocated bytes.

Parameters

- `bytes`: Number of bytes to allocate.

```
void deallocate (void *ptr) override
```

Free the memory at `ptr`.

Parameters

- `ptr`: Pointer to free.

```
void release () override
```

Release any and all unused memory held by this *AllocationStrategy*.

```
std::size_t getCurrentSize () const noexcept override
```

Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

```
std::size_t getHighWatermark () const noexcept override
```

Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

```
std::size_t getActualSize () const noexcept override
```

Get the current amount of memory allocated by this allocator.

Note that this can be larger than *getCurrentSize()*, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

```
std::size_t getAllocationCount () const noexcept override
```

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

```
Platform getPlatform () noexcept override
```

Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

`strategy::AllocationStrategy *getAllocationStrategy ()`

`MemoryResourceTraits getTraits () const noexcept override`

`const std::string &getName () noexcept`
Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int getId () noexcept`
Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

`std::string m_name`

`int m_id`

Private Functions

`void registerAllocation (void *ptr, std::size_t size, strategy::AllocationStrategy *strategy)`

`util::AllocationRecord deregisterAllocation (void *ptr, strategy::AllocationStrategy *strategy)`

Private Members

`std::size_t m_current_size`

`std::size_t m_high_watermark`

`std::size_t m_allocation_count`

Class DynamicPoolList

- Defined in file_umpire_strategy_DynamicPoolList.hpp

Inheritance Relationships

Base Type

- public `umpire::strategy::AllocationStrategy` (*Class AllocationStrategy*)

Class Documentation

class `umpire::strategy::DynamicPoolList` : **public** `umpire::strategy::AllocationStrategy`
Simple dynamic pool for allocations.

This *AllocationStrategy* uses Simpool to provide pooling for allocations of any size. The behavior of the pool can be controlled by two parameters: the initial allocation size, and the minimum allocation size.

The initial size controls how large the first piece of memory allocated is, and the minimum size controls the lower bound on all future chunk allocations.

Public Types

using `CoalesceHeuristic` = `std::function<bool (const strategy::DynamicPoolList&)>`
Callback Heuristic to trigger coalesce of free blocks in pool.

The registered heuristic callback function will be called immediately after a `deallocation()` has completed from the pool.

Public Functions

`DynamicPoolList` (**const** `std::string` &name, `int` id, *Allocator* allocator, **const** `std::size_t` min_initial_alloc_size = (512 * 1024 * 1024), **const** `std::size_t` min_alloc_size = (1 * 1024 * 1024), *CoalesceHeuristic* coalesce_heuristic = *heuristic_percent_releasable_list*(100)) **noexcept**
Construct a new *DynamicPoolList*.

Parameters

- name: Name of this instance of the *DynamicPoolList*.
- id: Id of this instance of the *DynamicPoolList*.
- min_initial_alloc_size: The minimum size of the first allocation the pool will make.
- min_alloc_size: The minimum size of all future allocations.
- coalesce_heuristic: Heuristic callback function.

`void` ***allocate** (`size_t` bytes) **override**

`void` **deallocate** (`void` *ptr) **override**
Free the memory at ptr.

Parameters

- ptr: Pointer to free.

`void` **release** () **override**

Release any and all unused memory held by this *AllocationStrategy*.

`std::size_t` **getCurrentSize** () **const noexcept override**
Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

`std::size_t getActualSize () const noexcept override`

Get the current amount of memory allocated by this allocator.

Note that this can be larger than `getCurrentSize()`, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

`std::size_t getHighWatermark () const noexcept override`

Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

Platform `getPlatform () noexcept override`

Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

`std::size_t getReleasableSize () const noexcept`

Get the number of bytes that may be released back to resource.

A memory pool has a set of blocks that have no allocations against them. If the size of the set is greater than one, then the pool will have a number of bytes that may be released back to the resource or coalesced into a larger block.

Return The total number of bytes that are releasable

`std::size_t getBlocksInPool () const noexcept`

Get the number of memory blocks that the pool has.

Return The total number of blocks that are allocated by the pool

`std::size_t getLargestAvailableBlock () const noexcept`

Get the largest allocatable number of bytes from pool before the pool will grow.

return The largest number of bytes that may be allocated without causing pool growth

void `coalesce () noexcept`

MemoryResourceTraits `getTraits () const noexcept final override`

void `*allocate (std::size_t bytes) = 0`

Allocate bytes of memory.

Return Pointer to start of allocated bytes.

Parameters

- `bytes`: Number of bytes to allocate.

`std::size_t getAllocationCount () const noexcept`

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

const std::string &getName () **noexcept**
Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

int getId () **noexcept**
Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

std::string m_name

int m_id

Class DynamicPoolMap

- Defined in file_umpire_strategy_DynamicPoolMap.hpp

Inheritance Relationships

Base Type

- public umpire::strategy::AllocationStrategy (*Class AllocationStrategy*)

Class Documentation

class umpire::strategy::DynamicPoolMap : **public** umpire::strategy::AllocationStrategy
Simple dynamic pool for allocations.

This *AllocationStrategy* uses Simpool to provide pooling for allocations of any size. The behavior of the pool can be controlled by two parameters: the initial allocation size, and the minimum allocation size.

The initial size controls how large the first piece of memory allocated is, and the minimum size controls the lower bound on all future chunk allocations.

Public Types

using Pointer = void*

using CoalesceHeuristic = std::function<bool (const strategy::DynamicPoolMap&) >
Callback heuristic to trigger coalesce of free blocks in pool.

The registered heuristic callback function will be called immediately after a deallocation() has completed from the pool.

Public Functions

DynamicPoolMap (**const** std::string &name, int id, *Allocator* allocator, **const** std::size_t initial_alloc_size = (512 * 1024 * 1024), **const** std::size_t min_alloc_size = (1 * 1024 * 1024), **const** std::size_t align_bytes = 16, *CoalesceHeuristic* coalesce_heuristic = *heuristic_percent_releasable*(100)) **noexcept**
Construct a new *DynamicPoolMap*.

Parameters

- name: Name of this instance of the *DynamicPoolMap*
- id: Unique identifier for this instance
- initial_alloc_bytes: Size the pool initially allocates
- min_alloc_bytes: The minimum size of all future allocations
- coalesce_heuristic: Heuristic callback function
- align_bytes: Number of bytes with which to align allocation sizes

~DynamicPoolMap ()

Destructs the *DynamicPoolMap*.

DynamicPoolMap (**const** *DynamicPoolMap*&) = delete

void ***allocate** (std::size_t bytes) **override**
Allocate bytes of memory.

Return Pointer to start of allocated bytes.

Parameters

- bytes: Number of bytes to allocate.

void **deallocate** (void *ptr) **override**
Free the memory at ptr.

Parameters

- ptr: Pointer to free.

void **release** () **override**
Release any and all unused memory held by this *AllocationStrategy*.

std::size_t **getCurrentSize** () **const noexcept override**
Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

std::size_t **getActualSize** () **const noexcept override**
Get the current amount of memory allocated by this allocator.

Note that this can be larger than *getCurrentSize()*, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

`std::size_t getHighWatermark () const noexcept override`

Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

Platform `getPlatform () noexcept override`

Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

MemoryResourceTraits `getTraits () const noexcept override`

`std::size_t getReleasableSize () const noexcept`

Returns the number of bytes of unallocated data held by this pool that could be immediately released back to the resource.

A memory pool has a set of blocks that are not leased out to the application as allocations. Allocations from the resource begin as a single chunk, but these could be split, and only the first chunk can be deallocated back to the resource immediately.

Return The total number of bytes that are immediately releasable.

`std::size_t getFreeBlocks () const noexcept`

Return the number of free memory blocks that the pools holds.

`std::size_t getInUseBlocks () const noexcept`

Return the number of used memory blocks that the pools holds.

`std::size_t getBlocksInPool () const noexcept`

Return the number of memory blocks both leased to application and internal free memory that the pool holds.

`std::size_t getLargestAvailableBlock () noexcept`

Get the largest allocatable number of bytes from pool before the pool will grow.

return The largest number of bytes that may be allocated without causing pool growth

`void coalesce ()`

Merge as many free records as possible, release all possible free blocks, then reallocate a chunk to keep the actual size the same.

`std::size_t getAllocationCount () const noexcept`

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

`const std::string &getName () noexcept`

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int getId () noexcept`

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

```
std::string m_name  
int m_id
```

Class FixedPool

- Defined in file_umpire_strategy_FixedPool.hpp

Nested Relationships

Nested Types

- *Struct FixedPool::Pool*

Inheritance Relationships

Base Type

- public `umpire::strategy::AllocationStrategy` (*Class AllocationStrategy*)

Class Documentation

```
class umpire::strategy::FixedPool : public umpire::strategy::AllocationStrategy  
    Pool for fixed size allocations.
```

This *AllocationStrategy* provides an efficient pool for fixed size allocations, and used to quickly allocate and deallocate objects.

Public Functions

```
FixedPool (const std::string &name, int id, Allocator allocator, const std::size_t object_bytes,  
           const std::size_t objects_per_pool = 64 * sizeof(int) * 8) noexcept  
    Constructs a FixedPool.
```

Parameters

- name: The allocator name for reference later in *ResourceManager*
- id: The allocator id for reference later in *ResourceManager*
- allocator: Used for data allocation. It uses `std::malloc` for internal tracking of these allocations.
- object_bytes: The fixed size (in bytes) for each allocation
- objects_per_pool: Number of objects in each sub-pool internally. Performance likely improves if this is large, at the cost of memory usage. This does not have to be a multiple of `sizeof(int)*8`, but it will also likely improve performance if so.

```
~FixedPool ()
```

FixedPool (const *FixedPool*&) = delete

void ***allocate** (std::size_t *bytes* = 0) **final override**
Allocate bytes of memory.

Return Pointer to start of allocated bytes.

Parameters

- *bytes*: Number of bytes to allocate.

void **deallocate** (void **ptr*) **final override**
Free the memory at *ptr*.

Parameters

- *ptr*: Pointer to free.

std::size_t **getCurrentSize** () **const noexcept final override**
Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

std::size_t **getHighWatermark** () **const noexcept final override**
Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of *getCurrentSize*.

Return High watermark allocation size.

std::size_t **getActualSize** () **const noexcept final override**
Get the current amount of memory allocated by this allocator.

Note that this can be larger than *getCurrentSize()*, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

Platform **getPlatform** () **noexcept final override**
Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

MemoryResourceTraits **getTraits** () **const noexcept final override**

bool **pointerIsFromPool** (void **ptr*) **const noexcept**

std::size_t **numPools** () **const noexcept**

void **release** ()

Release any and all unused memory held by this *AllocationStrategy*.

std::size_t **getAllocationCount** () **const noexcept**
Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

const std::string &getName () **noexcept**

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

int getId () **noexcept**

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

std::string m_name

int m_id

Class MixedPool

- Defined in file_umpire_strategy_MixedPool.hpp

Inheritance Relationships

Base Type

- public umpire::strategy::AllocationStrategy (*Class AllocationStrategy*)

Class Documentation

class umpire::strategy::MixedPool : public umpire::strategy::AllocationStrategy

A faster pool that pulls from a series of pools.

Pool implementation using a series of FixedPools for small sizes, and a DynamicPool for sizes larger than (1 << LastFixed) bytes.

Public Functions

MixedPool (**const** std::string &name, int id, *Allocator* allocator, std::size_t smallest_fixed_obj_size = (1 << 8), std::size_t largest_fixed_obj_size = (1 << 17), std::size_t max_initial_fixed_pool_size = 1024 * 1024 * 2, std::size_t fixed_size_multiplier = 16, **const** std::size_t dynamic_initial_alloc_size = (512 * 1024 * 1024), **const** std::size_t dynamic_min_alloc_size = (1 * 1024 * 1024), **const** std::size_t dynamic_align_bytes = 16, *DynamicPoolMap::CoalesceHeuristic* dynamic_coalesce_heuristic = *heuristic_percent_releasable*(100)) **noexcept**

Creates a *MixedPool* of one or more fixed pools and a dynamic pool for large allocations.

Parameters

- name: Name of the pool
- id: Unique identifier for lookup later in *ResourceManager*
- allocator: Underlying allocator

- `smallest_fixed_obj_size`: Smallest fixed pool object size in bytes
- `largest_fixed_obj_size`: Largest fixed pool object size in bytes
- `max_initial_fixed_pool_size`: Largest initial size of any fixed pool
- `fixed_size_multiplier`: Fixed pool object size increase factor
- `dynamic_initial_alloc_size`: Size the dynamic pool initially allocates
- `dynamic_min_alloc_bytes`: Minimum size of all future allocations in the dynamic pool
- `dynamic_align_bytes`: Size with which to align allocations (for the dynamic pool)
- `coalesce_heuristic`: Heuristic callback function (for the dynamic pool)

void ***allocate** (std::size_t *bytes*) **override**

Allocate bytes of memory.

Return Pointer to start of allocated bytes.

Parameters

- `bytes`: Number of bytes to allocate.

void **deallocate** (void **ptr*) **override**

Free the memory at `ptr`.

Parameters

- `ptr`: Pointer to free.

void **release** () **override**

Release any and all unused memory held by this *AllocationStrategy*.

std::size_t **getCurrentSize** () **const noexcept override**

Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

std::size_t **getActualSize** () **const noexcept override**

Get the current amount of memory allocated by this allocator.

Note that this can be larger than *getCurrentSize()*, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

std::size_t **getHighWatermark** () **const noexcept override**

Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of *getCurrentSize*.

Return High watermark allocation size.

Platform **getPlatform** () **noexcept override**

Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

MemoryResourceTraits **getTraits () const noexcept override**

std::size_t getAllocationCount () const noexcept
Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

const std::string &getName () noexcept
Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

int getId () noexcept
Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

std::string m_name

int m_id

Class Inspector

- Defined in file_umpire_strategy_mixins_Inspector.hpp

Inheritance Relationships

Derived Type

- `private umpire::strategy::AllocationTracker` (*Class AllocationTracker*)

Class Documentation

class `umpire::strategy::mixins::Inspector`
Subclassed by `umpire::strategy::AllocationTracker`

Public Functions

Inspector ()

void **registerAllocation** (void *ptr, std::size_t size, *strategy::AllocationStrategy* *strategy)

util::AllocationRecord **deregisterAllocation** (void *ptr, *strategy::AllocationStrategy* *strategy)

Protected Attributes

```
std::size_t m_current_size
std::size_t m_high_watermark
std::size_t m_allocation_count
```

Class MonotonicAllocationStrategy

- Defined in file_umpire_strategy_MonotonicAllocationStrategy.hpp

Inheritance Relationships

Base Type

- public `umpire::strategy::AllocationStrategy` (*Class AllocationStrategy*)

Class Documentation

```
class umpire::strategy::MonotonicAllocationStrategy : public umpire::strategy::AllocationStrategy
```

Public Functions

```
MonotonicAllocationStrategy (const std::string &name, int id, Allocator allocator, std::size_t
                                capacity)
```

```
~MonotonicAllocationStrategy ()
```

```
void allocate (std::size_t bytes) override
    Allocate bytes of memory.
```

Return Pointer to start of allocated bytes.

Parameters

- `bytes`: Number of bytes to allocate.

```
void deallocate (void *ptr) override
    Free the memory at ptr.
```

Parameters

- `ptr`: Pointer to free.

```
std::size_t getCurrentSize () const noexcept override
    Get current (total) size of the allocated memory.
```

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

`std::size_t getHighWatermark () const noexcept override`

Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

Platform `getPlatform () noexcept override`

Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

MemoryResourceTraits `getTraits () const noexcept override`

`void release ()`

Release any and all unused memory held by this *AllocationStrategy*.

`std::size_t getActualSize () const noexcept`

Get the current amount of memory allocated by this allocator.

Note that this can be larger than *getCurrentSize()*, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

`std::size_t getAllocationCount () const noexcept`

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

`const std::string &getName () noexcept`

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int getId () noexcept`

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

`std::string m_name`

`int m_id`

Class NamedAllocationStrategy

- Defined in file_umpire_strategy_NamedAllocationStrategy.hpp

Inheritance Relationships

Base Type

- public `umpire::strategy::AllocationStrategy` (*Class AllocationStrategy*)

Class Documentation

```
class umpire::strategy::NamedAllocationStrategy : public umpire::strategy::AllocationStrategy
```

Public Functions

```
NamedAllocationStrategy (const std::string &name, int id, Allocator allocator)
```

```
void *allocate (std::size_t bytes) override  
Allocate bytes of memory.
```

Return Pointer to start of allocated bytes.

Parameters

- `bytes`: Number of bytes to allocate.

```
void deallocate (void *ptr) override  
Free the memory at ptr.
```

Parameters

- `ptr`: Pointer to free.

```
Platform getPlatform () noexcept override  
Get the platform associated with this AllocationStrategy.
```

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

```
MemoryResourceTraits getTraits () const noexcept override
```

```
void release ()  
Release any and all unused memory held by this AllocationStrategy.
```

```
std::size_t getCurrentSize () const noexcept  
Get current (total) size of the allocated memory.
```

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

`std::size_t getHighWatermark () const noexcept`

Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

`std::size_t getActualSize () const noexcept`

Get the current amount of memory allocated by this allocator.

Note that this can be larger than `getCurrentSize()`, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

`std::size_t getAllocationCount () const noexcept`

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

`const std::string &getName () noexcept`

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int getId () noexcept`

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

`strategy::AllocationStrategy *m_allocator`

`std::string m_name`

`int m_id`

Class NumaPolicy

- Defined in `file_umpire_strategy_NumaPolicy.hpp`

Inheritance Relationships

Base Type

- `public umpire::strategy::AllocationStrategy` (*Class AllocationStrategy*)

Class Documentation

class `umpire::strategy::NumaPolicy`: **public** `umpire::strategy::AllocationStrategy`

Use NUMA interface to locate memory to a specific NUMA node.

This *AllocationStrategy* provides a method of ensuring memory sits on a specific NUMA node. This can be used either for optimization, or for moving memory between the host and devices.

Public Functions

NumaPolicy (**const** `std::string &name`, `int id`, *Allocator* `allocator`, `int numa_node`)

`void *allocate` (`std::size_t bytes`) **override**

Allocate bytes of memory.

Return Pointer to start of allocated bytes.

Parameters

- `bytes`: Number of bytes to allocate.

`void deallocate` (`void *ptr`) **override**

Free the memory at `ptr`.

Parameters

- `ptr`: Pointer to free.

Platform `getPlatform` () **noexcept override**

Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

MemoryResourceTraits `getTraits` () **const noexcept override**

`int getNode` () **const noexcept**

`void release` ()

Release any and all unused memory held by this *AllocationStrategy*.

`std::size_t getCurrentSize` () **const noexcept**

Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

`std::size_t getHighWatermark` () **const noexcept**

Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

`std::size_t getActualSize () const noexcept`

Get the current amount of memory allocated by this allocator.

Note that this can be larger than `getCurrentSize()`, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

`std::size_t getAllocationCount () const noexcept`

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

`const std::string &getName () noexcept`

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int getId () noexcept`

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

`std::string m_name`

`int m_id`

Class QuickPool

- Defined in file_umpire_strategy_QuickPool.hpp

Nested Relationships

Nested Types

- *Struct QuickPool::Chunk*
- *Template Class QuickPool::pool_allocator*

Inheritance Relationships

Base Type

- `public umpire::strategy::AllocationStrategy` (*Class AllocationStrategy*)

Class Documentation

```
class umpire::strategy::QuickPool : public umpire::strategy::AllocationStrategy
```

Public Types

```
using Pointer = void*
```

```
using CoalesceHeuristic = std::function<bool (const strategy::QuickPool&) >
```

Public Functions

```
QuickPool (const std::string &name, int id, Allocator allocator, const std::size_t initial_alloc_size
           = (512 * 1024 * 1024), const std::size_t min_alloc_size = (1 * 1024 * 1024), Coalesce-
           Heuristic coalesce_heuristic = percent_releasable(100)) noexcept
```

```
~QuickPool ()
```

```
QuickPool (const QuickPool&) = delete
```

```
void *allocate (std::size_t bytes) override
    Allocate bytes of memory.
```

Return Pointer to start of allocated bytes.

Parameters

- `bytes`: Number of bytes to allocate.

```
void deallocate (void *ptr) override
    Free the memory at ptr.
```

Parameters

- `ptr`: Pointer to free.

```
void release () override
    Release any and all unused memory held by this AllocationStrategy.
```

```
std::size_t getCurrentSize () const noexcept override
    Get current (total) size of the allocated memory.
```

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

```
std::size_t getActualSize () const noexcept override
    Get the current amount of memory allocated by this allocator.
```

Note that this can be larger than *getCurrentSize()*, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

```
std::size_t getHighWatermark () const noexcept override
    Get the high watermark of the total allocated size.
```

This is equivalent to the highest observed value of *getCurrentSize*.

Return High watermark allocation size.

`std::size_t getReleasableSize () const noexcept`

Platform `getPlatform () noexcept override`

Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

`void coalesce () noexcept`

`std::size_t getAllocationCount () const noexcept`

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

`const std::string &getName () noexcept`

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int getId () noexcept`

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

MemoryResourceTraits `getTraits () const noexcept`

Public Static Functions

CoalesceHeuristic `percent_releasable (int percentage)`

Protected Attributes

`std::string m_name`

`int m_id`

Template Class `QuickPool::pool_allocator`

- Defined in `file_umpire_strategy_QuickPool.hpp`

Nested Relationships

This class is a nested type of *Class QuickPool*.

Class Documentation

```
template<typename Value>
class umpire::strategy::QuickPool::pool_allocator
```

Public Types

```
using value_type = Value
using size_type = std::size_t
using difference_type = std::ptrdiff_t
```

Public Functions

```
pool_allocator ()
template<typename U>
pool_allocator (const pool_allocator<U> &other)
    BUG: Only required for MSVC.
Value *allocate (std::size_t n)
void deallocate (Value *data, std::size_t)
```

Public Members

```
util::FixedMallocPool *pool
```

Class SizeLimiter

- Defined in file_umpire_strategy_SizeLimiter.hpp

Inheritance Relationships

Base Type

- public umpire::strategy::AllocationStrategy (*Class AllocationStrategy*)

Class Documentation

class `umpire::strategy::SizeLimiter` : **public** `umpire::strategy::AllocationStrategy`

An allocator with a limited total size.

Using this *AllocationStrategy* with another can be a good way to limit the total size of allocations made on a particular resource or from a particular context.

Public Functions

SizeLimiter (**const** `std::string &name`, `int id`, *Allocator* `allocator`, `std::size_t size_limit`)

`void *allocate` (`std::size_t bytes`) **override**

Allocate bytes of memory.

Return Pointer to start of allocated bytes.

Parameters

- `bytes`: Number of bytes to allocate.

`void deallocate` (`void *ptr`) **override**

Free the memory at `ptr`.

Parameters

- `ptr`: Pointer to free.

Platform **getPlatform** () **noexcept override**

Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

MemoryResourceTraits **getTraits** () **const noexcept override**

`void release` ()

Release any and all unused memory held by this *AllocationStrategy*.

`std::size_t getCurrentSize` () **const noexcept**

Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

`std::size_t getHighWatermark` () **const noexcept**

Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

`std::size_t getActualSize` () **const noexcept**

Get the current amount of memory allocated by this allocator.

Note that this can be larger than *getCurrentSize()*, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

`std::size_t` **getAllocationCount** () **const noexcept**
Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

`const std::string` &**getName** () **noexcept**
Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

`int` **getId** () **noexcept**
Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

`std::string` **m_name**
`int` **m_id**

Class SlotPool

- Defined in file_umpire_strategy_SlotPool.hpp

Inheritance Relationships

Base Type

- `public` `umpire::strategy::AllocationStrategy` (*Class AllocationStrategy*)

Class Documentation

```
class umpire::strategy::SlotPool : public umpire::strategy::AllocationStrategy
```

Public Functions

```
SlotPool (const std::string &name, int id, Allocator allocator, std::size_t slots)
```

```
~SlotPool ()
```

```
void *allocate (std::size_t bytes) override  
Allocate bytes of memory.
```

Return Pointer to start of allocated bytes.

Parameters

- `bytes`: Number of bytes to allocate.

void **deallocate** (void **ptr*) **override**
Free the memory at *ptr*.

Parameters

- `ptr`: Pointer to free.

std::size_t **getCurrentSize** () **const noexcept override**
Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

std::size_t **getHighWatermark** () **const noexcept override**
Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

Platform **getPlatform** () **noexcept override**
Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

MemoryResourceTraits **getTraits** () **const noexcept override**

void **release** ()
Release any and all unused memory held by this *AllocationStrategy*.

std::size_t **getActualSize** () **const noexcept**
Get the current amount of memory allocated by this allocator.

Note that this can be larger than `getCurrentSize()`, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

std::size_t **getAllocationCount** () **const noexcept**
Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

const std::string &**getName** () **noexcept**
Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

int **getId** () **noexcept**
Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

```
std::string m_name
int m_id
```

Class ThreadSafeAllocator

- Defined in file_umpire_strategy_ThreadSafeAllocator.hpp

Inheritance Relationships

Base Type

- public umpire::strategy::AllocationStrategy (*Class AllocationStrategy*)

Class Documentation

class umpire::strategy::ThreadSafeAllocator : public umpire::strategy::AllocationStrategy
 Make an *Allocator* thread safe.

Using this *AllocationStrategy* will make the provided allocator thread-safe by synchronizing access to the allocators interface.

Public Functions

ThreadSafeAllocator (const std::string &name, int id, *Allocator allocator*)

void ***allocate** (std::size_t bytes) **override**
 Allocate bytes of memory.

Return Pointer to start of allocated bytes.

Parameters

- bytes: Number of bytes to allocate.

void **deallocate** (void *ptr) **override**
 Free the memory at ptr.

Parameters

- ptr: Pointer to free.

Platform **getPlatform** () **noexcept override**
 Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

MemoryResourceTraits **getTraits** () **const noexcept override**

void **release** ()

Release any and all unused memory held by this *AllocationStrategy*.

std::size_t **getCurrentSize** () **const noexcept**

Get current (total) size of the allocated memory.

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

std::size_t **getHighWatermark** () **const noexcept**

Get the high watermark of the total allocated size.

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

std::size_t **getActualSize** () **const noexcept**

Get the current amount of memory allocated by this allocator.

Note that this can be larger than `getCurrentSize()`, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

std::size_t **getAllocationCount** () **const noexcept**

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

const std::string &**getName** () **noexcept**

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

int **getId** () **noexcept**

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

strategy::AllocationStrategy ***m_allocator**

std::mutex **m_mutex**

std::string **m_name**

int **m_id**

Class ZeroByteHandler

- Defined in file_umpire_strategy_ZeroByteHandler.hpp

Inheritance Relationships

Base Type

- public `umpire::strategy::AllocationStrategy` (*Class AllocationStrategy*)

Class Documentation

```
class umpire::strategy::ZeroByteHandler : public umpire::strategy::AllocationStrategy
```

Public Functions

```
ZeroByteHandler (std::unique_ptr<AllocationStrategy> &&allocator) noexcept
```

```
void *allocate (std::size_t bytes) override  
Allocate bytes of memory.
```

Return Pointer to start of allocated bytes.

Parameters

- `bytes`: Number of bytes to allocate.

```
void deallocate (void *ptr) override  
Free the memory at ptr.
```

Parameters

- `ptr`: Pointer to free.

```
void release () override  
Release any and all unused memory held by this AllocationStrategy.
```

```
std::size_t getCurrentSize () const noexcept override  
Get current (total) size of the allocated memory.
```

This is the total size of all allocation currently ‘live’ that have been made by this *AllocationStrategy* object.

Return Current total size of allocations.

```
std::size_t getHighWatermark () const noexcept override  
Get the high watermark of the total allocated size.
```

This is equivalent to the highest observed value of `getCurrentSize`.

Return High watermark allocation size.

```
std::size_t getActualSize () const noexcept override  
Get the current amount of memory allocated by this allocator.
```

Note that this can be larger than `getCurrentSize()`, particularly if the *AllocationStrategy* implements some kind of pooling.

Return The total size of all the memory this object has allocated.

Platform **getPlatform () noexcept override**

Get the platform associated with this *AllocationStrategy*.

The Platform distinguishes the appropriate place to execute operations on memory allocated by this *AllocationStrategy*.

Return The platform associated with this *AllocationStrategy*.

MemoryResourceTraits **getTraits () const noexcept override**

strategy::AllocationStrategy ***getAllocationStrategy ()**

std::size_t **getAllocationCount () const noexcept**

Get the total number of active allocations by this allocator.

Return The total number of active allocations this object has allocated.

const std::string &**getName () noexcept**

Get the name of this *AllocationStrategy*.

Return The name of this *AllocationStrategy*.

int **getId () noexcept**

Get the id of this *AllocationStrategy*.

Return The id of this *AllocationStrategy*.

Protected Attributes

std::string **m_name**

int **m_id**

Template Class TypedAllocator

- Defined in file_umpire_TypedAllocator.hpp

Class Documentation

template<typename T>

class umpire::TypedAllocator

Allocator for objects of type T.

This class is an adaptor that allows using an *Allocator* to allocate objects of type T. You can use this class as an allocator for STL containers like std::vector.

Public Types

```
typedef T value_type
```

Public Functions

TypedAllocator (*Allocator allocator*)

Construct a new *TypedAllocator* that will use *allocator* to allocate data.

Parameters

- *allocator*: *Allocator* to use for allocating memory.

```
template<typename U>
```

```
TypedAllocator (const TypedAllocator<U> &other)
```

```
T *allocate (std::size_t size)
```

```
void deallocate (T *ptr, std::size_t size)
```

Deallocate *ptr*, the passed size is ignored.

Parameters

- *ptr*: Pointer to deallocate
- *size*: Size of allocation (ignored).

Friends

```
friend class TypedAllocator
```

Class AllocationMap

- Defined in file_umpire_util_AllocationMap.hpp

Nested Relationships

Nested Types

- *Class AllocationMap::ConstIterator*
- *Class AllocationMap::RecordList*
- *Template Struct RecordList::Block*
- *Class RecordList::ConstIterator*

Class Documentation

```
class umpire::util::AllocationMap
```

Public Types

```
using Map = MemoryMap<RecordList>
```

Public Functions

```
AllocationMap ()  
AllocationMap (const AllocationMap&) = delete  
void insert (void *ptr, AllocationRecord record)  
const AllocationRecord *find (void *ptr) const  
AllocationRecord *find (void *ptr)  
const AllocationRecord *findRecord (void *ptr) const noexcept  
AllocationRecord *findRecord (void *ptr) noexcept  
AllocationRecord remove (void *ptr)  
bool contains (void *ptr) const  
void clear ()  
std::size_t size () const  
void print (const std::function<bool> const AllocationRecord&  
    > &&predicate, std::ostream &os = std::cout) const  
void printAll (std::ostream &os = std::cout) const  
ConstIterator begin () const  
ConstIterator end () const  
class ConstIterator
```

Public Types

```
using iterator_category = std::forward_iterator_tag  
using value_type = AllocationRecord  
using difference_type = std::ptrdiff_t  
using pointer = value_type*  
using reference = value_type&
```

Public Functions

```

ConstIterator (const AllocationMap *map, iterator_begin)
ConstIterator (const AllocationMap *map, iterator_end)
ConstIterator (const ConstIterator&) = default
const AllocationRecord &operator* ()
const AllocationRecord *operator-> ()
ConstIterator &operator++ ()
ConstIterator operator++ (int)
bool operator== (const ConstIterator &other) const
bool operator!= (const ConstIterator &other) const

```

Class AllocationMap::ConstIterator

- Defined in file_umpire_util_AllocationMap.hpp

Nested Relationships

This class is a nested type of *Class AllocationMap*.

Class Documentation

```
class umpire::util::AllocationMap::ConstIterator
```

Public Types

```

using iterator_category = std::forward_iterator_tag
using value_type = AllocationRecord
using difference_type = std::ptrdiff_t
using pointer = value_type*
using reference = value_type&

```

Public Functions

```

ConstIterator (const AllocationMap *map, iterator_begin)
ConstIterator (const AllocationMap *map, iterator_end)
ConstIterator (const ConstIterator&) = default
const AllocationRecord &operator* ()
const AllocationRecord *operator-> ()
ConstIterator &operator++ ()
ConstIterator operator++ (int)

```

```
bool operator==(const ConstIterator &other) const
bool operator!=(const ConstIterator &other) const
```

Class AllocationMap::RecordList

- Defined in file_umpire_util_AllocationMap.hpp

Nested Relationships

This class is a nested type of *Class AllocationMap*.

Nested Types

- *Template Struct RecordList::Block*
- *Class RecordList::ConstIterator*

Class Documentation

```
class umpire::util::AllocationMap::RecordList
```

Public Types

```
using RecordBlock = Block<AllocationRecord>
```

Public Functions

```
RecordList (AllocationMap &map, AllocationRecord record)
```

```
~RecordList ()
```

```
void push_back (const AllocationRecord &rec)
```

```
AllocationRecord pop_back ()
```

```
ConstIterator begin () const
```

```
ConstIterator end () const
```

```
std::size_t size () const
```

```
bool empty () const
```

```
AllocationRecord *back ()
```

```
const AllocationRecord *back () const
```

```
template<typename T>
```

```
struct Block
```

Public Members

T **rec**

Block ***prev**

class ConstIterator

Public Types

using *iterator_category* = std::forward_iterator_tag

using *value_type* = *AllocationRecord*

using *difference_type* = std::ptrdiff_t

using *pointer* = *value_type**

using *reference* = *value_type*&

Public Functions

ConstIterator ()

ConstIterator (const *RecordList* **list*, *iterator_begin*)

ConstIterator (const *RecordList* **list*, *iterator_end*)

ConstIterator (const *ConstIterator*&) = default

const *AllocationRecord* &**operator*** ()

const *AllocationRecord* ***operator->** ()

ConstIterator &**operator++** ()

ConstIterator **operator++** (int)

bool **operator==** (const *ConstIterator* &*other*) const

bool **operator!=** (const *ConstIterator* &*other*) const

Class RecordList::ConstIterator

- Defined in file_umpire_util_AllocationMap.hpp

Nested Relationships

This class is a nested type of *Class AllocationMap::RecordList*.

Class Documentation

class `umpire::util::AllocationMap::RecordList::ConstIterator`

Public Types

```
using iterator_category = std::forward_iterator_tag
using value_type = AllocationRecord
using difference_type = std::ptrdiff_t
using pointer = value_type*
using reference = value_type&
```

Public Functions

```
ConstIterator ()
ConstIterator (const RecordList *list, iterator_begin)
ConstIterator (const RecordList *list, iterator_end)
ConstIterator (const ConstIterator&) = default
const AllocationRecord &operator* ()
const AllocationRecord *operator-> ()
ConstIterator &operator++ ()
ConstIterator operator++ (int)
bool operator== (const ConstIterator &other) const
bool operator!= (const ConstIterator &other) const
```

Class Exception

- Defined in `file_umpire_util_Exception.hpp`

Inheritance Relationships

Base Type

- `public std::exception`

Class Documentation

```
class umpire::util::Exception : public std::exception
```

Public Functions

```
Exception (const std::string &msg, const std::string &file, int line)
```

```
~Exception () = default
```

```
std::string message () const
```

```
const char *what () const
```

Class FixedMallocPool

- Defined in file_umpire_util_FixedMallocPool.hpp

Nested Relationships

Nested Types

- Struct *FixedMallocPool::Pool*

Class Documentation

```
class umpire::util::FixedMallocPool
```

Pool for fixed size allocations using *malloc()*

Another version of this class exists in `umpire::strategy`, but this version does not rely on *Allocator* and all the memory tracking statistics, so it is useful for building objects in `umpire::util`.

Public Functions

```
FixedMallocPool (const std::size_t object_bytes, const std::size_t objects_per_pool = 1024 *  
1024)
```

```
~FixedMallocPool ()
```

```
void *allocate (std::size_t bytes = 0)
```

```
void deallocate (void *ptr)
```

```
std::size_t numPools () const noexcept
```

Class Logger

- Defined in file_umpire_util_Logger.hpp

Class Documentation

class umpire::util::Logger

Public Functions

```
void setLoggingMsgLevel (message::Level level) noexcept
void logMessage (message::Level level, const std::string &message, const std::string &fileName,
                 int line) noexcept
bool logLevelEnabled (message::Level level)
~Logger () noexcept = default
Logger (const Logger&) = delete
Logger &operator= (const Logger&) = delete
```

Public Static Functions

```
void initialize ()
void finalize ()
Logger *getActiveLogger ()
```

Template Class MemoryMap

- Defined in file_umpire_util_MemoryMap.hpp

Nested Relationships

Nested Types

- *Template Class MemoryMap::Iterator_*

Class Documentation

```
template<typename V>
```

```
class umpire::util::MemoryMap
```

A fast replacement for `std::map<void*, Value>` for a generic Value.

This uses *FixedMallocPool* and Judy arrays and provides forward const and non-const iterators.

Public Types

```
using Key = void*
using Value = V
using KeyValuePair = std::pair<Key, Value*>
using Iterator = Iterator_<>false>
using ConstIterator = Iterator_<>true>
```

Public Functions

```
MemoryMap ()
```

```
~MemoryMap ()
```

```
MemoryMap (const MemoryMap&) = delete
```

```
std::pair<Iterator, bool> insert (Key ptr, const Value &val) noexcept
```

Insert Value at ptr in the map if ptr does not exist. Uses copy constructor on Value once.

Return Pair of iterator position into map and boolean value whether entry was added. The iterator will be set to *end()* if no insertion was made.

```
template<typename P>
```

```
std::pair<Iterator, bool> insert (P &&pair) noexcept
```

Insert a key-value pair if pair.first does not exist as a key. Must have first and second fields. Calls the first version.

Return See alternative version.

```
template<typename ...Args>
```

```
std::pair<Iterator, bool> insert (Key ptr, Args&&... args) noexcept
```

Emplaces a new value at ptr in the map, forwarding args to the placement new constructor.

Return See alternative version.

```
Iterator findOrBefore (Key ptr) noexcept
```

Find a value at ptr.

Return iterator into map at ptr or preceding position.

```
ConstIterator findOrBefore (Key ptr) const noexcept
```

```
Iterator find (Key ptr) noexcept
```

Find a value at ptr.

Return iterator into map at ptr or *end()* if not found.

```
ConstIterator find (Key ptr) const noexcept
```

```
ConstIterator begin () const
```

Iterator to first value or *end()* if empty.

```
Iterator begin ()
```

ConstIterator **end** () **const**

Iterator to one-past-last value.

Iterator **end** ()

void **erase** (*Key ptr*)

Remove an entry from the map.

void **erase** (*Iterator iter*)

void **erase** (*ConstIterator iter*)

void **removeLast** ()

Remove/deallocate the last found entry.

WARNING: Use this with caution, only directly after using a method above. *erase(Key)* is safer, but requires an additional lookup.

void **clear** () **noexcept**

Clear all entries from the map.

std::size_t **size** () **const noexcept**

Return number of entries in the map.

template<typename ...**Args**>

std::pair<typename *MemoryMap*<*V*>::Iterator, bool> **doInsert** (*Key ptr*, *Args*&&... *args*)
noexcept

template<typename *P*>

std::pair<typename *MemoryMap*<*V*>::Iterator, bool> **insert** (*P* &&*pair*) **noexcept**

template<typename ...**Args**>

std::pair<typename *MemoryMap*<*V*>::Iterator, bool> **insert** (*Key ptr*, *Args*&&... *args*) **noexcept**

Friends

friend class *Iterator_*

template<bool **Const** = false>

class *Iterator_*

Public Types

using *iterator_category* = std::forward_iterator_tag

using *value_type* = *Value*

using *difference_type* = std::ptrdiff_t

using *pointer* = *value_type**

using *reference* = *value_type*&

using *Map* = typename std::conditional<*Const*, **const** *MemoryMap*<*Value*>, *MemoryMap*<*Value*>>::type

using *ValuePtr* = typename std::conditional<*Const*, **const** *Value**, *Value**>::type

using *Content* = std::pair<*Key*, *ValuePtr*>

using *Reference* = typename std::conditional<*Const*, **const** *Content*&, *Content*&>::type

using *Pointer* = typename std::conditional<*Const*, **const** *Content**, *Content**>::type

Public Functions

```

Iterator_ (Map *map, Key ptr)
Iterator_ (Map *map, iterator_begin)
Iterator_ (Map *map, iterator_end)
template<bool OtherConst>
Iterator_ (const Iterator_<OtherConst> &other)
Reference operator* ()
Pointer operator-- ()
Iterator_ &operator++ ()
Iterator_ operator++ (int)
template<bool OtherConst>
bool operator== (const Iterator_<OtherConst> &other) const
template<bool OtherConst>
bool operator!= (const Iterator_<OtherConst> &other) const
template<bool OtherConst>
bool operator== (const MemoryMap<V::Iterator_<OtherConst> &other) const
template<bool OtherConst>
bool operator!= (const MemoryMap<V::Iterator_<OtherConst> &other) const

```

Template Class `MemoryMap::Iterator_`

- Defined in file `_umpire_util_MemoryMap.hpp`

Nested Relationships

This class is a nested type of *Template Class MemoryMap*.

Class Documentation

```

template<bool Const = false>
class umpire::util::MemoryMap::Iterator_

```

Public Types

```

using iterator_category = std::forward_iterator_tag
using value_type = Value
using difference_type = std::ptrdiff_t
using pointer = value_type*
using reference = value_type&
using Map = typename std::conditional<Const, const MemoryMap<Value>, MemoryMap<Value>>::type
using ValuePtr = typename std::conditional<Const, const Value*, Value*>::type

```

```
using Content = std::pair<Key, ValuePtr>
using Reference = typename std::conditional<Const, const Content&, Content&>::type
using Pointer = typename std::conditional<Const, const Content*, Content*>::type
```

Public Functions

```
Iterator_ (Map *map, Key ptr)
Iterator_ (Map *map, iterator_begin)
Iterator_ (Map *map, iterator_end)
template<bool OtherConst>
Iterator_ (const Iterator_<OtherConst> &other)
Reference operator* ()
Pointer operator-> ()
Iterator_ &operator++ ()
Iterator_ operator++ (int)
template<bool OtherConst>
bool operator== (const Iterator_<OtherConst> &other) const
template<bool OtherConst>
bool operator!= (const Iterator_<OtherConst> &other) const
template<bool OtherConst>
bool operator== (const MemoryMap<V>::Iterator_<OtherConst> &other) const
template<bool OtherConst>
bool operator!= (const MemoryMap<V>::Iterator_<OtherConst> &other) const
```

Class MPI

- Defined in file_umpire_util_MPI.hpp

Class Documentation

```
class umpire::util::MPI
```

Public Static Functions

```
void initialize ()
void finalize ()
int getRank ()
int getSize ()
void sync ()
void logMpiInfo ()
bool isInitialized ()
```

Class OutputBuffer

- Defined in file_umpire_util_OutputBuffer.hpp

Inheritance Relationships

Base Type

- public streambuf

Class Documentation

```
class umpire::util::OutputBuffer : public streambuf
```

Public Functions

```
OutputBuffer () = default
```

```
~OutputBuffer ()
```

```
void setConsoleStream (std::ostream *stream)
```

```
void setFileStream (std::ostream *stream)
```

```
int overflow (int ch) override
```

```
int sync () override
```

Class Statistic

- Defined in file_umpire_util_Statistic.hpp

Class Documentation

```
class umpire::util::Statistic
```

Public Functions

```
~Statistic () noexcept
```

```
void recordStatistic (conduit::Node &&n)
```

```
void printData (std::ostream &stream) noexcept
```

Protected Functions

Statistic (**const** std::string &*name*) **noexcept**

Class StatisticsDatabase

- Defined in file_umpire_util_StatisticsDatabase.hpp

Class Documentation

class umpire::util::StatisticsDatabase

Public Functions

std::shared_ptr<Statistic> **getStatistic** (**const** std::string &*name*)

void **printStatistics** (std::ostream &*stream*) **noexcept**

Public Static Functions

StatisticsDatabase ***getDatabase** ()

6.3.3 Enums

Enum MemoryResourceType

- Defined in file_umpire_resource_MemoryResourceTypes.hpp

Enum Documentation

enum umpire::resource::MemoryResourceType

Values:

enumerator Host

enumerator Device

enumerator Unified

enumerator Pinned

enumerator Constant

Enum Level

- Defined in file_umpire_util_Logger.hpp

Enum Documentation

enum umpire::util::message::Level

Values:

enumerator Error

enumerator Warning

enumerator Info

enumerator Debug

enumerator Num_Levels

6.3.4 Functions

Function find_first_set

- Defined in file_umpire_strategy_FixedSizePool.hpp

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “find_first_set” with arguments (int) in doxygen xml output for project “umpire” from directory: ../doxygen/xml/. Potential matches:

```
- int find_first_set(int i)
```

Function genumpiresplicer::gen_bounds

- Defined in file_umpire_interface_c_fortran_genumpiresplicer.py

Function Documentation

genumpiresplicer.gen_bounds()

Function `genumpiresplicer::gen_fortran`

- Defined in `file_umpire_interface_c_fortran_genumpiresplicer.py`

Function Documentation

`genumpiresplicer.gen_fortran()`

Function `genumpiresplicer::gen_methods`

- Defined in `file_umpire_interface_c_fortran_genumpiresplicer.py`

Function Documentation

`genumpiresplicer.gen_methods()`

Function `round_up`

- Defined in `file_umpire_strategy_DynamicPoolMap.cpp`

Function Documentation

Warning: doxygenfunction: Cannot find function “round_up” in doxygen xml output for project “umpire” from directory: ../doxygen/xml/

Function `ShroudStrToArray(umpire_SHROUD_array *, const std::string *, int)`

- Defined in `file_umpire_interface_c_fortran_wrapAllocator.cpp`

Function Documentation

Warning: doxygenfunction: Cannot find function “ShroudStrToArray” in doxygen xml output for project “umpire” from directory: ../doxygen/xml/

Function `ShroudStrToArray(umpire_SHROUD_array *, const std::string *, int)`

- Defined in `file_umpire_interface_c_fortran_wrapUmpire.cpp`

Function Documentation

Warning: doxygenfunction: Cannot find function “ShroudStrToArray” in doxygen xml output for project “umpire” from directory: ../doxygen/xml/

Function `umpire::cpu_vendor_type`

- Defined in `file_umpire_util_detect_vendor.cpp`

Function Documentation

`MemoryResourceTraits::vendor_type` `umpire::cpu_vendor_type()` **noexcept**

Function `umpire::error`

- Defined in `file_umpire_util_io.cpp`

Function Documentation

`std::ostream &umpire::error()`

Function `umpire::finalize`

- Defined in `file_umpire_Umpire.hpp`

Function Documentation

`void umpire::finalize()`

Function `umpire::free`

- Defined in `file_umpire_Umpire.hpp`

Function Documentation

`void umpire::free(void *ptr)`

Free any memory allocated with Umpire.

This method is a convenience wrapper around calls to the *ResourceManager*, it can be used to free allocations from any *MemorySpace*. *

Parameters

- `ptr`: Address to free.

Function `umpire::get_allocator_records`

- Defined in `file_umpire_Umpire.cpp`

Function Documentation

`std::vector<util::AllocationRecord> umpire::get_allocator_records (Allocator allocator)`
Returns vector of AllocationRecords created by the allocator.

Parameters

- `allocator`: source *Allocator*.

Function `umpire::get_backtrace`

- Defined in `file_umpire_Umpire.cpp`

Function Documentation

`std::string umpire::get_backtrace (void *ptr)`
Get the backtrace associated with the allocation of `ptr`.
The string may be empty if backtraces are not enabled.

Function `umpire::get_device_memory_usage`

- Defined in `file_umpire_Umpire.cpp`

Function Documentation

`std::size_t umpire::get_device_memory_usage (int device_id)`
Get memory usage of device `device_id`, using appropriate underlying vendor API.

Function `umpire::get_leaked_allocations`

- Defined in `file_umpire_Umpire.cpp`

Function Documentation

`std::vector<util::AllocationRecord> umpire::get_leaked_allocations (Allocator allocator)`
Get all the leaked (active) allocations associated with `allocator`.

Function `umpire::get_major_version`

- Defined in `file_umpire_Umpire.hpp`

Function Documentation

```
int umpire::get_major_version()
```

Function `umpire::get_minor_version`

- Defined in `file_umpire_Umpire.hpp`

Function Documentation

```
int umpire::get_minor_version()
```

Function `umpire::get_page_size`

- Defined in `file_umpire_util_numa.cpp`

Function Documentation

```
long umpire::get_page_size()
```

Function `umpire::get_patch_version`

- Defined in `file_umpire_Umpire.hpp`

Function Documentation

```
int umpire::get_patch_version()
```

Function `umpire::get_process_memory_usage`

- Defined in `file_umpire_Umpire.cpp`

Function Documentation

```
std::size_t umpire::get_process_memory_usage()
```

Get memory usage of the current process (uses underlying system-dependent calls)

Function `umpire::get_rc_version`

- Defined in `file_umpire_Umpire.hpp`

Function Documentation

```
std::string umpire::get_rc_version()
```

Function `umpire::initialize`

- Defined in `file_umpire_Umpire.hpp`

Function Documentation

```
void umpire::initialize()
```

Function `umpire::log`

- Defined in `file_umpire_util_io.cpp`

Function Documentation

```
std::ostream &umpire::log()
```

Function `umpire::malloc`

- Defined in `file_umpire_Umpire.hpp`

Function Documentation

```
void *umpire::malloc (std::size_t size)
```

Allocate memory in the default space, with the default allocator.

This method is a convenience wrapper around calls to the *ResourceManager* to allocate memory in the default *MemorySpace*.

Parameters

- `size`: Number of bytes to allocate.

Function `umpire::numa::get_allocatable_nodes`

- Defined in `file_umpire_util_numa.cpp`

Function Documentation

```
std::vector<int> umpire::numa::get_allocatable_nodes()
```

Function `umpire::numa::get_device_nodes`

- Defined in `file_umpire_util_numa.cpp`

Function Documentation

```
std::vector<int> umpire::numa::get_device_nodes()
```

Function `umpire::numa::get_host_nodes`

- Defined in `file_umpire_util_numa.cpp`

Function Documentation

```
std::vector<int> umpire::numa::get_host_nodes()
```

Function `umpire::numa::get_location`

- Defined in `file_umpire_util_numa.cpp`

Function Documentation

```
int umpire::numa::get_location(void *ptr)
```

Function `umpire::numa::move_to_node`

- Defined in `file_umpire_util_numa.cpp`

Function Documentation

```
void umpire::numa::move_to_node(void *ptr, std::size_t bytes, int node)
```

Function `umpire::numa::preferred_node`

- Defined in `file_umpire_util_numa.cpp`

Function Documentation

```
int umpire::numa::preferred_node()
```

Function `umpire::operator<<(std::ostream&, const Allocator&)`

- Defined in `file_umpire_Allocator.cpp`

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “`umpire::operator<<`” with arguments (`std::ostream&`, `const Allocator&`) in doxygen xml output for project “umpire” from directory: `../doxygen/xml/`. Potential matches:

```
- std::ostream &operator<<(std::ostream &os, const Allocator &allocator)
- std::ostream &operator<<(std::ostream &out, umpire::Allocator &alloc)
- std::ostream &operator<<(std::ostream &out, ↵
↵umpire::strategy::DynamicPoolList::CoalesceHeuristic&)
- std::ostream &operator<<(std::ostream &out, ↵
↵umpire::strategy::DynamicPoolMap::CoalesceHeuristic&)
- std::ostream &operator<<(std::ostream &out, ↵
↵umpire::strategy::QuickPool::CoalesceHeuristic&)
```

Function `umpire::operator<<(std::ostream&, umpire::Allocator&)`

- Defined in `file_umpire_Replay.cpp`

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “`umpire::operator<<`” with arguments (`std::ostream&`, `umpire::Allocator&`) in doxygen xml output for project “umpire” from directory: `../doxygen/xml/`. Potential matches:

```
- std::ostream &operator<<(std::ostream &os, const Allocator &allocator)
- std::ostream &operator<<(std::ostream &out, umpire::Allocator &alloc)
- std::ostream &operator<<(std::ostream &out, ↵
↵umpire::strategy::DynamicPoolList::CoalesceHeuristic&)
- std::ostream &operator<<(std::ostream &out, ↵
↵umpire::strategy::DynamicPoolMap::CoalesceHeuristic&)
- std::ostream &operator<<(std::ostream &out, ↵
↵umpire::strategy::QuickPool::CoalesceHeuristic&)
```


Function `umpire::operator<<(std::ostream&, umpire::strategy::DynamicPoolMap::CoalesceHeuristic&)`

- Defined in file_umpire_Replay.cpp

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “`umpire::operator<<`” with arguments `(std::ostream&, umpire::strategy::DynamicPoolMap::CoalesceHeuristic&)` in doxygen xml output for project “umpire” from directory: `../doxygen/xml/`. Potential matches:

```
- std::ostream &operator<<(std::ostream &os, const Allocator &allocator)
- std::ostream &operator<<(std::ostream &out, umpire::Allocator &alloc)
- std::ostream &operator<<(std::ostream &out,
↳umpire::strategy::DynamicPoolList::CoalesceHeuristic&)
- std::ostream &operator<<(std::ostream &out,
↳umpire::strategy::DynamicPoolMap::CoalesceHeuristic&)
- std::ostream &operator<<(std::ostream &out,
↳umpire::strategy::QuickPool::CoalesceHeuristic&)
```

Function `umpire::operator<<(std::ostream&, umpire::strategy::DynamicPoolList::CoalesceHeuristic&)`

- Defined in file_umpire_Replay.cpp

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “`umpire::operator<<`” with arguments `(std::ostream&, umpire::strategy::DynamicPoolList::CoalesceHeuristic&)` in doxygen xml output for project “umpire” from directory: `../doxygen/xml/`. Potential matches:

```
- std::ostream &operator<<(std::ostream &os, const Allocator &allocator)
- std::ostream &operator<<(std::ostream &out, umpire::Allocator &alloc)
- std::ostream &operator<<(std::ostream &out,
↳umpire::strategy::DynamicPoolList::CoalesceHeuristic&)
- std::ostream &operator<<(std::ostream &out,
↳umpire::strategy::DynamicPoolMap::CoalesceHeuristic&)
- std::ostream &operator<<(std::ostream &out,
↳umpire::strategy::QuickPool::CoalesceHeuristic&)
```

Function `umpire::operator<<(std::ostream&, umpire::strategy::QuickPool::CoalesceHeuristic&)`

- Defined in file_umpire_Replay.cpp

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “umpire::operator<<” with arguments (std::ostream&, umpire::strategy::QuickPool::CoalesceHeuristic&) in doxygen xml output for project “umpire” from directory: ../doxygen/xml/. Potential matches:

```
- std::ostream &operator<<(std::ostream &os, const Allocator &allocator)
- std::ostream &operator<<(std::ostream &out, umpire::Allocator &alloc)
- std::ostream &operator<<(std::ostream &out,
↳umpire::strategy::DynamicPoolList::CoalesceHeuristic&)
- std::ostream &operator<<(std::ostream &out,
↳umpire::strategy::DynamicPoolMap::CoalesceHeuristic&)
- std::ostream &operator<<(std::ostream &out,
↳umpire::strategy::QuickPool::CoalesceHeuristic&)
```

Function umpire::pointer_contains

- Defined in file_umpire_Umpire.cpp

Function Documentation

bool umpire::pointer_contains (void *left, void *right)

Check whether the left allocation contains the right.

right is contained by left if right is greater than left, and right+size is greater than left+size.

Parameters

- left: Pointer to left allocation
- right: Poniter to right allocation

Function umpire::pointer_overlaps

- Defined in file_umpire_Umpire.cpp

Function Documentation

bool umpire::pointer_overlaps (void *left, void *right)

Check whether the right allocation overlaps the left.

right will overlap left if the right is greater than left, but less than left+size, and right+size is strictly greater than left+size.

Parameters

- left: Pointer to left allocation
- right: Poniter to right allocation

Function `umpire::print_allocator_records`

- Defined in `file_umpire_Umpire.cpp`

Function Documentation

`void umpire::print_allocator_records` (*Allocator allocator*, `std::ostream &os = std::cout`)
 Print the allocations from a specific allocator in a human-readable format.

Parameters

- `allocator`: source *Allocator*.
- `os`: output stream

Function `umpire::replay`

- Defined in `file_umpire_util_io.cpp`

Function Documentation

`std::ostream &umpire::replay()`

Function `umpire::strategy::find_first_set`

- Defined in `file_umpire_strategy_FixedPool.cpp`

Function Documentation

`int umpire::strategy::find_first_set` (*int i*)

Function `umpire::strategy::heuristic_percent_releasable`

- Defined in `file_umpire_strategy_DynamicPoolHeuristic.cpp`

Function Documentation

`std::function<bool (const strategy::DynamicPoolMap&)> umpire::strategy::heuristic_percent_releasable`
int percentage

Function `umpire::strategy::heuristic_percent_releasable_list`

- Defined in `file_umpire_strategy_DynamicPoolHeuristic.cpp`

Function Documentation

```
std::function<bool (const strategy::DynamicPoolList&)> umpire::strategy::heuristic_percent_releasable_list(
    int percentage)
```

Function `umpire::strategy::operator<<`

- Defined in `file_umpire_strategy_AllocationStrategy.cpp`

Function Documentation

```
std::ostream &umpire::strategy::operator<< (std::ostream &os, const AllocationStrategy &strategy)
```

Function `umpire::util::case_insensitive_match`

- Defined in `file_umpire_util_Logger.cpp`

Function Documentation

```
int umpire::util::case_insensitive_match (const std::string s1, const std::string s2)
```

Function `umpire::util::detail::add_entry(conduit::Node&)`

- Defined in `file_umpire_util_statistic_helper.hpp`

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “`umpire::util::detail::add_entry`” with arguments (`conduit::Node&`) in doxygen xml output for project “umpire” from directory: `../doxygen/xml/`. Potential matches:

```
- conduit::Node add_entry(conduit::Node &n)
- template<typename T, typename U, typename ...Args> conduit::Node add_
  ↳entry(conduit::Node &n, T k, U v, Args... args)
- template<typename T, typename U> conduit::Node add_entry(conduit::Node &n, T k, U_
  ↳v)
```

Template Function `umpire::util::detail::add_entry(conduit::Node&, T, U)`

- Defined in `file_umpire_util_statistic_helper.hpp`

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “`umpire::util::detail::add_entry`” with arguments `(conduit::Node&, T, U)` in doxygen xml output for project “umpire” from directory: `../doxygen/xml/`. Potential matches:

```
- conduit::Node add_entry(conduit::Node &n)
- template<typename T, typename U, typename ...Args> conduit::Node add_
  ↳entry(conduit::Node &n, T k, U v, Args... args)
- template<typename T, typename U> conduit::Node add_entry(conduit::Node &n, T k, U_
  ↳v)
```

Template Function `umpire::util::detail::add_entry(conduit::Node&, T, U, Args...)`

- Defined in `file_umpire_util_statistic_helper.hpp`

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “`umpire::util::detail::add_entry`” with arguments `(conduit::Node&, T, U, Args...)` in doxygen xml output for project “umpire” from directory: `../doxygen/xml/`. Potential matches:

```
- conduit::Node add_entry(conduit::Node &n)
- template<typename T, typename U, typename ...Args> conduit::Node add_
  ↳entry(conduit::Node &n, T k, U v, Args... args)
- template<typename T, typename U> conduit::Node add_entry(conduit::Node &n, T k, U_
  ↳v)
```

Template Function `umpire::util::detail::record_statistic`

- Defined in `file_umpire_util_statistic_helper.hpp`

Function Documentation

```
template<typename ...Args>
void umpire::util::detail::record_statistic(const std::string &name, Args&&... args)
```

Function `umpire::util::directory_exists`

- Defined in `file_umpire_util_io.cpp`

Function Documentation

`bool umpire::util::directory_exists (const std::string &file)`

Template Function `umpire::util::do_wrap(std::unique_ptr<Base>&&)`

- Defined in `file_umpire_util_wrap_allocator.hpp`

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “`umpire::util::do_wrap`” with arguments (`std::unique_ptr<Base>&&`) in doxygen xml output for project “umpire” from directory: `../doxygen/xml/`. Potential matches:

```
- template<typename Base, typename Strategy, typename ...Strategies> std::unique_ptr
  ↳<Base> do_wrap(std::unique_ptr<Base> &&allocator)
- template<typename Base> std::unique_ptr<Base> do_wrap(std::unique_ptr<Base> &&
  ↳allocator)
```

Template Function `umpire::util::do_wrap(std::unique_ptr<Base>&&)`

- Defined in `file_umpire_util_wrap_allocator.hpp`

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “`umpire::util::do_wrap`” with arguments (`std::unique_ptr<Base>&&`) in doxygen xml output for project “umpire” from directory: `../doxygen/xml/`. Potential matches:

```
- template<typename Base, typename Strategy, typename ...Strategies> std::unique_ptr
  ↳<Base> do_wrap(std::unique_ptr<Base> &&allocator)
- template<typename Base> std::unique_ptr<Base> do_wrap(std::unique_ptr<Base> &&
  ↳allocator)
```

Function `umpire::util::file_exists`

- Defined in `file_umpire_util_io.cpp`

Function Documentation

```
bool umpire::util::file_exists (const std::string &file)
```

Function `umpire::util::flush_files`

- Defined in `file_umpire_util_io.cpp`

Function Documentation

```
void umpire::util::flush_files ()
```

Synchronize all stream buffers to their respective output sequences. This function is usually called by exception generating code like `UMPIRE_ERROR`.

Function `umpire::util::initialize_io`

- Defined in `file_umpire_util_io.cpp`

Function Documentation

```
void umpire::util::initialize_io (const bool enable_log, const bool enable_replay)
```

Initialize the streams. This method is called when `ResourceManger` is initialized. Do not call this manually.

Template Function `umpire::util::make_unique`

- Defined in `file_umpire_util_make_unique.hpp`

Function Documentation

```
template<typename T, typename ...Args>  
constexpr std::unique_ptr<T> umpire::util::make_unique (Args&&... args)
```

Function `umpire::util::make_unique_filename`

- Defined in `file_umpire_util_io.cpp`

Function Documentation

```
std::string umpire::util::make_unique_filename(const std::string &base_dir, const
                                             std::string &name, const int pid, const
                                             std::string &extension)
```

Function `umpire::util::relative_fragmentation`

- Defined in `file_umpire_util_allocation_statistics.cpp`

Function Documentation

```
float umpire::util::relative_fragmentation(std::vector<util::AllocationRecord> &recs)
    Compute the relative fragmentation of a set of allocation records.
    Fragmentation = 1 - (largest free block) / (total free space)
```

Template Function `umpire::util::unwrap_allocation_strategy`

- Defined in `file_umpire_util_wrap_allocator.hpp`

Function Documentation

```
template<typename Strategy>
Strategy *umpire::util::unwrap_allocation_strategy(strategy::AllocationStrategy
                                                  *base_strategy)
```

Template Function `umpire::util::unwrap_allocator`

- Defined in `file_umpire_util_wrap_allocator.hpp`

Function Documentation

```
template<typename Strategy>
Strategy *umpire::util::unwrap_allocator(Allocator allocator)
```

Template Function `umpire::util::wrap_allocator`

- Defined in `file_umpire_util_wrap_allocator.hpp`

Function Documentation

template<typename ...**Strategies**>

std::unique_ptr<strategy::AllocationStrategy> umpire::util::wrap_allocator (std::unique_ptr<strategy::AllocationStrategy> &&allocator)

Function `umpire_allocator_allocate(umpire_allocator *, size_t)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.cpp

Function Documentation

void ***umpire_allocator_allocate** (*umpire_allocator* *self, size_t bytes)

Function `umpire_allocator_allocate(umpire_allocator *, size_t)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.h

Function Documentation

void ***umpire_allocator_allocate** (*umpire_allocator* *self, size_t bytes)

Function `umpire_allocator_deallocate(umpire_allocator *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.cpp

Function Documentation

void **umpire_allocator_deallocate** (*umpire_allocator* *self, void *ptr)

Function `umpire_allocator_deallocate(umpire_allocator *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.h

Function Documentation

void **umpire_allocator_deallocate** (*umpire_allocator* *self, void *ptr)

Function `umpire_allocator_delete(umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapAllocator.cpp`

Function Documentation

void `umpire_allocator_delete` (*umpire_allocator* *self)

Function `umpire_allocator_delete(umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapAllocator.h`

Function Documentation

void `umpire_allocator_delete` (*umpire_allocator* *self)

Function `umpire_allocator_get_actual_size(umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapAllocator.cpp`

Function Documentation

size_t `umpire_allocator_get_actual_size` (*umpire_allocator* *self)

Function `umpire_allocator_get_actual_size(umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapAllocator.h`

Function Documentation

size_t `umpire_allocator_get_actual_size` (*umpire_allocator* *self)

Function `umpire_allocator_get_allocation_count(umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapAllocator.cpp`

Function Documentation

size_t `umpire_allocator_get_allocation_count` (*umpire_allocator* *self)

Function `umpire_allocator_get_allocation_count(umpire_allocator *)`

- Defined in `file_umpire_interface_c_fortran_wrapAllocator.h`

Function Documentation

`size_t umpire_allocator_get_allocation_count (umpire_allocator *self)`

Function `umpire_allocator_get_current_size(umpire_allocator *)`

- Defined in `file_umpire_interface_c_fortran_wrapAllocator.cpp`

Function Documentation

`size_t umpire_allocator_get_current_size (umpire_allocator *self)`

Function `umpire_allocator_get_current_size(umpire_allocator *)`

- Defined in `file_umpire_interface_c_fortran_wrapAllocator.h`

Function Documentation

`size_t umpire_allocator_get_current_size (umpire_allocator *self)`

Function `umpire_allocator_get_high_watermark(umpire_allocator *)`

- Defined in `file_umpire_interface_c_fortran_wrapAllocator.cpp`

Function Documentation

`size_t umpire_allocator_get_high_watermark (umpire_allocator *self)`

Function `umpire_allocator_get_high_watermark(umpire_allocator *)`

- Defined in `file_umpire_interface_c_fortran_wrapAllocator.h`

Function Documentation

`size_t umpire_allocator_get_high_watermark (umpire_allocator *self)`

Function `umpire_allocator_get_id(umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.cpp

Function Documentation

`size_t umpire_allocator_get_id(umpire_allocator *self)`

Function `umpire_allocator_get_id(umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.h

Function Documentation

`size_t umpire_allocator_get_id(umpire_allocator *self)`

Function `umpire_allocator_get_name(umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.cpp

Function Documentation

`const char *umpire_allocator_get_name(umpire_allocator *self)`

Function `umpire_allocator_get_name(umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.h

Function Documentation

`const char *umpire_allocator_get_name(umpire_allocator *self)`

Function `umpire_allocator_get_name_bufferify(umpire_allocator *, umpire_SHROUD_array *)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.cpp

Function Documentation

`void umpire_allocator_get_name_bufferify(umpire_allocator *self, umpire_SHROUD_array *DSHF_rv)`

Function `umpire_allocator_get_name_bufferify(umpire_allocator *, umpire_SHROUD_array *)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.h

Function Documentation

```
void umpire_allocator_get_name_bufferify (umpire_allocator *self, umpire_SHROUD_array
                                         *DSHF_rv)
```

Function `umpire_allocator_get_size(umpire_allocator *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.cpp

Function Documentation

```
size_t umpire_allocator_get_size (umpire_allocator *self, void *ptr)
```

Function `umpire_allocator_get_size(umpire_allocator *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.h

Function Documentation

```
size_t umpire_allocator_get_size (umpire_allocator *self, void *ptr)
```

Function `umpire_allocator_release(umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.cpp

Function Documentation

```
void umpire_allocator_release (umpire_allocator *self)
```

Function `umpire_allocator_release(umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapAllocator.h

Function Documentation

```
void umpire_allocator_release (umpire_allocator *self)
```

Function `umpire_get_backtrace_bufferify(void *, umpire_SHROUD_array *)`

- Defined in file `umpire_interface_c_fortran_wrapUmpire.cpp`

Function Documentation

`void umpire_get_backtrace_bufferify (void *ptr, umpire_SHROUD_array *DSHF_rv)`

Function `umpire_get_backtrace_bufferify(void *, umpire_SHROUD_array *)`

- Defined in file `umpire_interface_c_fortran_wrapUmpire.h`

Function Documentation

`void umpire_get_backtrace_bufferify (void *ptr, umpire_SHROUD_array *DSHF_rv)`

Function `umpire_get_device_memory_usage(int)`

- Defined in file `umpire_interface_c_fortran_wrapUmpire.cpp`

Function Documentation

`size_t umpire_get_device_memory_usage (int device_id)`

Function `umpire_get_device_memory_usage(int)`

- Defined in file `umpire_interface_c_fortran_wrapUmpire.h`

Function Documentation

`size_t umpire_get_device_memory_usage (int device_id)`

Function `umpire_get_process_memory_usage(void)`

- Defined in file `umpire_interface_c_fortran_wrapUmpire.cpp`

Function Documentation

`size_t umpire_get_process_memory_usage (void)`

Function `umpire_get_process_memory_usage(void)`

- Defined in file `umpire_interface_c_fortran_wrapUmpire.h`

Function Documentation

`size_t` `umpire_get_process_memory_usage` (`void`)

Function `umpire_mod::allocator_allocate`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

`type(c_ptr)` `function` `umpire_mod::allocator_allocate` (`obj`, `bytes`)

Function `umpire_mod::allocator_allocate_double_array_1d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

`subroutine` `umpire_mod::allocator_allocate_double_array_1d` (`this`, `array`, `dims`)

Function `umpire_mod::allocator_allocate_double_array_2d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

`subroutine` `umpire_mod::allocator_allocate_double_array_2d` (`this`, `array`, `dims`)

Function `umpire_mod::allocator_allocate_double_array_3d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

`subroutine` `umpire_mod::allocator_allocate_double_array_3d` (`this`, `array`, `dims`)

Function `umpire_mod::allocator_allocate_double_array_4d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_double_array_4d (this, array, dims)
```

Function `umpire_mod::allocator_allocate_float_array_1d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_float_array_1d (this, array, dims)
```

Function `umpire_mod::allocator_allocate_float_array_2d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_float_array_2d (this, array, dims)
```

Function `umpire_mod::allocator_allocate_float_array_3d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_float_array_3d (this, array, dims)
```

Function `umpire_mod::allocator_allocate_float_array_4d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_float_array_4d (this, array, dims)
```


Function `umpire_mod::allocator_allocate_int_array_1d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_int_array_1d (this, array, dims)
```

Function `umpire_mod::allocator_allocate_int_array_2d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_int_array_2d (this, array, dims)
```

Function `umpire_mod::allocator_allocate_int_array_3d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_int_array_3d (this, array, dims)
```

Function `umpire_mod::allocator_allocate_int_array_4d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_int_array_4d (this, array, dims)
```

Function `umpire_mod::allocator_allocate_long_array_1d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_long_array_1d (this, array, dims)
```

Function `umpire_mod::allocator_allocate_long_array_2d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_long_array_2d (this, array, dims)
```

Function `umpire_mod::allocator_allocate_long_array_3d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_long_array_3d (this, array, dims)
```

Function `umpire_mod::allocator_allocate_long_array_4d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_allocate_long_array_4d (this, array, dims)
```

Function `umpire_mod::allocator_associated`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
logical function umpire_mod::allocator_associated (obj)
```

Function `umpire_mod::allocator_deallocate`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate (obj, ptr)
```

Function `umpire_mod::allocator_deallocate_double_array_1d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_double_array_1d (this, array)
```

Function `umpire_mod::allocator_deallocate_double_array_2d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_double_array_2d (this, array)
```

Function `umpire_mod::allocator_deallocate_double_array_3d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_double_array_3d (this, array)
```

Function `umpire_mod::allocator_deallocate_double_array_4d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_double_array_4d (this, array)
```

Function `umpire_mod::allocator_deallocate_float_array_1d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_float_array_1d (this, array)
```

Function `umpire_mod::allocator_deallocate_float_array_2d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_float_array_2d (this, array)
```

Function `umpire_mod::allocator_deallocate_float_array_3d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_float_array_3d (this, array)
```

Function `umpire_mod::allocator_deallocate_float_array_4d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_float_array_4d (this, array)
```

Function `umpire_mod::allocator_deallocate_int_array_1d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_int_array_1d (this, array)
```

Function `umpire_mod::allocator_deallocate_int_array_2d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_int_array_2d (this, array)
```

Function `umpire_mod::allocator_deallocate_int_array_3d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_int_array_3d (this, array)
```

Function `umpire_mod::allocator_deallocate_int_array_4d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_int_array_4d (this, array)
```

Function `umpire_mod::allocator_deallocate_long_array_1d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_long_array_1d (this, array)
```

Function `umpire_mod::allocator_deallocate_long_array_2d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_long_array_2d (this, array)
```

Function `umpire_mod::allocator_deallocate_long_array_3d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_long_array_3d (this, array)
```

Function `umpire_mod::allocator_deallocate_long_array_4d`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_deallocate_long_array_4d (this, array)
```

Function `umpire_mod::allocator_delete`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_delete (obj)
```

Function `umpire_mod::allocator_eq`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
logical function umpire_mod::allocator_eq (a, b)
```

Function `umpire_mod::allocator_get_actual_size`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
integer(c_size_t) function umpire_mod::allocator_get_actual_size (obj)
```

Function `umpire_mod::allocator_get_allocation_count`

- Defined in file `umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
integer(c_size_t) function umpire_mod::allocator_get_allocation_count (obj)
```

Function `umpire_mod::allocator_get_current_size`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
integer(c_size_t) function umpire_mod::allocator_get_current_size (obj)
```

Function `umpire_mod::allocator_get_high_watermark`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
integer(c_size_t) function umpire_mod::allocator_get_high_watermark (obj)
```

Function `umpire_mod::allocator_get_id`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
integer(c_size_t) function umpire_mod::allocator_get_id (obj)
```

Function `umpire_mod::allocator_get_instance`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
type(c_ptr) function umpire_mod::allocator_get_instance (obj)
```

Function `umpire_mod::allocator_get_name`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
character(len=:) function, allocatable umpire_mod::allocator_get_name (obj)
```

Function `umpire_mod::allocator_get_size`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
integer(c_size_t) function umpire_mod::allocator_get_size (obj, ptr)
```

Function `umpire_mod::allocator_ne`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
logical function umpire_mod::allocator_ne (a, b)
```

Function `umpire_mod::allocator_release`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_release (obj)
```

Function `umpire_mod::allocator_set_instance`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::allocator_set_instance (obj, cxxmem)
```

Function `umpire_mod::get_backtrace`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
character(len=:) function, allocatable umpire_mod::get_backtrace (ptr)
```


Function `umpire_mod::pointer_contains`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

`logical function umpire_mod::pointer_contains (left, right)`

Function `umpire_mod::pointer_overlaps`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

`logical function umpire_mod::pointer_overlaps (left, right)`

Function `umpire_mod::resource_manager_associated`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

`logical function umpire_mod::resource_manager_associated (obj)`

Function `umpire_mod::resource_manager_copy_all`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

`subroutine umpire_mod::resource_manager_copy_all (obj, src_ptr, dst_ptr)`

Function `umpire_mod::resource_manager_copy_with_size`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

`subroutine umpire_mod::resource_manager_copy_with_size (obj, src_ptr, dst_ptr, size)`

Function `umpire_mod::resourcemanager_deallocate`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

subroutine `umpire_mod::resourcemanager_deallocate` (obj, ptr)

Function `umpire_mod::resourcemanager_eq`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

logical function `umpire_mod::resourcemanager_eq` (a, b)

Function `umpire_mod::resourcemanager_get_allocator_by_id`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

`type(umpireallocator)` function `umpire_mod::resourcemanager_get_allocator_by_id` (obj, id)

Function `umpire_mod::resourcemanager_get_allocator_by_name`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

`type(umpireallocator)` function `umpire_mod::resourcemanager_get_allocator_by_name` (obj, name)

Function `umpire_mod::resourcemanager_get_allocator_for_ptr`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

`type(umpireallocator)` function `umpire_mod::resourcemanager_get_allocator_for_ptr` (obj, ptr)

Function `umpire_mod::resource_manager_get_instance`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
type(umpireresourcemanager) function umpire_mod::resource_manager_get_instance ()
```

Function `umpire_mod::resource_manager_get_size`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
integer(c_size_t) function umpire_mod::resource_manager_get_size (obj, ptr)
```

Function `umpire_mod::resource_manager_has_allocator`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
logical function umpire_mod::resource_manager_has_allocator (obj, ptr)
```

Function `umpire_mod::resource_manager_is_allocator`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
logical function umpire_mod::resource_manager_is_allocator (obj, name)
```

Function `umpire_mod::resource_manager_make_allocator_advisor`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
type(umpireallocator) function umpire_mod::resource_manager_make_allocator_advisor (obj, name)
```

Function `umpire_mod::resource_manager_make_allocator_fixed_pool`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
type(umpire_allocator) function umpire_mod::resource_manager_make_allocator_fixed_pool (obj,
```

Function `umpire_mod::resource_manager_make_allocator_list_pool`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
type(umpire_allocator) function umpire_mod::resource_manager_make_allocator_list_pool (obj, n
```

Function `umpire_mod::resource_manager_make_allocator_named`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
type(umpire_allocator) function umpire_mod::resource_manager_make_allocator_named (obj, name,
```

Function `umpire_mod::resource_manager_make_allocator_pool`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
type(umpire_allocator) function umpire_mod::resource_manager_make_allocator_pool (obj, name,
```

Function `umpire_mod::resource_manager_make_allocator_prefetcher`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
type(umpire_allocator) function umpire_mod::resource_manager_make_allocator_prefetcher (obj,
```

Function `umpire_mod::resource_manager_make_allocator_thread_safe`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
type(umpire_allocator) function umpire_mod::resource_manager_make_allocator_thread_safe (obj,
```

Function `umpire_mod::resource_manager_memset_all`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::resource_manager_memset_all (obj, ptr, val)
```

Function `umpire_mod::resource_manager_memset_with_size`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::resource_manager_memset_with_size (obj, ptr, val, length)
```

Function `umpire_mod::resource_manager_move`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
type(c_ptr) function umpire_mod::resource_manager_move (obj, src_ptr, allocator)
```

Function `umpire_mod::resource_manager_ne`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
logical function umpire_mod::resource_manager_ne (a, b)
```

Function `umpire_mod::resource_manager_reallocate_default`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
type(c_ptr) function umpire_mod::resource_manager_reallocate_default (obj, src_ptr, size)
```

Function `umpire_mod::resource_manager_reallocate_with_allocator`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
type(c_ptr) function umpire_mod::resource_manager_reallocate_with_allocator (obj, src_ptr, s
```

Function `umpire_mod::resource_manager_register_allocator`

- Defined in `file_umpire_interface_c_fortran_wrapfumpire.f`

Function Documentation

```
subroutine umpire_mod::resource_manager_register_allocator (obj, name, allocator)
```

Function `umpire_pointer_contains(void *, void *)`

- Defined in `file_umpire_interface_c_fortran_wrapUmpire.cpp`

Function Documentation

```
bool umpire_pointer_contains (void *left, void *right)
```

Function `umpire_pointer_contains(void *, void *)`

- Defined in `file_umpire_interface_c_fortran_wrapUmpire.h`

Function Documentation

```
bool umpire_pointer_contains (void *left, void *right)
```

Function `umpire_pointer_overlaps(void *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapUmpire.cpp

Function Documentation

bool `umpire_pointer_overlaps` (void **left*, void **right*)

Function `umpire_pointer_overlaps(void *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapUmpire.h

Function Documentation

bool `umpire_pointer_overlaps` (void **left*, void **right*)

Function `umpire_resourcemanager_copy_all(umpire_resourcemanager *, void *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

void `umpire_resourcemanager_copy_all` (*umpire_resourcemanager* **self*, void **src_ptr*, void **dst_ptr*)

Function `umpire_resourcemanager_copy_all(umpire_resourcemanager *, void *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

void `umpire_resourcemanager_copy_all` (*umpire_resourcemanager* **self*, void **src_ptr*, void **dst_ptr*)

Function `umpire_resourcemanager_copy_with_size(umpire_resourcemanager *, void *, void *, size_t)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

void **umpire_resourcemanager_copy_with_size** (*umpire_resourcemanager* *self, void *src_ptr, void *dst_ptr, size_t size)

Function `umpire_resourcemanager_copy_with_size(umpire_resourcemanager *, void *, void *, size_t)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

void **umpire_resourcemanager_copy_with_size** (*umpire_resourcemanager* *self, void *src_ptr, void *dst_ptr, size_t size)

Function `umpire_resourcemanager_deallocate(umpire_resourcemanager *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

void **umpire_resourcemanager_deallocate** (*umpire_resourcemanager* *self, void *ptr)

Function `umpire_resourcemanager_deallocate(umpire_resourcemanager *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

void **umpire_resourcemanager_deallocate** (*umpire_resourcemanager* *self, void *ptr)

Function `umpire_resourcemanager_get_allocator_by_id(umpire_resourcemanager *, const int, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

umpire_allocator ***umpire_resourcemanager_get_allocator_by_id** (*umpire_resourcemanager* *self, const int id, *umpire_allocator* *SHC_rv)

Function `umpire_resourcemanager_get_allocator_by_id(umpire_resourcemanager *, const int, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

```
umpire_allocator *umpire_resourcemanager_get_allocator_by_id(umpire_resourcemanager
    *self, const int id, umpire_allocator *SHC_rv)
```

Function `umpire_resourcemanager_get_allocator_by_name(umpire_resourcemanager *, const char *, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

```
umpire_allocator *umpire_resourcemanager_get_allocator_by_name(umpire_resourcemanager
    *self, const
    char *name, umpire_allocator
    *SHC_rv)
```

Function `umpire_resourcemanager_get_allocator_by_name(umpire_resourcemanager *, const char *, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

```
umpire_allocator *umpire_resourcemanager_get_allocator_by_name(umpire_resourcemanager
    *self, const
    char *name, umpire_allocator
    *SHC_rv)
```

Function `umpire_resourcemanager_get_allocator_by_name_bufferify(umpire_resourcemanager *, const char *, int, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

umpire_allocator ***umpire_resourcemanager_get_allocator_by_name_bufferify**(*umpire_resourcemanager* *self, **const** char *name, int Lname, *um-
pire_allocator* *SHC_rv)

Function `umpire_resourcemanager_get_allocator_by_name_bufferify(umpire_resourcemanager *, const char *, int, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

umpire_allocator ***umpire_resourcemanager_get_allocator_by_name_bufferify**(*umpire_resourcemanager* *self, **const** char *name, int Lname, *um-
pire_allocator* *SHC_rv)

Function `umpire_resourcemanager_get_allocator_for_ptr(umpire_resourcemanager *, void *, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

umpire_allocator ***umpire_resourcemanager_get_allocator_for_ptr**(*umpire_resourcemanager* *self, void *ptr, *umpire_allocator* *SHC_rv)

Function `umpire_resourcemanager_get_allocator_for_ptr(umpire_resourcemanager *, void *, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_get_allocator_for_ptr (umpire_resourcemanager
                                                                *self, void *ptr,
                                                                umpire_allocator
                                                                *SHC_rv)
```

Function `umpire_resourcemanager_get_instance(umpire_resourcemanager *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
umpire_resourcemanager *umpire_resourcemanager_get_instance (umpire_resourcemanager
                                                                *SHC_rv)
```

Function `umpire_resourcemanager_get_instance(umpire_resourcemanager *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
umpire_resourcemanager *umpire_resourcemanager_get_instance (umpire_resourcemanager
                                                                *SHC_rv)
```

Function `umpire_resourcemanager_get_size(umpire_resourcemanager *, void *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
size_t umpire_resourcemanager_get_size (umpire_resourcemanager *self, void *ptr)
```

Function `umpire_resourcemanager_get_size(umpire_resourcemanager *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

`size_t` **umpire_resourcemanager_get_size** (*umpire_resourcemanager *self*, void *ptr)

Function `umpire_resourcemanager_has_allocator(umpire_resourcemanager *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

`bool` **umpire_resourcemanager_has_allocator** (*umpire_resourcemanager *self*, void *ptr)

Function `umpire_resourcemanager_has_allocator(umpire_resourcemanager *, void *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

`bool` **umpire_resourcemanager_has_allocator** (*umpire_resourcemanager *self*, void *ptr)

Function `umpire_resourcemanager_is_allocator(umpire_resourcemanager *, const char *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

`bool` **umpire_resourcemanager_is_allocator** (*umpire_resourcemanager *self*, `const char *name`)

Function `umpire_resourcemanager_is_allocator(umpire_resourcemanager *, const char *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

`bool` **umpire_resourcemanager_is_allocator** (*umpire_resourcemanager *self*, `const char *name`)

Function `umpire_resourcemanager_is_allocator_bufferify(umpire_resourcemanager *, const char *, int)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
bool umpire_resourcemanager_is_allocator_bufferify (umpire_resourcemanager *self,
                                                    const char *name, int Lname)
```

Function `umpire_resourcemanager_is_allocator_bufferify(umpire_resourcemanager *, const char *, int)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
bool umpire_resourcemanager_is_allocator_bufferify (umpire_resourcemanager *self,
                                                    const char *name, int Lname)
```

Function `umpire_resourcemanager_make_allocator_advisor(umpire_resourcemanager *, const char *, umpire_allocator, const char *, int, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_advisor (umpire_resourcemanager
                                                                    *self,          const
                                                                    char *name,    um-
                                                                    pire_allocator alloca-
                                                                    tor, const char *ad-
                                                                    vice_op, int device_id,
                                                                    umpire_allocator
                                                                    *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_advisor(umpire_resourcemanager *, const char *, umpire_allocator, const char *, int, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

umpire_allocator ***umpire_resourcemanager_make_allocator_advisor**(*umpire_resourcemanager* *self, **const** char *name, *umpire_allocator* allocator, **const** char *advice_op, int device_id, *umpire_allocator* *SHC_rv)

Function `umpire_resourcemanager_make_allocator_bufferify_advisor(umpire_resourcemanager *, const char *, int, umpire_allocator, const char *, int, int, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

umpire_allocator ***umpire_resourcemanager_make_allocator_bufferify_advisor**(*umpire_resourcemanager* *self, **const** char *name, int Lname, *umpire_allocator* allocator, **const** char *advice_op, int Ldevice_op, int device_id, *umpire_allocator* *SHC_rv)

Function `umpire_resourcemanager_make_allocator_bufferify_advisor(umpire_resourcemanager *, const char *, int, umpire_allocator, const char *, int, int, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

umpire_allocator ***umpire_resourcemanager_make_allocator_bufferify_advisor**(*umpire_resourcemanager* *self, **const** char *name, int Lname, *um-
pire_allocator* allocator, **const** char *ad-
vice_op, int Lad-
vice_op, int de-
vice_id, *um-
pire_allocator* *SHC_rv)

Function `umpire_resourcemanager_make_allocator_bufferify_fixed_pool(umpire_resourcemanager *, const char *, int, umpire_allocator, size_t, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

umpire_allocator ***umpire_resourcemanager_make_allocator_bufferify_fixed_pool**(*umpire_resourcemanager* *self, **const** char *name, int Lname, *um-
pire_allocator* al-
lo-
ca-
tor, size_t ob-
ject_size, *um-
pire_allocator* *SHC_rv)

Function `umpire_resourcemanager_make_allocator_bufferify_fixed_pool(umpire_resourcemanager *, const char *, int, umpire_allocator, size_t, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_bufferify_fixed_pool(umpire_resourcemanager
                                                                    *self,
                                                                    const
                                                                    char
                                                                    *name,
                                                                    int
                                                                    Lname,
                                                                    um-
                                                                    pire_allocator
                                                                    al-
                                                                    lo-
                                                                    ca-
                                                                    tor,
                                                                    size_t
                                                                    ob-
                                                                    ject_size,
                                                                    um-
                                                                    pire_allocator
                                                                    *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_bufferify_list_pool(umpire_resourcemanager *, const char *, int, umpire_allocator, size_t, size_t, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_bufferify_list_pool(umpire_resourcemanager
    *self,
    const
    char
    *name,
    int
    Lname,
    um-
pire_allocator
    allo-
    ca-
    tor,
    size_t
    ini-
    tial_size,
    size_t
    block,
    um-
pire_allocator
    *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_bufferify_list_pool(umpire_resourcemanager *, const char *, int, umpire_allocator, size_t, size_t, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_bufferify_list_pool(umpire_resourcemanager
    *self,
    const
    char
    *name,
    int
    Lname,
    um-
pire_allocator
    allo-
    ca-
    tor,
    size_t
    ini-
    tial_size,
    size_t
    block,
    um-
pire_allocator
    *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_bufferify_named(umpire_resourcemanager *, const char *, int, umpire_allocator, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_bufferify_named(umpire_resourcemanager
                                                                    *self,
                                                                    const
                                                                    char
                                                                    *name, int
                                                                    Lname,
                                                                    um-
                                                                    pire_allocator
                                                                    allocator,
                                                                    um-
                                                                    pire_allocator
                                                                    *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_bufferify_named(umpire_resourcemanager *, const char *, int, umpire_allocator, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_bufferify_named(umpire_resourcemanager
                                                                    *self,
                                                                    const
                                                                    char
                                                                    *name, int
                                                                    Lname,
                                                                    um-
                                                                    pire_allocator
                                                                    allocator,
                                                                    um-
                                                                    pire_allocator
                                                                    *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_bufferify_pool(umpire_resourcemanager *, const char *, int, umpire_allocator, size_t, size_t, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_bufferify_pool(umpire_resourcemanager
    *self,
    const char
    *name, int
    Lname, um-
pire_allocator
    allocator,
    size_t ini-
    tial_size,
    size_t
    block, um-
pire_allocator
    *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_bufferify_pool(umpire_resourcemanager *, const char *, int, umpire_allocator, size_t, size_t, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_bufferify_pool(umpire_resourcemanager
    *self,
    const char
    *name, int
    Lname, um-
pire_allocator
    allocator,
    size_t ini-
    tial_size,
    size_t
    block, um-
pire_allocator
    *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_bufferify_prefetcher(umpire_resourcemanager *, const char *, int, umpire_allocator, int, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_bufferify_prefetcher(umpire_resourcemanager
                                                                              *self,
                                                                              const
                                                                              char
                                                                              *name,
                                                                              int
                                                                              Lname,
                                                                              um-
                                                                              pire_allocator
                                                                              al-
                                                                              lo-
                                                                              ca-
                                                                              tor,
                                                                              int
                                                                              de-
                                                                              vice_id,
                                                                              um-
                                                                              pire_allocator
                                                                              *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_bufferify_prefetcher(umpire_resourcemanager *, const char *, int, umpire_allocator, int, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

umpire_allocator ***umpire_resourcemanager_make_allocator_bufferify_prefetcher**(*umpire_resourcemanager* *self, **const** char *name, int Lname, *um-
pire_allocator* al-
lo-
ca-
tor, int device_id, *um-
pire_allocator* *SHC_rv)

Function `umpire_resourcemanager_make_allocator_bufferify_thread_safe(umpire_resourcemanager *, const char *, int, umpire_allocator, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

umpire_allocator ***umpire_resourcemanager_make_allocator_bufferify_thread_safe**(*umpire_resourcemanager* *self, **const** char *name, int Lname, *um-
pire_allocator* al-
lo-
ca-
tor, *um-
pire_allocator* *SHC_rv)

Function `umpire_resourcemanager_make_allocator_bufferify_thread_safe(umpire_resourcemanager *, const char *, int, umpire_allocator, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_bufferify_thread_safe(umpire_resourcemanager
                                                                              *self,
                                                                              const
                                                                              char
                                                                              *name,
                                                                              int
                                                                              Lname,
                                                                              um-
                                                                              pire_allocator
                                                                              al-
                                                                              lo-
                                                                              ca-
                                                                              tor,
                                                                              um-
                                                                              pire_allocator
                                                                              *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_fixed_pool(umpire_resourcemanager *, const char *, umpire_allocator, size_t, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_fixed_pool(umpire_resourcemanager
                                                                              *self, const char
                                                                              *name,      um-
                                                                              pire_allocator
                                                                              allocator, size_t
                                                                              object_size, um-
                                                                              pire_allocator
                                                                              *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_fixed_pool(umpire_resourcemanager *, const char *, umpire_allocator, size_t, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_fixed_pool(umpire_resourcemanager
                                                                *self, const char
                                                                *name, um-
                                                                pire_allocator
                                                                allocator, size_t
                                                                object_size, um-
                                                                pire_allocator
                                                                *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_list_pool(umpire_resourcemanager *, const char *, umpire_allocator, size_t, size_t, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_list_pool(umpire_resourcemanager
                                                                *self, const
                                                                char *name, um-
                                                                pire_allocator
                                                                allocator, size_t
                                                                initial_size,
                                                                size_t block,
                                                                umpire_allocator
                                                                *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_list_pool(umpire_resourcemanager *, const char *, umpire_allocator, size_t, size_t, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_list_pool(umpire_resourcemanager
                                                                *self, const
                                                                char *name, um-
                                                                pire_allocator
                                                                allocator, size_t
                                                                initial_size,
                                                                size_t block,
                                                                umpire_allocator
                                                                *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_named(umpire_resourcemanager *, const char *, umpire_allocator, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_named(umpire_resourcemanager
                                                                *self, const char
                                                                *name, umpire_allocator
                                                                allocator, um-
                                                                pire_allocator *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_named(umpire_resourcemanager *, const char *, umpire_allocator, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_named(umpire_resourcemanager
                                                                *self, const char
                                                                *name, umpire_allocator
                                                                allocator, um-
                                                                pire_allocator *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_pool(umpire_resourcemanager *, const char *, umpire_allocator, size_t, size_t, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_pool(umpire_resourcemanager
                                                                *self, const char *name,
                                                                umpire_allocator alloca-
                                                                tor, size_t initial_size,
                                                                size_t block, um-
                                                                pire_allocator *SHC_rv)
```


Function `umpire_resourcemanager_make_allocator_pool(umpire_resourcemanager *, const char *, umpire_allocator, size_t, size_t, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_pool(umpire_resourcemanager
    *self, const char *name,
    umpire_allocator allocator, size_t initial_size,
    size_t block, umpire_allocator *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_prefetcher(umpire_resourcemanager *, const char *, umpire_allocator, int, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_prefetcher(umpire_resourcemanager
    *self, const char
    *name, umpire_allocator
    allocator, int
    device_id, umpire_allocator
    *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_prefetcher(umpire_resourcemanager *, const char *, umpire_allocator, int, umpire_allocator *)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_prefetcher(umpire_resourcemanager
    *self, const char
    *name, umpire_allocator
    allocator, int
    device_id, umpire_allocator
    *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_thread_safe(umpire_resourcemanager *, const char *, umpire_allocator, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_thread_safe(umpire_resourcemanager
                                                                    *self, const
                                                                    char *name, um-
                                                                    pire_allocator
                                                                    allocator, um-
                                                                    pire_allocator
                                                                    *SHC_rv)
```

Function `umpire_resourcemanager_make_allocator_thread_safe(umpire_resourcemanager *, const char *, umpire_allocator, umpire_allocator *)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

```
umpire_allocator *umpire_resourcemanager_make_allocator_thread_safe(umpire_resourcemanager
                                                                    *self, const
                                                                    char *name, um-
                                                                    pire_allocator
                                                                    allocator, um-
                                                                    pire_allocator
                                                                    *SHC_rv)
```

Function `umpire_resourcemanager_memset_all(umpire_resourcemanager *, void *, int)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

```
void umpire_resourcemanager_memset_all(umpire_resourcemanager *self, void *ptr, int val)
```

Function `umpire_resourcemanager_memset_all(umpire_resourcemanager *, void *, int)`

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

void **umpire_resourcemanager_memset_all** (*umpire_resourcemanager *self*, void **ptr*, int *val*)

Function umpire_resourcemanager_memset_with_size(*umpire_resourcemanager **, void *, int, *size_t*)

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

void **umpire_resourcemanager_memset_with_size** (*umpire_resourcemanager *self*, void **ptr*, int *val*, *size_t length*)

Function umpire_resourcemanager_memset_with_size(*umpire_resourcemanager **, void *, int, *size_t*)

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

void **umpire_resourcemanager_memset_with_size** (*umpire_resourcemanager *self*, void **ptr*, int *val*, *size_t length*)

Function umpire_resourcemanager_move(*umpire_resourcemanager **, void *, *umpire_allocator*)

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.cpp

Function Documentation

void ***umpire_resourcemanager_move** (*umpire_resourcemanager *self*, void **src_ptr*, *umpire_allocator allocator*)

Function umpire_resourcemanager_move(*umpire_resourcemanager **, void *, *umpire_allocator*)

- Defined in file_umpire_interface_c_fortran_wrapResourceManager.h

Function Documentation

void ***umpire_resourcemanager_move** (*umpire_resourcemanager *self*, void **src_ptr*, *umpire_allocator allocator*)

Function `umpire_resourcemanager_reallocate_default(umpire_resourcemanager *, void *, size_t)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
void *umpire_resourcemanager_reallocate_default (umpire_resourcemanager *self, void
                                             *src_ptr, size_t size)
```

Function `umpire_resourcemanager_reallocate_default(umpire_resourcemanager *, void *, size_t)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
void *umpire_resourcemanager_reallocate_default (umpire_resourcemanager *self, void
                                             *src_ptr, size_t size)
```

Function `umpire_resourcemanager_reallocate_with_allocator(umpire_resourcemanager *, void *, size_t, umpire_allocator)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
void *umpire_resourcemanager_reallocate_with_allocator (umpire_resourcemanager
                                                         *self, void *src_ptr, size_t size,
                                                         umpire_allocator allocator)
```

Function `umpire_resourcemanager_reallocate_with_allocator(umpire_resourcemanager *, void *, size_t, umpire_allocator)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
void *umpire_resourcemanager_reallocate_with_allocator (umpire_resourcemanager
                                                         *self, void *src_ptr, size_t size,
                                                         umpire_allocator allocator)
```

Function `umpire_resourcemanager_register_allocator(umpire_resourcemanager *, const char *, umpire_allocator)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
void umpire_resourcemanager_register_allocator (umpire_resourcemanager *self, const
char *name, umpire_allocator allocator)
```

Function `umpire_resourcemanager_register_allocator(umpire_resourcemanager *, const char *, umpire_allocator)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
void umpire_resourcemanager_register_allocator (umpire_resourcemanager *self, const
char *name, umpire_allocator allocator)
```

Function `umpire_resourcemanager_register_allocator_bufferify(umpire_resourcemanager *, const char *, int, umpire_allocator)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.cpp`

Function Documentation

```
void umpire_resourcemanager_register_allocator_bufferify (umpire_resourcemanager
*self, const char
*name, int Lname, um-
pire_allocator allocator)
```

Function `umpire_resourcemanager_register_allocator_bufferify(umpire_resourcemanager *, const char *, int, umpire_allocator)`

- Defined in file `umpire_interface_c_fortran_wrapResourceManager.h`

Function Documentation

```
void umpire_resourcemanager_register_allocator_bufferify (umpire_resourcemanager
*self, const char
*name, int Lname, um-
pire_allocator allocator)
```

Function `umpire_SHROUD_memory_destructor(umpire_SHROUD_capsule_data *)`

- Defined in file `umpire_interface_c_fortran_typesUmpire.h`

Function Documentation

```
void umpire_SHROUD_memory_destructor (umpire_SHROUD_capsule_data *cap)
```

Function `umpire_SHROUD_memory_destructor(umpire_SHROUD_capsule_data *)`

- Defined in file `umpire_interface_c_fortran_wrapUmpire.cpp`

Function Documentation

```
void umpire_SHROUD_memory_destructor (umpire_SHROUD_capsule_data *cap)
```

Function `umpire_ShroudCopyStringAndFree`

- Defined in file `umpire_interface_c_fortran_utilUmpire.cpp`

Function Documentation

Warning: doxygenfunction: Cannot find function “`umpire_ShroudCopyStringAndFree`” in doxygen xml output for project “`umpire`” from directory: `../doxygen/xml/`

Function `umpire_strategy_mod::allocationadvisor_associated`

- Defined in file `umpire_interface_c_fortran_wrapfUmpire_strategy.f`

Function Documentation

```
logical function umpire_strategy_mod::allocationadvisor_associated (obj)
```

Function `umpire_strategy_mod::allocationadvisor_eq`

- Defined in file `umpire_interface_c_fortran_wrapfUmpire_strategy.f`

Function Documentation

`logical function umpire_strategy_mod::allocationadvisor_eq (a, b)`

Function `umpire_strategy_mod::allocationadvisor_get_instance`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

`type(c_ptr) function umpire_strategy_mod::allocationadvisor_get_instance (obj)`

Function `umpire_strategy_mod::allocationadvisor_ne`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

`logical function umpire_strategy_mod::allocationadvisor_ne (a, b)`

Function `umpire_strategy_mod::allocationadvisor_set_instance`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

`subroutine umpire_strategy_mod::allocationadvisor_set_instance (obj, cxxmem)`

Function `umpire_strategy_mod::dynamicpool_associated`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

`logical function umpire_strategy_mod::dynamicpool_associated (obj)`

Function `umpire_strategy_mod::dynamicpool_eq`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

`logical function umpire_strategy_mod::dynamicpool_eq (a, b)`

Function `umpire_strategy_mod::dynamicpool_get_instance`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

`type(c_ptr) function umpire_strategy_mod::dynamicpool_get_instance (obj)`

Function `umpire_strategy_mod::dynamicpool_ne`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

`logical function umpire_strategy_mod::dynamicpool_ne (a, b)`

Function `umpire_strategy_mod::dynamicpool_set_instance`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

`subroutine umpire_strategy_mod::dynamicpool_set_instance (obj, cxxmem)`

Function `umpire_strategy_mod::namedallocationstrategy_associated`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

`logical function umpire_strategy_mod::namedallocationstrategy_associated (obj)`

Function `umpire_strategy_mod::namedallocationstrategy_eq`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

`logical function umpire_strategy_mod::namedallocationstrategy_eq (a, b)`

Function `umpire_strategy_mod::namedallocationstrategy_get_instance`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

`type(c_ptr) function umpire_strategy_mod::namedallocationstrategy_get_instance (obj)`

Function `umpire_strategy_mod::namedallocationstrategy_ne`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

`logical function umpire_strategy_mod::namedallocationstrategy_ne (a, b)`

Function `umpire_strategy_mod::namedallocationstrategy_set_instance`

- Defined in file_umpire_interface_c_fortran_wrapfUmpire_strategy.f

Function Documentation

subroutine `umpire_strategy_mod::namedallocationstrategy_set_instance` (obj,
cxxmem)

6.3.5 Variables

Variable `genumpiresplicer::maxdims`

- Defined in file_umpire_interface_c_fortran_genumpiresplicer.py

Variable Documentation

`genumpiresplicer.maxdims = 3`

Variable `genumpiresplicer::types`

- Defined in `file_umpire_interface_c_fortran_genumpiresplicer.py`

Variable Documentation

```
genumpiresplicer.types = ( ( 'int', 'integer(C_INT)' ), ( 'long', 'integer(C_LONG)' ), ( 'long long', 'integer(C_LONG_LONG)' ) )
```

Variable `s_null_resource_name`

- Defined in `file_umpire_ResourceManager.cpp`

Variable Documentation

Warning: doxygenvariable: Cannot find variable “s_null_resource_name” in doxygen xml output for project “umpire” from directory: ../doxygen/xml/

Variable `s_umpire_internal_device_constant_memory`

- Defined in `file_umpire_resource_HipConstantMemoryResource.cpp`

Variable Documentation

Warning: doxygenvariable: Cannot find variable “s_umpire_internal_device_constant_memory” in doxygen xml output for project “umpire” from directory: ../doxygen/xml/

Variable `s_zero_byte_pool_name`

- Defined in `file_umpire_ResourceManager.cpp`

Variable Documentation

Warning: doxygenvariable: Cannot find variable “s_zero_byte_pool_name” in doxygen xml output for project “umpire” from directory: ../doxygen/xml/

Variable `umpire::env_name`

- Defined in `file_umpire_Replay.cpp`

Variable Documentation

```
const char *umpire::env_name = "UMPIRE_REPLAY"
```

Variable `umpire::strategy::bits_per_int`

- Defined in file_umpire_strategy_FixedPool.cpp

Variable Documentation

```
constexpr std::size_t umpire::strategy::bits_per_int = sizeof(int) * 8
```

Variable `umpire::strategy::heuristic_percent_releasable`

- Defined in file_umpire_strategy_DynamicPoolHeuristic.hpp

Variable Documentation

```
std::function<bool (const strategy::DynamicPoolMap&)> umpire::strategy::heuristic_percent_releasable  
int percentageReturn true if specified percentage of pool is releasable.
```

When the specified percentage of the pool has been deallocated back to the pool, this heuristic will return true.

Return True if specified percentage of memory in pool is releasable.

Parameters

- `percentage`: The integer percentage of releasable memory to actual memory used by the pool.

Variable `umpire::strategy::heuristic_percent_releasable_list`

- Defined in file_umpire_strategy_DynamicPoolHeuristic.hpp

Variable Documentation

```
std::function<bool (const strategy::DynamicPoolList&)> umpire::strategy::heuristic_percent_releasable_list  
int percentageReturn true if specified percentage of pool is releasable.
```

When the specified percentage of the pool has been deallocated back to the pool, this heuristic will return true.

Return True if specified percentage of memory in pool is releasable.

Parameters

- `percentage`: The integer percentage of releasable memory to actual memory used by the pool.

Variable `umpire::util::defaultLevel`

- Defined in `file_umpire_util_Logger.cpp`

Variable Documentation

`message::Level` `umpire::util::defaultLevel` = `message::Info`

Variable `umpire::util::env_name`

- Defined in `file_umpire_util_Logger.cpp`

Variable Documentation

`const char*` `umpire::util::env_name` = "UMPIRE_LOG_LEVEL"

Variable `umpire::util::MessageLevelName`

- Defined in `file_umpire_util_Logger.cpp`

Variable Documentation

`const char*` `umpire::util::MessageLevelName`[`message::Num_Levels`] = {"ERROR", "WARNING", "INFO", "DEB"

Variable `umpire_ver_3_found`

- Defined in `file_umpire_Umpire.cpp`

Variable Documentation

Warning: doxygenvariable: Cannot find variable “`umpire_ver_3_found`” in doxygen xml output for project “`umpire`” from directory: `../doxygen/xml/`

6.3.6 Defines

Define `_XOPEN_SOURCE_EXTENDED`

- Defined in `file_umpire_strategy_FixedPool.cpp`

Define Documentation

Warning: doxygendefine: Cannot find define “_XOPEN_SOURCE_EXTENDED” in doxygen xml output for project “umpire” from directory: ../doxygen/xml/

Define SH_TYPE_BOOL

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_BOOL

Define SH_TYPE_CHAR

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_CHAR

Define SH_TYPE_CPTR

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_CPTR

Define SH_TYPE_DOUBLE

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_DOUBLE

Define SH_TYPE_DOUBLE_COMPLEX

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

`SH_TYPE_DOUBLE_COMPLEX`

Define SH_TYPE_FLOAT

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

`SH_TYPE_FLOAT`

Define SH_TYPE_FLOAT_COMPLEX

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

`SH_TYPE_FLOAT_COMPLEX`

Define SH_TYPE_INT

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

`SH_TYPE_INT`

Define SH_TYPE_INT16_T

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

`SH_TYPE_INT16_T`

Define SH_TYPE_INT32_T

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation**SH_TYPE_INT32_T****Define SH_TYPE_INT64_T**

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation**SH_TYPE_INT64_T****Define SH_TYPE_INT8_T**

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation**SH_TYPE_INT8_T****Define SH_TYPE_LONG**

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation**SH_TYPE_LONG****Define SH_TYPE_LONG_DOUBLE**

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation**SH_TYPE_LONG_DOUBLE**

Define SH_TYPE_LONG_DOUBLE_COMPLEX

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_LONG_DOUBLE_COMPLEX

Define SH_TYPE_LONG_LONG

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_LONG_LONG

Define SH_TYPE_OTHER

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_OTHER

Define SH_TYPE_SHORT

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_SHORT

Define SH_TYPE_SIGNED_CHAR

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_SIGNED_CHAR

Define SH_TYPE_SIZE_T

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation**SH_TYPE_SIZE_T****Define SH_TYPE_STRUCT**

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation**SH_TYPE_STRUCT****Define SH_TYPE_UINT16_T**

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation**SH_TYPE_UINT16_T****Define SH_TYPE_UINT32_T**

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation**SH_TYPE_UINT32_T****Define SH_TYPE_UINT64_T**

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation**SH_TYPE_UINT64_T**

Define SH_TYPE_UINT8_T

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_UINT8_T

Define SH_TYPE_UNSIGNED_INT

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_UNSIGNED_INT

Define SH_TYPE_UNSIGNED_LONG

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_UNSIGNED_LONG

Define SH_TYPE_UNSIGNED_LONG_LONG

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_UNSIGNED_LONG_LONG

Define SH_TYPE_UNSIGNED_SHORT

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Define Documentation

SH_TYPE_UNSIGNED_SHORT

Define `UMPIRE_Allocator_INL`

- Defined in file_umpire_Allocator.inl

Define Documentation

`UMPIRE_Allocator_INL`

Define `UMPIRE_ASSERT`

- Defined in file_umpire_util_Macros.hpp

Define Documentation

`UMPIRE_ASSERT` (*condition*)

Define `UMPIRE_Backtrace_INL`

- Defined in file_umpire_util_backtrace.inl

Define Documentation

`UMPIRE_Backtrace_INL`

Define `UMPIRE_CudaGetAttributeOperation_INL`

- Defined in file_umpire_op_CudaGetAttributeOperation.cpp

Define Documentation

<p>Warning: doxygendefine: Cannot find define “UMPIRE_CudaGetAttributeOperation_INL” in doxygen xml output for project “umpire” from directory: ../doxygen/xml/</p>
--

Define `UMPIRE_DefaultMemoryResource_INL`

- Defined in file_umpire_resource_DefaultMemoryResource.inl

Define Documentation

UMPIRE_DefaultMemoryResource_INL

Define UMPIRE_ERROR

- Defined in file_umpire_util_Macros.hpp

Define Documentation

UMPIRE_ERROR (*msg*)

Define UMPIRE_INVALID_ALLOCATOR_ID

- Defined in file_umpire_interface_umpire.h

Define Documentation

UMPIRE_INVALID_ALLOCATOR_ID

Define UMPIRE_LOG

- Defined in file_umpire_util_Macros.hpp

Define Documentation

UMPIRE_LOG (*lvl, msg*)

Define UMPIRE_MemoryMap_INL

- Defined in file_umpire_util_MemoryMap.inl

Define Documentation

UMPIRE_MemoryMap_INL

Define UMPIRE_NullMemoryResource_INL

- Defined in file_umpire_resource_NullMemoryResource.cpp

Define Documentation

Warning: doxygendefine: Cannot find define “UMPIRE_NullMemoryResource_INL” in doxygen xml output for project “umpire” from directory: ../doxygen/xml/

Define UMPIRE_POISON_MEMORY_REGION

- Defined in file_umpire_util_memory_sanitizers.hpp

Define Documentation

UMPIRE_POISON_MEMORY_REGION (*allocator, ptr, size*)

Define UMPIRE_RECORD_BACKTRACE

- Defined in file_umpire_util_Macros.hpp

Define Documentation

UMPIRE_RECORD_BACKTRACE (*record*)

Define UMPIRE_RECORD_STATISTIC

- Defined in file_umpire_util_Macros.hpp

Define Documentation

UMPIRE_RECORD_STATISTIC (*name, ...*)

Define UMPIRE_REPLAY

- Defined in file_umpire_Replay.hpp

Define Documentation

UMPIRE_REPLAY (*msg*)

Define `UMPIRE_ResourceManager_INL`

- Defined in file_umpire_ResourceManager.inl

Define Documentation

`UMPIRE_ResourceManager_INL`

Define `UMPIRE_TypedAllocator_INL`

- Defined in file_umpire_TypedAllocator.inl

Define Documentation

`UMPIRE_TypedAllocator_INL`

Define `UMPIRE_UNPOISON_MEMORY_REGION`

- Defined in file_umpire_util_memory_sanitizers.hpp

Define Documentation

`UMPIRE_UNPOISON_MEMORY_REGION` (*allocator, ptr, size*)

Define `UMPIRE_UNUSED_ARG`

- Defined in file_umpire_util_Macros.hpp

Define Documentation

`UMPIRE_UNUSED_ARG` (*x*)

Define `UMPIRE_USE_VAR`

- Defined in file_umpire_util_Macros.hpp

Define Documentation

`UMPIRE_USE_VAR` (*x*)

6.3.7 Typedefs

Typedef `umpire::Platform`

- Defined in `file_umpire_util_Platform.hpp`

Typedef Documentation

```
using umpire::Platform = camp::resources::Platform
```

Typedef `umpire::strategy::DynamicPool`

- Defined in `file_umpire_strategy_DynamicPool.hpp`

Typedef Documentation

```
using umpire::strategy::DynamicPool = DynamicPoolMap
```

Typedef `umpire_allocator`

- Defined in `file_umpire_interface_c_fortran_typesUmpire.h`

Typedef Documentation

```
typedef struct s_umpire_allocator umpire_allocator
```

Typedef `umpire_resourcemanager`

- Defined in `file_umpire_interface_c_fortran_typesUmpire.h`

Typedef Documentation

```
typedef struct s_umpire_resourcemanager umpire_resourcemanager
```

Typedef `umpire_SHROUD_array`

- Defined in `file_umpire_interface_c_fortran_typesUmpire.h`

Typedef Documentation

typedef struct *s_umpire_SHROUD_array* umpire_SHROUD_array

Typedef umpire_SHROUD_capsule_data

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Typedef Documentation

typedef struct *s_umpire_SHROUD_capsule_data* umpire_SHROUD_capsule_data

Typedef umpire_strategy_allocationadvisor

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Typedef Documentation

typedef struct *s_umpire_strategy_allocationadvisor* umpire_strategy_allocationadvisor

Typedef umpire_strategy_allocationprefetcher

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Typedef Documentation

typedef struct *s_umpire_strategy_allocationprefetcher* umpire_strategy_allocationprefetcher

Typedef umpire_strategy_dynamicpool

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Typedef Documentation

typedef struct *s_umpire_strategy_dynamicpool* umpire_strategy_dynamicpool

Typedef umpire_strategy_dynamicpoollist

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Typedef Documentation

typedef struct *s_umpire_strategy_dynamicpoollist* umpire_strategy_dynamicpoollist

Typedef umpire_strategy_fixedpool

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Typedef Documentation

typedef struct *s_umpire_strategy_fixedpool* umpire_strategy_fixedpool

Typedef umpire_strategy_namedallocationstrategy

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Typedef Documentation

typedef struct *s_umpire_strategy_namedallocationstrategy* umpire_strategy_namedallocationstrategy

Typedef umpire_strategy_threadsafeallocator

- Defined in file_umpire_interface_c_fortran_typesUmpire.h

Typedef Documentation

typedef struct *s_umpire_strategy_threadsafeallocator* umpire_strategy_threadsafeallocator

CONTRIBUTION GUIDE

This document is intended for developers who want to add new features or bugfixes to Umpire. It assumes you have some familiarity with git and GitHub. It will discuss what a good pull request (PR) looks like, and the tests that your PR must pass before it can be merged into Umpire.

7.1 Forking Umpire

If you aren't an Umpire developer at LLNL, then you won't have permission to push new branches to the repository. First, you should create a [fork](#). This will create a copy of the Umpire repository that you own, and will ensure you can push your changes up to GitHub and create pull requests.

7.1.1 Developing a New Feature

New features should be based on the `develop` branch. When you want to create a new feature, first ensure you have an up-to-date copy of the `develop` branch:

```
$ git checkout develop
$ git pull origin develop
```

You can now create a new branch to develop your feature on:

```
$ git checkout -b feature/<name-of-feature>
```

Proceed to develop your feature on this branch, and add tests that will exercise your new code. If you are creating new methods or classes, please add Doxygen documentation.

Once your feature is complete and your tests are passing, you can push your branch to GitHub and create a PR.

7.1.2 Developing a Bug Fix

First, check if the change you want to make has been fixed in `develop`. If so, we suggest you either start using the `develop` branch, or temporarily apply the fix to whichever version of Umpire you are using.

If the bug is still unfixed, first make sure you have an up-to-date copy of the `develop` branch:

```
$ git checkout develop
$ git pull origin develop
```

Then create a new branch for your bugfix:

```
$ git checkout -b bugfix/<name-of-bug>
```

First, add a test that reproduces the bug you have found. Then develop your bugfix as normal, and ensure to make `test` to check your changes actually fix the bug.

Once you are finished, you can push your branch to GitHub, then create a PR.

7.1.3 Creating a Pull Request

You can create a new PR [here](#). Ensure that your PR base is the `develop` branch of Umpire.

Add a descriptive title explaining the bug you fixed or the feature you have added, and put a longer description of the changes you have made in the comment box.

Once your PR has been created, it will be run through our automated tests and also be reviewed by Umpire team members. Providing the branch passes both the tests and reviews, it will be merged into Umpire.

7.1.4 Tests

Umpire uses Bamboo and Gitlab for continuous integration tests. Our tests are automatically run against every new pull request, and passing all tests is a requirement for merging your PR. If you are developing a bugfix or a new feature, please add a test that checks the correctness of your new code. Umpire is used on a wide variety of systems with a number of configurations, and adding new tests helps ensure that all features work as expected across these environments.

Umpire's tests are all in the `test` directory and are split up by component.

DEVELOPER GUIDE

B

built-in function

- genumpiresplicer.gen_bounds(), 189
- genumpiresplicer.gen_fortran(), 190
- genumpiresplicer.gen_methods(), 190

D

- DynamicSizePool (C++ class), 81
 - DynamicSizePool::~DynamicSizePool (C++ function), 81
 - DynamicSizePool::alignmentAdjust (C++ function), 82
 - DynamicSizePool::allocate (C++ function), 81
 - DynamicSizePool::allocateBlock (C++ function), 82
 - DynamicSizePool::allocator (C++ member), 82
 - DynamicSizePool::allocBytes (C++ member), 82
 - DynamicSizePool::Block (C++ struct), 64, 82
 - DynamicSizePool::Block::blockSize (C++ member), 64, 82
 - DynamicSizePool::Block::data (C++ member), 64, 82
 - DynamicSizePool::Block::next (C++ member), 64, 82
 - DynamicSizePool::Block::size (C++ member), 64, 82
 - DynamicSizePool::blockPool (C++ member), 82
 - DynamicSizePool::BlockPool (C++ type), 82
 - DynamicSizePool::coalesce (C++ function), 81
 - DynamicSizePool::coalesceFreeBlocks (C++ function), 82
 - DynamicSizePool::deallocate (C++ function), 81
 - DynamicSizePool::DynamicSizePool (C++ function), 81
 - DynamicSizePool::findUsableBlock (C++ function), 82
 - DynamicSizePool::freeAllBlocks (C++ function), 82
 - DynamicSizePool::freeBlocks (C++ member), 82
 - DynamicSizePool::freeReleasedBlocks (C++ function), 82
 - DynamicSizePool::getActualSize (C++ function), 81
 - DynamicSizePool::getBlocksInPool (C++ function), 81
 - DynamicSizePool::getCurrentSize (C++ function), 81
 - DynamicSizePool::getFreeBlocks (C++ function), 81
 - DynamicSizePool::getHighWatermark (C++ function), 81
 - DynamicSizePool::getInUseBlocks (C++ function), 81
 - DynamicSizePool::getLargestAvailableBlock (C++ function), 81
 - DynamicSizePool::getReleasableSize (C++ function), 81
 - DynamicSizePool::highWatermark (C++ member), 82
 - DynamicSizePool::minBytes (C++ member), 82
 - DynamicSizePool::minInitialBytes (C++ member), 82
 - DynamicSizePool::release (C++ function), 81
 - DynamicSizePool::releaseBlock (C++ function), 82
 - DynamicSizePool::splitBlock (C++ function), 82
 - DynamicSizePool::totalBlocks (C++ member), 82
 - DynamicSizePool::totalBytes (C++ member), 82
 - DynamicSizePool::usedBlocks (C++ member), 82
- F**
- FixedSizePool (C++ class), 83
 - FixedSizePool::~FixedSizePool (C++ function), 83
 - FixedSizePool::allocate (C++ function), 83

FixedSizePool::allocInPool (C++ *function*), 83
 FixedSizePool::deallocate (C++ *function*), 83
 FixedSizePool::FixedSizePool (C++ *function*), 83
 FixedSizePool::getActualSize (C++ *function*), 83
 FixedSizePool::getCurrentSize (C++ *function*), 83
 FixedSizePool::getInstance (C++ *function*), 83
 FixedSizePool::newPool (C++ *function*), 83
 FixedSizePool::numBlocks (C++ *member*), 84
 FixedSizePool::numPerPool (C++ *member*), 84
 FixedSizePool::numPools (C++ *function*), 83
 FixedSizePool::pool (C++ *member*), 84
 FixedSizePool::Pool (C++ *struct*), 65, 84
 FixedSizePool::Pool::avail (C++ *member*), 65, 84
 FixedSizePool::Pool::data (C++ *member*), 65, 84
 FixedSizePool::Pool::next (C++ *member*), 65, 84
 FixedSizePool::Pool::numAvail (C++ *member*), 65, 84
 FixedSizePool::poolSize (C++ *function*), 83
 FixedSizePool::totalPoolSize (C++ *member*), 84

G

genumpiresplicer.gen_bounds()
 built-in function, 189
 genumpiresplicer.gen_fortran()
 built-in function, 190
 genumpiresplicer.gen_methods()
 built-in function, 190

M

maxdims (*genumpiresplicer attribute*), 253

S

s_umpire_allocator (C++ *struct*), 65
 s_umpire_allocator::addr (C++ *member*), 65
 s_umpire_allocator::idtor (C++ *member*), 65
 s_umpire_resourcemanager (C++ *struct*), 65
 s_umpire_resourcemanager::addr (C++ *member*), 65
 s_umpire_resourcemanager::idtor (C++ *member*), 65
 s_umpire_SHROUD_array (C++ *struct*), 66
 s_umpire_SHROUD_array::addr (C++ *member*), 66
 s_umpire_SHROUD_array::base (C++ *member*), 66

s_umpire_SHROUD_array::ccharp (C++ *member*), 66
 s_umpire_SHROUD_array::cxx (C++ *member*), 66
 s_umpire_SHROUD_array::elem_len (C++ *member*), 66
 s_umpire_SHROUD_array::rank (C++ *member*), 66
 s_umpire_SHROUD_array::shape (C++ *member*), 66
 s_umpire_SHROUD_array::size (C++ *member*), 66
 s_umpire_SHROUD_array::type (C++ *member*), 66
 s_umpire_SHROUD_capsule_data (C++ *struct*), 66
 s_umpire_SHROUD_capsule_data::addr (C++ *member*), 66
 s_umpire_SHROUD_capsule_data::idtor (C++ *member*), 66
 s_umpire_strategy_allocationadvisor (C++ *struct*), 67
 s_umpire_strategy_allocationadvisor::addr (C++ *member*), 67
 s_umpire_strategy_allocationadvisor::idtor (C++ *member*), 67
 s_umpire_strategy_allocationprefetcher (C++ *struct*), 67
 s_umpire_strategy_allocationprefetcher::addr (C++ *member*), 67
 s_umpire_strategy_allocationprefetcher::idtor (C++ *member*), 67
 s_umpire_strategy_dynamicpool (C++ *struct*), 67
 s_umpire_strategy_dynamicpool::addr (C++ *member*), 67
 s_umpire_strategy_dynamicpool::idtor (C++ *member*), 67
 s_umpire_strategy_dynamicpoollist (C++ *struct*), 68
 s_umpire_strategy_dynamicpoollist::addr (C++ *member*), 68
 s_umpire_strategy_dynamicpoollist::idtor (C++ *member*), 68
 s_umpire_strategy_fixedpool (C++ *struct*), 68
 s_umpire_strategy_fixedpool::addr (C++ *member*), 68
 s_umpire_strategy_fixedpool::idtor (C++ *member*), 68
 s_umpire_strategy_namedallocationstrategy (C++ *struct*), 68
 s_umpire_strategy_namedallocationstrategy::addr (C++ *member*), 68

[s_umpire_strategy_namedallocationstrategyumpire::alloc::CudaMallocManagedAllocator::allocate \(C++ member\), 68](#)
[s_umpire_strategy_threadsafeallocator \(C++ struct\), 69](#)
[s_umpire_strategy_threadsafeallocator::admpire::alloc::CudaPinnedAllocator \(C++ member\), 69](#)
[s_umpire_strategy_threadsafeallocator::idmpire::alloc::CudaPinnedAllocator::allocate \(C++ member\), 69](#)
[SH_TYPE_BOOL \(C macro\), 257](#)
[SH_TYPE_CHAR \(C macro\), 257](#)
[SH_TYPE_CPTR \(C macro\), 257](#)
[SH_TYPE_DOUBLE \(C macro\), 257](#)
[SH_TYPE_DOUBLE_COMPLEX \(C macro\), 258](#)
[SH_TYPE_FLOAT \(C macro\), 258](#)
[SH_TYPE_FLOAT_COMPLEX \(C macro\), 258](#)
[SH_TYPE_INT \(C macro\), 258](#)
[SH_TYPE_INT16_T \(C macro\), 258](#)
[SH_TYPE_INT32_T \(C macro\), 259](#)
[SH_TYPE_INT64_T \(C macro\), 259](#)
[SH_TYPE_INT8_T \(C macro\), 259](#)
[SH_TYPE_LONG \(C macro\), 259](#)
[SH_TYPE_LONG_DOUBLE \(C macro\), 259](#)
[SH_TYPE_LONG_DOUBLE_COMPLEX \(C macro\), 260](#)
[SH_TYPE_LONG_LONG \(C macro\), 260](#)
[SH_TYPE_OTHER \(C macro\), 260](#)
[SH_TYPE_SHORT \(C macro\), 260](#)
[SH_TYPE_SIGNED_CHAR \(C macro\), 260](#)
[SH_TYPE_SIZE_T \(C macro\), 261](#)
[SH_TYPE_STRUCT \(C macro\), 261](#)
[SH_TYPE_UINT16_T \(C macro\), 261](#)
[SH_TYPE_UINT32_T \(C macro\), 261](#)
[SH_TYPE_UINT64_T \(C macro\), 261](#)
[SH_TYPE_UINT8_T \(C macro\), 262](#)
[SH_TYPE_UNSIGNED_INT \(C macro\), 262](#)
[SH_TYPE_UNSIGNED_LONG \(C macro\), 262](#)
[SH_TYPE_UNSIGNED_LONG_LONG \(C macro\), 262](#)
[SH_TYPE_UNSIGNED_SHORT \(C macro\), 262](#)
[StdAllocator \(C++ struct\), 69](#)
[StdAllocator::allocate \(C++ function\), 69](#)
[StdAllocator::deallocate \(C++ function\), 69](#)

T

[types \(*genumpiresplicer* attribute\), 254](#)

U

[umpire::alloc::CudaMallocAllocator \(C++ struct\), 69](#)
[umpire::alloc::CudaMallocAllocator::allocate \(C++ function\), 69](#)
[umpire::alloc::CudaMallocAllocator::deallocate \(C++ function\), 69](#)
[umpire::alloc::CudaMallocManagedAllocator \(C++ struct\), 70](#)
[umpire::alloc::CudaMallocManagedAllocator::allocate \(C++ function\), 70](#)
[umpire::alloc::CudaMallocManagedAllocator::deallocate \(C++ function\), 70](#)
[umpire::alloc::CudaPinnedAllocator \(C++ struct\), 71](#)
[umpire::alloc::CudaPinnedAllocator::allocate \(C++ function\), 71](#)
[umpire::alloc::CudaPinnedAllocator::deallocate \(C++ function\), 71](#)
[umpire::alloc::HipMallocAllocator \(C++ struct\), 71](#)
[umpire::alloc::HipMallocAllocator::allocate \(C++ function\), 71](#)
[umpire::alloc::HipMallocAllocator::deallocate \(C++ function\), 71](#)
[umpire::alloc::HipPinnedAllocator \(C++ struct\), 72](#)
[umpire::alloc::HipPinnedAllocator::allocate \(C++ function\), 72](#)
[umpire::alloc::HipPinnedAllocator::deallocate \(C++ function\), 72](#)
[umpire::alloc::MallocAllocator \(C++ struct\), 72](#)
[umpire::alloc::MallocAllocator::allocate \(C++ function\), 72](#)
[umpire::alloc::MallocAllocator::deallocate \(C++ function\), 72](#)
[umpire::alloc::OpenMPTargetAllocator \(C++ struct\), 73](#)
[umpire::alloc::OpenMPTargetAllocator::allocate \(C++ function\), 73](#)
[umpire::alloc::OpenMPTargetAllocator::deallocate \(C++ function\), 73](#)
[umpire::alloc::OpenMPTargetAllocator::device \(C++ member\), 73](#)
[umpire::alloc::OpenMPTargetAllocator::OpenMPTargetZ \(C++ function\), 73](#)
[umpire::alloc::PosixMemalignAllocator \(C++ struct\), 74](#)
[umpire::alloc::PosixMemalignAllocator::allocate \(C++ function\), 74](#)
[umpire::alloc::PosixMemalignAllocator::deallocate \(C++ function\), 74](#)
[umpire::Allocator \(C++ class\), 43, 84](#)
[umpire::Allocator::allocate \(C++ function\), 84](#)
[umpire::Allocator::Allocator \(C++ function\), 86](#)
[umpire::Allocator::deallocate \(C++ function\), 84](#)
[umpire::Allocator::getActualSize \(C++ function\), 85](#)
[umpire::Allocator::getAllocationCount](#)

(C++ function), 85

umpire::Allocator::getAllocationStrategy (C++ function), 86

umpire::Allocator::getCurrentSize (C++ function), 85

umpire::Allocator::getHighWatermark (C++ function), 85

umpire::Allocator::getId (C++ function), 85

umpire::Allocator::getName (C++ function), 85

umpire::Allocator::getPlatform (C++ function), 86

umpire::Allocator::getSize (C++ function), 85

umpire::Allocator::operator<< (C++ function), 86

umpire::Allocator::release (C++ function), 85

umpire::cpu_vendor_type (C++ function), 191

umpire::DeviceAllocator (C++ class), 86

umpire::DeviceAllocator::~DeviceAllocator (C++ function), 86

umpire::DeviceAllocator::DeviceAllocator (C++ function), 86

umpire::env_name (C++ member), 255

umpire::error (C++ function), 191

umpire::finalize (C++ function), 191

umpire::free (C++ function), 191

umpire::get_allocator_records (C++ function), 192

umpire::get_backtrace (C++ function), 192

umpire::get_device_memory_usage (C++ function), 192

umpire::get_leaked_allocations (C++ function), 192

umpire::get_major_version (C++ function), 193

umpire::get_minor_version (C++ function), 193

umpire::get_page_size (C++ function), 193

umpire::get_patch_version (C++ function), 193

umpire::get_process_memory_usage (C++ function), 193

umpire::get_rc_version (C++ function), 194

umpire::initialize (C++ function), 194

umpire::log (C++ function), 194

umpire::malloc (C++ function), 194

umpire::MemoryResourceTraits (C++ struct), 74

umpire::MemoryResourceTraits::id (C++ member), 75

umpire::MemoryResourceTraits::kind (C++ member), 75

umpire::MemoryResourceTraits::memory_type (C++ enum), 75

umpire::MemoryResourceTraits::memory_type::DDR (C++ enumerator), 75

umpire::MemoryResourceTraits::memory_type::GDDR (C++ enumerator), 75

umpire::MemoryResourceTraits::memory_type::HBM (C++ enumerator), 75

umpire::MemoryResourceTraits::memory_type::NVME (C++ enumerator), 75

umpire::MemoryResourceTraits::memory_type::UNKNOWN (C++ enumerator), 75

umpire::MemoryResourceTraits::optimized_for (C++ enum), 74

umpire::MemoryResourceTraits::optimized_for::access (C++ enumerator), 74

umpire::MemoryResourceTraits::optimized_for::any (C++ enumerator), 74

umpire::MemoryResourceTraits::optimized_for::bandwidth (C++ enumerator), 74

umpire::MemoryResourceTraits::optimized_for::latency (C++ enumerator), 74

umpire::MemoryResourceTraits::size (C++ member), 75

umpire::MemoryResourceTraits::unified (C++ member), 75

umpire::MemoryResourceTraits::used_for (C++ member), 75

umpire::MemoryResourceTraits::vendor (C++ member), 75

umpire::MemoryResourceTraits::vendor_type (C++ enum), 74

umpire::MemoryResourceTraits::vendor_type::AMD (C++ enumerator), 74

umpire::MemoryResourceTraits::vendor_type::IBM (C++ enumerator), 75

umpire::MemoryResourceTraits::vendor_type::INTEL (C++ enumerator), 75

umpire::MemoryResourceTraits::vendor_type::NVIDIA (C++ enumerator), 75

umpire::MemoryResourceTraits::vendor_type::UNKNOWN (C++ enumerator), 74

umpire::numa::get_allocatable_nodes (C++ function), 195

umpire::numa::get_device_nodes (C++ function), 195

umpire::numa::get_host_nodes (C++ function), 195

umpire::numa::get_location (C++ function), 195

umpire::numa::move_to_node (C++ function), 195

umpire::numa::preferred_node (C++ function), 196

umpire::op (C++ type), 44
 umpire::op::CudaAdviseAccessedByOperation (C++ class), 44, 87
 umpire::op::CudaAdviseAccessedByOperation::apply (C++ function), 87
 umpire::op::CudaAdviseAccessedByOperation::apply_async (C++ function), 87
 umpire::op::CudaAdviseAccessedByOperation::transform (C++ function), 87
 umpire::op::CudaAdviseAccessedByOperation::transform_async (C++ function), 87
 umpire::op::CudaAdvisePreferredLocationOperation (C++ class), 44, 88
 umpire::op::CudaAdvisePreferredLocationOperation::apply (C++ function), 88
 umpire::op::CudaAdvisePreferredLocationOperation::apply_async (C++ function), 88
 umpire::op::CudaAdvisePreferredLocationOperation::transform (C++ function), 88
 umpire::op::CudaAdvisePreferredLocationOperation::transform_async (C++ function), 88
 umpire::op::CudaAdviseReadMostlyOperation (C++ class), 44, 89
 umpire::op::CudaAdviseReadMostlyOperation::apply (C++ function), 89
 umpire::op::CudaAdviseReadMostlyOperation::apply_async (C++ function), 89
 umpire::op::CudaAdviseReadMostlyOperation::transform (C++ function), 89
 umpire::op::CudaAdviseReadMostlyOperation::transform_async (C++ function), 89
 umpire::op::CudaAdviseUnsetAccessedByOperation (C++ class), 44, 90
 umpire::op::CudaAdviseUnsetAccessedByOperation::apply (C++ function), 90
 umpire::op::CudaAdviseUnsetAccessedByOperation::apply_async (C++ function), 90
 umpire::op::CudaAdviseUnsetAccessedByOperation::transform (C++ function), 90
 umpire::op::CudaAdviseUnsetAccessedByOperation::transform_async (C++ function), 90
 umpire::op::CudaAdviseUnsetPreferredLocationOperation (C++ class), 44, 91
 umpire::op::CudaAdviseUnsetPreferredLocationOperation::apply (C++ function), 91
 umpire::op::CudaAdviseUnsetPreferredLocationOperation::apply_async (C++ function), 91
 umpire::op::CudaAdviseUnsetPreferredLocationOperation::transform (C++ function), 91
 umpire::op::CudaAdviseUnsetPreferredLocationOperation::transform_async (C++ function), 91
 umpire::op::CudaAdviseUnsetReadMostlyOperation (C++ class), 45, 92
 umpire::op::CudaAdviseUnsetReadMostlyOperation::apply (C++ function), 92
 umpire::op::CudaAdviseUnsetReadMostlyOperation::apply_async (C++ function), 92
 umpire::op::CudaCopyFromOperation (C++ class), 45, 93
 umpire::op::CudaCopyFromOperation::apply (C++ function), 93
 umpire::op::CudaCopyFromOperation::apply_async (C++ function), 93
 umpire::op::CudaCopyFromOperation::transform (C++ function), 93
 umpire::op::CudaCopyFromOperation::transform_async (C++ function), 93
 umpire::op::CudaCopyToOperation (C++ class), 45, 95
 umpire::op::CudaCopyToOperation::apply (C++ function), 95
 umpire::op::CudaCopyToOperation::apply_async (C++ function), 95
 umpire::op::CudaCopyToOperation::transform (C++ function), 95
 umpire::op::CudaCopyToOperation::transform_async (C++ function), 95
 umpire::op::CudaGetAttributeOperation (C++ class), 45, 97
 umpire::op::CudaGetAttributeOperation::apply (C++ function), 97
 umpire::op::CudaGetAttributeOperation::apply_async (C++ function), 97
 umpire::op::CudaGetAttributeOperation::transform (C++ function), 97
 umpire::op::CudaGetAttributeOperation::transform_async (C++ function), 97
 umpire::op::CudaMemPrefetchOperation (C++ class), 45, 98
 umpire::op::CudaMemPrefetchOperation::apply (C++ function), 98
 umpire::op::CudaMemPrefetchOperation::apply_async (C++ function), 98

(C++ function), 99
 umpire::op::CudaMemPrefetchOperation::transform (C++ function), 98
 umpire::op::CudaMemPrefetchOperation::transform_async (C++ function), 99
 umpire::op::CudaMemsetOperation (C++ class), 45, 99
 umpire::op::CudaMemsetOperation::apply (C++ function), 99
 umpire::op::CudaMemsetOperation::apply_async (C++ function), 99
 umpire::op::CudaMemsetOperation::transform (C++ function), 99
 umpire::op::CudaMemsetOperation::transform_async (C++ function), 99
 umpire::op::CudaMemsetOperation::transform_async (C++ function), 99
 umpire::op::CudaMemsetOperation::transform_async (C++ function), 100
 umpire::op::GenericReallocateOperation (C++ class), 45, 100
 umpire::op::GenericReallocateOperation::apply (C++ function), 101
 umpire::op::GenericReallocateOperation::apply_async (C++ function), 101
 umpire::op::GenericReallocateOperation::transform (C++ function), 100
 umpire::op::GenericReallocateOperation::transform_async (C++ function), 101
 umpire::op::GenericReallocateOperation::transform_async (C++ function), 101
 umpire::op::GenericReallocateOperation::transform_async (C++ function), 101
 umpire::op::HipCopyFromOperation (C++ class), 45, 101
 umpire::op::HipCopyFromOperation::apply (C++ function), 102
 umpire::op::HipCopyFromOperation::apply_async (C++ function), 102
 umpire::op::HipCopyFromOperation::transform (C++ function), 101
 umpire::op::HipCopyFromOperation::transform_async (C++ function), 102
 umpire::op::HipCopyFromOperation::transform_async (C++ function), 102
 umpire::op::HipCopyOperation (C++ class), 45, 102
 umpire::op::HipCopyOperation::apply (C++ function), 103
 umpire::op::HipCopyOperation::apply_async (C++ function), 103
 umpire::op::HipCopyOperation::transform (C++ function), 103
 umpire::op::HipCopyOperation::transform_async (C++ function), 103
 umpire::op::HipCopyToOperation (C++ class), 45, 104
 umpire::op::HipCopyToOperation::apply (C++ function), 104
 umpire::op::HipCopyToOperation::apply_async (C++ function), 104
 umpire::op::HipCopyToOperation::transform (C++ function), 104
 umpire::op::HipCopyToOperation::transform_async (C++ function), 104
 (C++ function), 104
 umpire::op::HipMemsetOperation (C++ class), 45, 105
 umpire::op::HipMemsetOperation::apply (C++ function), 105
 umpire::op::HipMemsetOperation::apply_async (C++ function), 106
 umpire::op::HipMemsetOperation::transform (C++ function), 105
 umpire::op::HipMemsetOperation::transform_async (C++ function), 105
 umpire::op::HostCopyOperation (C++ class), 45, 106
 umpire::op::HostCopyOperation::apply (C++ function), 106
 umpire::op::HostCopyOperation::apply_async (C++ function), 107
 umpire::op::HostCopyOperation::transform (C++ function), 106
 umpire::op::HostCopyOperation::transform_async (C++ function), 106
 umpire::op::HostMemsetOperation (C++ class), 45, 107
 umpire::op::HostMemsetOperation::apply (C++ function), 107
 umpire::op::HostMemsetOperation::apply_async (C++ function), 108
 umpire::op::HostMemsetOperation::transform (C++ function), 107
 umpire::op::HostMemsetOperation::transform_async (C++ function), 108
 umpire::op::HostReallocateOperation (C++ class), 45, 108
 umpire::op::HostReallocateOperation::apply (C++ function), 109
 umpire::op::HostReallocateOperation::apply_async (C++ function), 109
 umpire::op::HostReallocateOperation::transform (C++ function), 108
 umpire::op::HostReallocateOperation::transform_async (C++ function), 108
 umpire::op::MemoryOperation (C++ class), 45, 110
 umpire::op::MemoryOperation::~MemoryOperation (C++ function), 110
 umpire::op::MemoryOperation::apply (C++ function), 111
 umpire::op::MemoryOperation::apply_async (C++ function), 111
 umpire::op::MemoryOperation::transform (C++ function), 110
 umpire::op::MemoryOperation::transform_async (C++ function), 111
 umpire::op::MemoryOperationRegistry

(C++ class), 46, 111

umpire::op::MemoryOperationRegistry::~MemoryOperationRegistry (C++ function), 112

umpire::op::MemoryOperationRegistry::find (C++ function), 112

umpire::op::MemoryOperationRegistry::get (C++ function), 112

umpire::op::MemoryOperationRegistry::MemoryOperationRegistry (C++ function), 112

umpire::op::MemoryOperationRegistry::open (C++ function), 112

umpire::op::MemoryOperationRegistry::register (C++ function), 112

umpire::op::NumaMoveOperation (C++ class), 46, 113

umpire::op::NumaMoveOperation::apply (C++ function), 113

umpire::op::NumaMoveOperation::apply_async (C++ function), 113

umpire::op::NumaMoveOperation::transform (C++ function), 113

umpire::op::NumaMoveOperation::transform_async (C++ function), 113

umpire::op::OpenMPTargetCopyOperation (C++ class), 46, 114

umpire::op::OpenMPTargetCopyOperation::apply (C++ function), 114

umpire::op::OpenMPTargetCopyOperation::apply_async (C++ function), 115

umpire::op::OpenMPTargetCopyOperation::OpenMPTargetCopyOperation (C++ function), 114

umpire::op::OpenMPTargetCopyOperation::transfer (C++ function), 114

umpire::op::OpenMPTargetCopyOperation::transfer_async (C++ function), 114

umpire::op::OpenMPTargetMemsetOperation (C++ class), 46, 115

umpire::op::OpenMPTargetMemsetOperation::apply (C++ function), 115

umpire::op::OpenMPTargetMemsetOperation::apply_async (C++ function), 116

umpire::op::OpenMPTargetMemsetOperation::apply_async (C++ function), 116

umpire::op::OpenMPTargetMemsetOperation::apply_async (C++ function), 116

umpire::op::pair_hash (C++ struct), 46, 75

umpire::op::pair_hash::operator () (C++ function), 75

umpire::Platform (C++ type), 267

umpire::pointer_contains (C++ function), 198

umpire::pointer_overlaps (C++ function), 198

umpire::print_allocator_records (C++ function), 199

umpire::Replay (C++ class), 116

umpire::replay (C++ function), 199

umpire::ReplayRegistry (C++ class), 116

umpire::ReplayLogger (C++ class), 116

umpire::Replay::logMessage (C++ function), 116

umpire::Replay::printReplayAllocator (C++ function), 116

umpire::ReplayRegistry::ReplayRegistry (C++ function), 116

umpire::Replay::replayUid (C++ function), 116

umpire::resource::CudaConstantMemoryResource (C++ class), 117

umpire::resource::CudaConstantMemoryResource::allocate (C++ function), 117

umpire::resource::CudaConstantMemoryResource::CudaConstantMemoryResource (C++ function), 117

umpire::resource::CudaConstantMemoryResource::deallocate (C++ function), 117

umpire::resource::CudaConstantMemoryResource::getAllocator (C++ function), 117

umpire::resource::CudaConstantMemoryResource::getAllocator (C++ function), 118

umpire::resource::CudaConstantMemoryResource::getCudaConstantMemoryResource (C++ function), 117

umpire::resource::CudaConstantMemoryResource::getHostMemoryResource (C++ function), 117

umpire::resource::CudaConstantMemoryResource::getId (C++ function), 118

umpire::resource::CudaConstantMemoryResource::getNativeMemoryResource (C++ function), 118

umpire::resource::CudaConstantMemoryResource::getPlatform (C++ function), 117

umpire::resource::CudaConstantMemoryResource::getPlatform (C++ function), 117

umpire::resource::CudaConstantMemoryResource::m_id (C++ member), 118

umpire::resource::CudaConstantMemoryResource::m_name (C++ member), 118

umpire::resource::CudaConstantMemoryResource::m_transfer (C++ member), 118

umpire::resource::CudaConstantMemoryResource::release (C++ function), 117

umpire::resource::CudaConstantMemoryResourceFactory (C++ class), 118

umpire::resource::CudaDeviceMemoryResource (C++ class), 119

umpire::resource::CudaDeviceMemoryResource::allocate (C++ function), 119

umpire::resource::CudaDeviceMemoryResource::CudaDeviceMemoryResource (C++ function), 119

umpire::resource::CudaDeviceMemoryResource::deallocate (C++ function), 119

umpire::resource::CudaDeviceMemoryResource::getActual (C++ function), 119

(C++ class), 127

umpire::resource::MemoryResource (C++ class), 128

umpire::resource::MemoryResource::~MemoryResource (C++ function), 128

umpire::resource::MemoryResource::allocate (C++ function), 128

umpire::resource::MemoryResource::deallocate (C++ function), 128

umpire::resource::MemoryResource::getActualSize (C++ function), 129

umpire::resource::MemoryResource::getAllOptions (C++ function), 129

umpire::resource::MemoryResource::getCurrentSize (C++ function), 128

umpire::resource::MemoryResource::getHighWatermark (C++ function), 128

umpire::resource::MemoryResource::getId (C++ function), 129

umpire::resource::MemoryResource::getName (C++ function), 129

umpire::resource::MemoryResource::getPlatform (C++ function), 129

umpire::resource::MemoryResource::getTraits (C++ function), 129

umpire::resource::MemoryResource::m_id (C++ member), 129

umpire::resource::MemoryResource::m_name (C++ member), 129

umpire::resource::MemoryResource::m_traits (C++ member), 129

umpire::resource::MemoryResource::MemoryResource (C++ function), 128

umpire::resource::MemoryResource::release (C++ function), 129

umpire::resource::MemoryResourceFactory (C++ class), 130

umpire::resource::MemoryResourceFactory::create (C++ function), 131

umpire::resource::MemoryResourceFactory::getDefaultTraits (C++ function), 131

umpire::resource::MemoryResourceFactory::isValidMemoryResource (C++ function), 131

umpire::resource::MemoryResourceRegistry (C++ class), 131

umpire::resource::MemoryResourceRegistry::MemoryResourceRegistry (C++ function), 131

umpire::resource::MemoryResourceRegistry::~MemoryResourceRegistry (C++ function), 131

umpire::resource::MemoryResourceRegistry::operator= (C++ function), 131

umpire::resource::MemoryResourceRegistry::register (C++ function), 131

umpire::resource::MemoryResourceRegistry::operator= (C++ function), 131

umpire::resource::MemoryResourceType (C++ enum), 188

umpire::resource::MemoryResourceType::Constant (C++ enumerator), 188

umpire::resource::MemoryResourceType::Device (C++ enumerator), 188

umpire::resource::MemoryResourceType::Host (C++ enumerator), 188

umpire::resource::MemoryResourceType::Pinned (C++ enumerator), 188

umpire::resource::MemoryResourceType::Unified (C++ enumerator), 188

umpire::resource::MemoryResourceTypeHash (C++ struct), 76

umpire::resource::MemoryResourceTypeHash::operator= (C++ function), 76

umpire::resource::NullMemoryResource (C++ class), 132

umpire::resource::NullMemoryResource::allocate (C++ function), 132

umpire::resource::NullMemoryResource::deallocate (C++ function), 132

umpire::resource::NullMemoryResource::getActualSize (C++ function), 133

umpire::resource::NullMemoryResource::getAllocation (C++ function), 133

umpire::resource::NullMemoryResource::getCurrentSize (C++ function), 132

umpire::resource::NullMemoryResource::getHighWatermark (C++ function), 132

umpire::resource::NullMemoryResource::getId (C++ function), 133

umpire::resource::NullMemoryResource::getName (C++ function), 133

umpire::resource::NullMemoryResource::getPlatform (C++ function), 133

umpire::resource::NullMemoryResource::getTraits (C++ function), 133

umpire::resource::NullMemoryResource::m_id (C++ member), 133

umpire::resource::NullMemoryResource::m_name (C++ member), 133

umpire::resource::NullMemoryResource::m_platform (C++ member), 133

umpire::resource::NullMemoryResource::m_traits (C++ member), 133

umpire::resource::NullMemoryResource::NullMemoryResource (C++ function), 133

(C++ function), 132
 umpire::resource::NullMemoryResource::release (C++ function), 138
 (C++ function), 133
 umpire::resource::NullMemoryResourceFactory (C++ function), 137
 (C++ class), 134
 umpire::resource::OpenMPTargetResourceFactory (C++ function), 136
 (C++ class), 134
 umpire::resource::OpenMPTargetResourceFactory::Create (C++ function), 136
 (C++ function), 134
 umpire::resource::OpenMPTargetResourceFactory::GetDefaultLimits (C++ function), 138
 (C++ function), 135
 umpire::resource::OpenMPTargetResourceFactory::OpenMemoryResourceFor (C++ function), 135
 (C++ function), 134
 umpire::ResourceManager (C++ class), 135
 umpire::ResourceManager::~~ResourceManager (C++ function), 138
 umpire::ResourceManager::copy (C++ function), 136, 137
 umpire::ResourceManager::deallocate (C++ function), 138
 umpire::ResourceManager::deregisterAllocation (C++ function), 136
 umpire::ResourceManager::findAllocation (C++ function), 136
 umpire::ResourceManager::getAllocator (C++ function), 135, 136
 umpire::ResourceManager::getAllocatorId (C++ function), 135
 umpire::ResourceManager::getAllocatorName (C++ function), 135
 umpire::ResourceManager::getDefaultAllocation (C++ function), 135
 umpire::ResourceManager::getInstance (C++ function), 138
 umpire::ResourceManager::getNumDevices (C++ function), 138
 umpire::ResourceManager::getOperation (C++ function), 138
 umpire::ResourceManager::getSize (C++ function), 138
 umpire::ResourceManager::hasAllocator (C++ function), 136
 umpire::ResourceManager::initialize (C++ function), 135
 umpire::ResourceManager::isAllocator (C++ function), 136
 umpire::ResourceManager::isAllocatorRegistered (C++ function), 136
 umpire::ResourceManager::makeAllocator (C++ function), 136
 umpire::ResourceManager::memset (C++ function), 137
 umpire::ResourceManager::move (C++ function), 137
 umpire::ResourceManager::operator= (C++ function), 138
 umpire::ResourceManager::reallocate (C++ function), 137
 umpire::ResourceManager::registerAllocation (C++ function), 136
 umpire::ResourceManager::registerAllocator (C++ function), 136
 umpire::ResourceManager::ResourceManager (C++ function), 138
 umpire::ResourceManager::setDefaultAllocator (C++ function), 135
 umpire::strategy::AlignedAllocator (C++ class), 139
 umpire::strategy::AlignedAllocator::AlignedAllocator (C++ function), 139
 umpire::strategy::AlignedAllocator::allocate (C++ function), 139
 umpire::strategy::AlignedAllocator::deallocate (C++ function), 139
 umpire::strategy::AlignedAllocator::getActualSize (C++ function), 139
 umpire::strategy::AlignedAllocator::getAllocationCount (C++ function), 140
 umpire::strategy::AlignedAllocator::getCurrentSize (C++ function), 139
 umpire::strategy::AlignedAllocator::getHighWatermark (C++ function), 139
 umpire::strategy::AlignedAllocator::getId (C++ function), 140
 umpire::strategy::AlignedAllocator::getName (C++ function), 140
 umpire::strategy::AlignedAllocator::getPlatform (C++ function), 139
 umpire::strategy::AlignedAllocator::getTraits (C++ function), 139
 umpire::strategy::AlignedAllocator::m_allocator (C++ member), 140
 umpire::strategy::AlignedAllocator::m_id (C++ member), 140
 umpire::strategy::AlignedAllocator::m_name (C++ member), 140
 umpire::strategy::AlignedAllocator::release (C++ function), 139
 umpire::strategy::AllocationAdvisor (C++ class), 44, 140
 umpire::strategy::AllocationAdvisor::allocate (C++ function), 141
 umpire::strategy::AllocationAdvisor::AllocationAdvisor (C++ function), 141
 umpire::strategy::AllocationAdvisor::deallocate (C++ function), 141
 umpire::strategy::AllocationAdvisor::getActualSize (C++ function), 141

umpire::strategy::AllocationAdvisor::getAllocationCategory::AllocationStrategy::allocate
 (C++ function), 141 (C++ function), 145
 umpire::strategy::AllocationAdvisor::getCurrentSize::AllocationStrategy::AllocationStrategy
 (C++ function), 141 (C++ function), 145
 umpire::strategy::AllocationAdvisor::getHighWatermark::AllocationStrategy::deallocate
 (C++ function), 141 (C++ function), 145
 umpire::strategy::AllocationAdvisor::getUmpire::AllocationStrategy::getActualSize
 (C++ function), 142 (C++ function), 145
 umpire::strategy::AllocationAdvisor::getName::AllocationStrategy::getAllocation
 (C++ function), 142 (C++ function), 145
 umpire::strategy::AllocationAdvisor::getPlatform::AllocationStrategy::getCurrentSize
 (C++ function), 141 (C++ function), 145
 umpire::strategy::AllocationAdvisor::getUmpire::AllocationStrategy::getHighWatermark
 (C++ function), 141 (C++ function), 145
 umpire::strategy::AllocationAdvisor::m_id::AllocationStrategy::getId
 (C++ member), 142 (C++ function), 146
 umpire::strategy::AllocationAdvisor::m_name::AllocationStrategy::getName
 (C++ member), 142 (C++ function), 146
 umpire::strategy::AllocationAdvisor::release::AllocationStrategy::getPlatform
 (C++ function), 141 (C++ function), 146
 umpire::strategy::AllocationPrefetcher umpire::strategy::AllocationStrategy::getTraits
 (C++ class), 142 (C++ function), 146
 umpire::strategy::AllocationPrefetcher::allocate::AllocationStrategy::m_id
 (C++ function), 142 (C++ member), 146
 umpire::strategy::AllocationPrefetcher::AllocationPrefetcher::AllocationStrategy::m_name
 (C++ function), 142 (C++ member), 146
 umpire::strategy::AllocationPrefetcher::duplicate::AllocationStrategy::operator<<
 (C++ function), 142 (C++ function), 146
 umpire::strategy::AllocationPrefetcher::getActualSize::AllocationStrategy::release
 (C++ function), 143 (C++ function), 145
 umpire::strategy::AllocationPrefetcher::getAllocationCount::AllocationTracker
 (C++ function), 143 (C++ class), 147
 umpire::strategy::AllocationPrefetcher::getCurrentSize::AllocationTracker::allocate
 (C++ function), 143 (C++ function), 147
 umpire::strategy::AllocationPrefetcher::getHighWatermark::AllocationTracker::AllocationTracker
 (C++ function), 143 (C++ function), 147
 umpire::strategy::AllocationPrefetcher::getUmpire::AllocationTracker::deallocate
 (C++ function), 143 (C++ function), 147
 umpire::strategy::AllocationPrefetcher::getName::AllocationTracker::deregisterAll
 (C++ function), 143 (C++ function), 148
 umpire::strategy::AllocationPrefetcher::getPlatform::AllocationTracker::getActualSize
 (C++ function), 143 (C++ function), 147
 umpire::strategy::AllocationPrefetcher::getTraits::AllocationTracker::getAllocation
 (C++ function), 143 (C++ function), 147
 umpire::strategy::AllocationPrefetcher::m_id::AllocationTracker::getAllocation
 (C++ member), 144 (C++ function), 148
 umpire::strategy::AllocationPrefetcher::m_name::AllocationTracker::getCurrentSize
 (C++ member), 144 (C++ function), 147
 umpire::strategy::AllocationPrefetcher::m_platform::AllocationTracker::getHighWatermark
 (C++ function), 143 (C++ function), 147
 umpire::strategy::AllocationStrategy umpire::strategy::AllocationTracker::getId
 (C++ class), 43, 144 (C++ function), 148
 umpire::strategy::AllocationStrategy::~~AllocationStrategy::AllocationTracker::getName
 (C++ function), 145 (C++ function), 148

umpire::strategy::AllocationTracker::getBufferStrategy::DynamicPoolList::getTraits
 (C++ function), 147 (C++ function), 150
 umpire::strategy::AllocationTracker::getUmpire::strategy::DynamicPoolList::m_id
 (C++ function), 148 (C++ member), 151
 umpire::strategy::AllocationTracker::m_allocationStrategy::DynamicPoolList::m_name
 (C++ member), 148 (C++ member), 151
 umpire::strategy::AllocationTracker::m_current_size::DynamicPoolList::release
 (C++ member), 148 (C++ function), 149
 umpire::strategy::AllocationTracker::m_hardwareStrategy::DynamicPoolMap (C++
 (C++ member), 148 class), 151
 umpire::strategy::AllocationTracker::m_id::DynamicPoolMap::~~DynamicPoolMap
 (C++ member), 148 (C++ function), 152
 umpire::strategy::AllocationTracker::m_name::DynamicPoolMap::allocate
 (C++ member), 148 (C++ function), 152
 umpire::strategy::AllocationTracker::registerAllStrategy::DynamicPoolMap::coalesce
 (C++ function), 148 (C++ function), 153
 umpire::strategy::AllocationTracker::release::DynamicPoolMap::CoalesceHeuristic
 (C++ function), 147 (C++ type), 151
 umpire::strategy::bits_per_int (C++ mem- umpire::strategy::DynamicPoolMap::deallocate
 ber), 255 (C++ function), 152
 umpire::strategy::DynamicPool (C++ type), umpire::strategy::DynamicPoolMap::DynamicPoolMap
 267 (C++ function), 152
 umpire::strategy::DynamicPoolList (C++ umpire::strategy::DynamicPoolMap::getActualSize
 class), 149 (C++ function), 152
 umpire::strategy::DynamicPoolList::allocate::DynamicPoolMap::getAllocationCount
 (C++ function), 149, 150 (C++ function), 153
 umpire::strategy::DynamicPoolList::coalesce::DynamicPoolMap::getBlocksInPool
 (C++ function), 150 (C++ function), 153
 umpire::strategy::DynamicPoolList::CoalesceHeuristic::DynamicPoolMap::getCurrentSize
 (C++ type), 149 (C++ function), 152
 umpire::strategy::DynamicPoolList::deallocate::DynamicPoolMap::getFreeBlocks
 (C++ function), 149 (C++ function), 153
 umpire::strategy::DynamicPoolList::DynamicPoolList::DynamicPoolMap::getHighWatermark
 (C++ function), 149 (C++ function), 152
 umpire::strategy::DynamicPoolList::getActualSize::DynamicPoolMap::getId
 (C++ function), 149 (C++ function), 153
 umpire::strategy::DynamicPoolList::getAllocationCount::DynamicPoolMap::getInUseBlocks
 (C++ function), 150 (C++ function), 153
 umpire::strategy::DynamicPoolList::getBlocksInPool::DynamicPoolMap::getLargestAvailableBlock
 (C++ function), 150 (C++ function), 153
 umpire::strategy::DynamicPoolList::getCurrentSize::DynamicPoolMap::getName
 (C++ function), 149 (C++ function), 153
 umpire::strategy::DynamicPoolList::getHighWatermark::DynamicPoolMap::getPlatform
 (C++ function), 150 (C++ function), 153
 umpire::strategy::DynamicPoolList::getId::DynamicPoolMap::getReleasableSize
 (C++ function), 151 (C++ function), 153
 umpire::strategy::DynamicPoolList::getLargestAvailableBlock::DynamicPoolMap::getTraits
 (C++ function), 150 (C++ function), 153
 umpire::strategy::DynamicPoolList::getName::DynamicPoolMap::m_id
 (C++ function), 150 (C++ member), 154
 umpire::strategy::DynamicPoolList::getPlatform::DynamicPoolMap::m_name
 (C++ function), 150 (C++ member), 154
 umpire::strategy::DynamicPoolList::getReleasableSize::DynamicPoolMap::Pointer
 (C++ function), 150 (C++ type), 151

umpire::strategy::DynamicPoolMap::release (C++ function), 152
 umpire::strategy::DynamicPoolMap::releasable (C++ member), 255
 umpire::strategy::find_first_set (C++ function), 199
 umpire::strategy::FixedPool (C++ class), 44, 154
 umpire::strategy::FixedPool::~FixedPool (C++ function), 154
 umpire::strategy::FixedPool::allocate (C++ function), 155
 umpire::strategy::FixedPool::deallocate (C++ function), 155
 umpire::strategy::FixedPool::FixedPool (C++ function), 154
 umpire::strategy::FixedPool::getActualSize (C++ function), 155
 umpire::strategy::FixedPool::getAllocationCount (C++ function), 155
 umpire::strategy::FixedPool::getCurrentSize (C++ function), 155
 umpire::strategy::FixedPool::getHighWatermark (C++ function), 155
 umpire::strategy::FixedPool::getId (C++ function), 156
 umpire::strategy::FixedPool::getName (C++ function), 156
 umpire::strategy::FixedPool::getPlatform (C++ function), 155
 umpire::strategy::FixedPool::getTraits (C++ function), 155
 umpire::strategy::FixedPool::m_id (C++ member), 156
 umpire::strategy::FixedPool::m_name (C++ member), 156
 umpire::strategy::FixedPool::numPools (C++ function), 155
 umpire::strategy::FixedPool::pointerIsFromPool (C++ function), 155
 umpire::strategy::FixedPool::Pool (C++ struct), 76
 umpire::strategy::FixedPool::Pool::avail (C++ member), 76
 umpire::strategy::FixedPool::Pool::data (C++ member), 76
 umpire::strategy::FixedPool::Pool::num_avail (C++ member), 76
 umpire::strategy::FixedPool::Pool::Pool (C++ function), 76
 umpire::strategy::FixedPool::Pool::strategy (C++ member), 76
 umpire::strategy::FixedPool::release (C++ function), 155
 umpire::strategy::heuristic_percent_releasable (C++ function), 199
 umpire::strategy::heuristic_percent_releasable (C++ member), 255
 umpire::strategy::heuristic_percent_releasable_list (C++ function), 200
 umpire::strategy::heuristic_percent_releasable_list (C++ member), 255
 umpire::strategy::MixedPool (C++ class), 156
 umpire::strategy::MixedPool::allocate (C++ function), 157
 umpire::strategy::MixedPool::deallocate (C++ function), 157
 umpire::strategy::MixedPool::getActualSize (C++ function), 157
 umpire::strategy::MixedPool::getAllocationCount (C++ function), 158
 umpire::strategy::MixedPool::getCurrentSize (C++ function), 157
 umpire::strategy::MixedPool::getHighWatermark (C++ function), 157
 umpire::strategy::MixedPool::getId (C++ function), 158
 umpire::strategy::MixedPool::getName (C++ function), 158
 umpire::strategy::MixedPool::getPlatform (C++ function), 157
 umpire::strategy::MixedPool::getTraits (C++ function), 158
 umpire::strategy::MixedPool::m_id (C++ member), 158
 umpire::strategy::MixedPool::m_name (C++ member), 158
 umpire::strategy::MixedPool::MixedPool (C++ function), 156
 umpire::strategy::MixedPool::release (C++ function), 157
 umpire::strategy::mixins::Inspector (C++ class), 158
 umpire::strategy::mixins::Inspector::deregisterAll (C++ function), 158
 umpire::strategy::mixins::Inspector::Inspector (C++ function), 158
 umpire::strategy::mixins::Inspector::m_allocation (C++ member), 159
 umpire::strategy::mixins::Inspector::m_current_size (C++ member), 159
 umpire::strategy::mixins::Inspector::m_high_watermark (C++ member), 159
 umpire::strategy::mixins::Inspector::registerAllocation (C++ function), 158
 umpire::strategy::MonotonicAllocationStrategy (C++ class), 44, 159
 umpire::strategy::MonotonicAllocationStrategy::~MonotonicAllocationStrategy (C++ function), 159

umpire::strategy::QuickPool::Chunk::freeumpire::strategy::QuickPool::pool_allocator::size_t
 (C++ member), 77 (C++ type), 167
 umpire::strategy::QuickPool::Chunk::nextumpire::strategy::QuickPool::pool_allocator::value
 (C++ member), 77 (C++ type), 167
 umpire::strategy::QuickPool::Chunk::prevumpire::strategy::QuickPool::QuickPool
 (C++ member), 77 (C++ function), 165
 umpire::strategy::QuickPool::Chunk::sizeumpire::strategy::QuickPool::release
 (C++ member), 77 (C++ function), 165
 umpire::strategy::QuickPool::Chunk::sizeumpire::strategy::SizeLimiter (C++ class),
 (C++ member), 77 168
 umpire::strategy::QuickPool::coalesce umpire::strategy::SizeLimiter::allocate
 (C++ function), 166 (C++ function), 168
 umpire::strategy::QuickPool::CoalesceHeuristicsumpire::strategy::SizeLimiter::deallocate
 (C++ type), 165 (C++ function), 168
 umpire::strategy::QuickPool::deallocate umpire::strategy::SizeLimiter::getActualSize
 (C++ function), 165 (C++ function), 168
 umpire::strategy::QuickPool::getActualSizeumpire::strategy::SizeLimiter::getAllocationCount
 (C++ function), 165 (C++ function), 169
 umpire::strategy::QuickPool::getAllocationCountumpire::strategy::SizeLimiter::getCurrentSize
 (C++ function), 166 (C++ function), 168
 umpire::strategy::QuickPool::getCurrentSizeumpire::strategy::SizeLimiter::getHighWatermark
 (C++ function), 165 (C++ function), 168
 umpire::strategy::QuickPool::getHighWatermarkumpire::strategy::SizeLimiter::getId
 (C++ function), 165 (C++ function), 169
 umpire::strategy::QuickPool::getId (C++ umpire::strategy::SizeLimiter::getName
 function), 166 (C++ function), 169
 umpire::strategy::QuickPool::getName umpire::strategy::SizeLimiter::getPlatform
 (C++ function), 166 (C++ function), 168
 umpire::strategy::QuickPool::getPlatformumpire::strategy::SizeLimiter::getTraits
 (C++ function), 166 (C++ function), 168
 umpire::strategy::QuickPool::getReleasableSizeumpire::strategy::SizeLimiter::m_id
 (C++ function), 166 (C++ member), 169
 umpire::strategy::QuickPool::getTraits umpire::strategy::SizeLimiter::m_name
 (C++ function), 166 (C++ member), 169
 umpire::strategy::QuickPool::m_id (C++ umpire::strategy::SizeLimiter::release
 member), 166 (C++ function), 168
 umpire::strategy::QuickPool::m_name umpire::strategy::SizeLimiter::SizeLimiter
 (C++ member), 166 (C++ function), 168
 umpire::strategy::QuickPool::percent_releasableumpire::strategy::SlotPool (C++ class), 44,
 (C++ function), 166 169
 umpire::strategy::QuickPool::Pointer umpire::strategy::SlotPool::~~SlotPool
 (C++ type), 165 (C++ function), 169
 umpire::strategy::QuickPool::pool_allocatorumpire::strategy::SlotPool::allocate
 (C++ class), 167 (C++ function), 169
 umpire::strategy::QuickPool::pool_allocatorumpire::strategy::SlotPool::deallocate
 (C++ function), 167 (C++ function), 170
 umpire::strategy::QuickPool::pool_allocatorumpire::strategy::SlotPool::getActualSize
 (C++ function), 167 (C++ function), 170
 umpire::strategy::QuickPool::pool_allocatorumpire::strategy::SlotPool::getAllocationCount
 (C++ type), 167 (C++ function), 170
 umpire::strategy::QuickPool::pool_allocatorumpire::strategy::SlotPool::getCurrentSize
 (C++ member), 167 (C++ function), 170
 umpire::strategy::QuickPool::pool_allocatorumpire::strategy::SlotPool::getHighWatermark
 (C++ function), 167 (C++ function), 170

umpire::strategy::SlotPool::getId (C++ function), 170
 umpire::strategy::SlotPool::getName (C++ function), 170
 umpire::strategy::SlotPool::getPlatform (C++ function), 170
 umpire::strategy::SlotPool::getTraits (C++ function), 170
 umpire::strategy::SlotPool::m_id (C++ member), 171
 umpire::strategy::SlotPool::m_name (C++ member), 171
 umpire::strategy::SlotPool::release (C++ function), 170
 umpire::strategy::SlotPool::SlotPool (C++ function), 169
 umpire::strategy::ThreadSafeAllocator (C++ class), 44, 171
 umpire::strategy::ThreadSafeAllocator::allocate (C++ function), 171
 umpire::strategy::ThreadSafeAllocator::deallocate (C++ function), 171
 umpire::strategy::ThreadSafeAllocator::getActualSize (C++ function), 172
 umpire::strategy::ThreadSafeAllocator::getAllocationCount (C++ function), 172
 umpire::strategy::ThreadSafeAllocator::getCurrentSize (C++ function), 172
 umpire::strategy::ThreadSafeAllocator::getHighWatermark (C++ function), 172
 umpire::strategy::ThreadSafeAllocator::getId (C++ function), 172
 umpire::strategy::ThreadSafeAllocator::getName (C++ function), 172
 umpire::strategy::ThreadSafeAllocator::getPlatform (C++ function), 171
 umpire::strategy::ThreadSafeAllocator::getTraits (C++ function), 171
 umpire::strategy::ThreadSafeAllocator::m_allocate (C++ member), 172
 umpire::strategy::ThreadSafeAllocator::m_id (C++ member), 172
 umpire::strategy::ThreadSafeAllocator::m_mutex (C++ member), 172
 umpire::strategy::ThreadSafeAllocator::m_name (C++ member), 172
 umpire::strategy::ThreadSafeAllocator::release (C++ function), 171
 umpire::strategy::ThreadSafeAllocator::ThreadSafeAllocator (C++ function), 171
 umpire::strategy::ZeroByteHandler (C++ class), 173
 umpire::strategy::ZeroByteHandler::allocate (C++ type), 176, 177
 umpire::strategy::ZeroByteHandler::deallocate (C++ function), 173
 umpire::strategy::ZeroByteHandler::getActualSize (C++ function), 173
 umpire::strategy::ZeroByteHandler::getAllocationCount (C++ function), 174
 umpire::strategy::ZeroByteHandler::getAllocationStrategy (C++ function), 174
 umpire::strategy::ZeroByteHandler::getCurrentSize (C++ function), 173
 umpire::strategy::ZeroByteHandler::getHighWatermark (C++ function), 173
 umpire::strategy::ZeroByteHandler::getId (C++ function), 174
 umpire::strategy::ZeroByteHandler::getName (C++ function), 174
 umpire::strategy::ZeroByteHandler::getPlatform (C++ function), 174
 umpire::strategy::ZeroByteHandler::getTraits (C++ function), 174
 umpire::strategy::ZeroByteHandler::m_id (C++ member), 174
 umpire::strategy::ZeroByteHandler::m_name (C++ member), 174
 umpire::strategy::ZeroByteHandler::release (C++ function), 173
 umpire::strategy::ZeroByteHandler::ZeroByteHandler (C++ function), 173
 umpire::TypedAllocator::allocate (C++ function), 175
 umpire::TypedAllocator::deallocate (C++ function), 175
 umpire::TypedAllocator::TypedAllocator (C++ function), 175
 umpire::TypedAllocator::value_type (C++ type), 175
 umpire::util::AllocationMap (C++ class), 176
 umpire::util::AllocationMap::AllocationMap (C++ function), 176
 umpire::util::AllocationMap::begin (C++ function), 176
 umpire::util::AllocationMap::clear (C++ function), 176
 umpire::util::AllocationMap::ConstIterator (C++ function), 177
 umpire::util::AllocationMap::ConstIterator::ConstIterator (C++ function), 177
 umpire::util::AllocationMap::ConstIterator::difference (C++ type), 176, 177
 umpire::util::AllocationMap::ConstIterator::iterator (C++ type), 176, 177
 umpire::util::AllocationMap::ConstIterator::operator (C++ type), 176, 177

(C++ function), 79
 umpire::util::backtracer<trace_optional>umpire::util::iterator_begin (C++ struct),
 (C++ struct), 79
 umpire::util::backtracer<trace_optional>umpire::util::iterator_end (C++ struct), 80
 (C++ function), 79
 umpire::util::backtracer<trace_optional>umpire::util::Logger (C++ class), 182
 (C++ function), 79
 umpire::util::Logger::~Logger (C++ func-
 tion), 182
 umpire::util::Logger::finalize (C++ func-
 tion), 182
 umpire::util::Logger::getActiveLogger
 (C++ function), 182
 umpire::util::Logger::initialize (C++
 function), 182
 umpire::util::Logger::Logger (C++ func-
 tion), 182
 umpire::util::Logger::LogLevelEnabled
 (C++ function), 182
 umpire::util::Logger::logMessage (C++
 function), 182
 umpire::util::Logger::operator= (C++
 function), 182
 umpire::util::Logger::setLoggingMsgLevel
 (C++ function), 182
 umpire::util::make_unique (C++ function),
 203
 umpire::util::make_unique_filename (C++
 function), 204
 umpire::util::MemoryMap (C++ class), 182
 umpire::util::MemoryMap::~MemoryMap
 (C++ function), 183
 umpire::util::MemoryMap::begin (C++ func-
 tion), 183
 umpire::util::MemoryMap::clear (C++ func-
 tion), 184
 umpire::util::MemoryMap::ConstIterator
 (C++ function), 183
 umpire::util::MemoryMap::doInsert (C++
 function), 184
 umpire::util::MemoryMap::end (C++ func-
 tion), 183, 184
 umpire::util::MemoryMap::erase (C++ func-
 tion), 184
 umpire::util::MemoryMap::find (C++ func-
 tion), 183
 umpire::util::MemoryMap::findOrBefore
 (C++ function), 183, 184
 umpire::util::MemoryMap::insert (C++
 function), 183, 184
 umpire::util::MemoryMap::Iterator (C++
 type), 183
 umpire::util::MemoryMap::Iterator_ (C++
 class), 184, 185
 umpire::util::MemoryMap::Iterator_::Content
 (C++ type), 184, 185

umpire::util::MemoryMap::Iterator_::difference (C++ type), 184, 185
 umpire::util::MemoryMap::Iterator_::Iterator_ (C++ function), 185, 186
 umpire::util::MemoryMap::Iterator_::iterator_category (C++ type), 184, 185
 umpire::util::MemoryMap::Iterator_::Map (C++ type), 184, 185
 umpire::util::MemoryMap::Iterator_::operator!= (C++ function), 185, 186
 umpire::util::MemoryMap::Iterator_::operator* (C++ function), 185, 186
 umpire::util::MemoryMap::Iterator_::operator++ (C++ function), 185, 186
 umpire::util::MemoryMap::Iterator_::operator== (C++ function), 185, 186
 umpire::util::MemoryMap::Iterator_::operator+ (C++ function), 185, 186
 umpire::util::MemoryMap::Iterator_::Pointer (C++ type), 184, 186
 umpire::util::MemoryMap::Iterator_::pointer (C++ type), 184, 185
 umpire::util::MemoryMap::Iterator_::Reference (C++ type), 184, 186
 umpire::util::MemoryMap::Iterator_::reference (C++ type), 184, 185
 umpire::util::MemoryMap::Iterator_::value_type (C++ type), 184, 185
 umpire::util::MemoryMap::Iterator_::ValuePtr (C++ type), 184, 185
 umpire::util::MemoryMap::Key (C++ type), 183
 umpire::util::MemoryMap::KeyValuePair (C++ type), 183
 umpire::util::MemoryMap::MemoryMap (C++ function), 183
 umpire::util::MemoryMap::removeLast (C++ function), 184
 umpire::util::MemoryMap::size (C++ function), 184
 umpire::util::MemoryMap::Value (C++ type), 183
 umpire::util::message::Level (C++ enum), 189
 umpire::util::message::Level::Debug (C++ enumerator), 189
 umpire::util::message::Level::Error (C++ enumerator), 189
 umpire::util::message::Level::Info (C++ enumerator), 189
 umpire::util::message::Level::Num_Levels (C++ enumerator), 189
 umpire::util::message::Level::Warning (C++ enumerator), 189
 umpire::util::MessageLevelName (C++ member), 256
 umpire::util::MPI (C++ class), 186
 umpire::util::MPI::finalize (C++ function), 186
 umpire::util::MPI::getRank (C++ function), 186
 umpire::util::MPI::getSize (C++ function), 186
 umpire::util::MPI::initialize (C++ function), 186
 umpire::util::MPI::isInitialized (C++ function), 186
 umpire::util::MPI::logMpiInfo (C++ function), 186
 umpire::util::MPI::sync (C++ function), 186
 umpire::util::OutputBuffer (C++ class), 187
 umpire::util::OutputBuffer::~OutputBuffer (C++ function), 187
 umpire::util::OutputBuffer::OutputBuffer (C++ function), 187
 umpire::util::OutputBuffer::overflow (C++ function), 187
 umpire::util::OutputBuffer::setConsoleStream (C++ function), 187
 umpire::util::OutputBuffer::setFileStream (C++ function), 187
 umpire::util::OutputBuffer::sync (C++ function), 187
 umpire::util::relative_fragmentation (C++ function), 204
 umpire::util::Statistic (C++ class), 187
 umpire::util::Statistic::~Statistic (C++ function), 187
 umpire::util::Statistic::printData (C++ function), 187
 umpire::util::Statistic::recordStatistic (C++ function), 187
 umpire::util::Statistic::Statistic (C++ function), 188
 umpire::util::StatisticsDatabase (C++ class), 188
 umpire::util::StatisticsDatabase::getDatabase (C++ function), 188
 umpire::util::StatisticsDatabase::getStatistic (C++ function), 188
 umpire::util::StatisticsDatabase::printStatistics (C++ function), 188
 umpire::util::trace_always (C++ struct), 80
 umpire::util::trace_optional (C++ struct), 81
 umpire::util::unwrap_allocation_strategy (C++ function), 204
 umpire::util::unwrap_allocator (C++ func-

- tion*), 204
- `umpire::util::wrap_allocator` (C++ *function*), 205
- `umpire_allocator` (C++ *type*), 267
- `umpire_allocator_allocate` (C++ *function*), 205
- `umpire_allocator_deallocate` (C++ *function*), 205
- `umpire_allocator_delete` (C++ *function*), 206
- `umpire_allocator_get_actual_size` (C++ *function*), 206
- `umpire_allocator_get_allocation_count` (C++ *function*), 206, 207
- `umpire_allocator_get_current_size` (C++ *function*), 207
- `umpire_allocator_get_high_watermark` (C++ *function*), 207
- `umpire_allocator_get_id` (C++ *function*), 208
- `umpire_allocator_get_name` (C++ *function*), 208
- `umpire_allocator_get_name_bufferify` (C++ *function*), 208, 209
- `umpire_allocator_get_size` (C++ *function*), 209
- `UMPIRE_Allocator_INL` (C *macro*), 263
- `umpire_allocator_release` (C++ *function*), 209
- `UMPIRE_ASSERT` (C *macro*), 263
- `UMPIRE_Backtrace_INL` (C *macro*), 263
- `UMPIRE_DefaultMemoryResource_INL` (C *macro*), 264
- `UMPIRE_ERROR` (C *macro*), 264
- `umpire_get_backtrace_bufferify` (C++ *function*), 210
- `umpire_get_device_memory_usage` (C++ *function*), 210
- `umpire_get_process_memory_usage` (C++ *function*), 210, 211
- `UMPIRE_INVALID_ALLOCATOR_ID` (C *macro*), 264
- `UMPIRE_LOG` (C *macro*), 264
- `UMPIRE_MemoryMap_INL` (C *macro*), 264
- `umpire_mod::allocator_deallocate` (C++ *function*), 214
- `umpire_mod::allocator_delete` (C++ *function*), 218
- `umpire_mod::allocator_release` (C++ *function*), 220
- `umpire_mod::allocator_set_instance` (C++ *function*), 220
- `umpire_mod::resourcemanager_copy_all` (C++ *function*), 221
- `umpire_mod::resourcemanager_copy_with_size` (C++ *function*), 221
- `umpire_mod::resourcemanager_deallocate` (C++ *function*), 222
- `umpire_mod::resourcemanager_memset_all` (C++ *function*), 225
- `umpire_mod::resourcemanager_memset_with_size` (C++ *function*), 225
- `umpire_mod::resourcemanager_register_allocator` (C++ *function*), 226
- `umpire_pointer_contains` (C++ *function*), 226
- `umpire_pointer_overlaps` (C++ *function*), 227
- `UMPIRE_POISON_MEMORY_REGION` (C *macro*), 265
- `UMPIRE_RECORD_BACKTRACE` (C *macro*), 265
- `UMPIRE_RECORD_STATISTIC` (C *macro*), 265
- `UMPIRE_REPLAY` (C *macro*), 265
- `umpire_resourcemanager` (C++ *type*), 267
- `umpire_resourcemanager_copy_all` (C++ *function*), 227
- `umpire_resourcemanager_copy_with_size` (C++ *function*), 228
- `umpire_resourcemanager_deallocate` (C++ *function*), 228
- `umpire_resourcemanager_get_allocator_by_id` (C++ *function*), 228, 229
- `umpire_resourcemanager_get_allocator_by_name` (C++ *function*), 229
- `umpire_resourcemanager_get_allocator_by_name_bufferify` (C++ *function*), 230
- `umpire_resourcemanager_get_allocator_for_ptr` (C++ *function*), 230, 231
- `umpire_resourcemanager_get_instance` (C++ *function*), 231
- `umpire_resourcemanager_get_size` (C++ *function*), 231, 232
- `umpire_resourcemanager_has_allocator` (C++ *function*), 232
- `UMPIRE_ResourceManager_INL` (C *macro*), 266
- `umpire_resourcemanager_is_allocator` (C++ *function*), 232
- `umpire_resourcemanager_is_allocator_bufferify` (C++ *function*), 233
- `umpire_resourcemanager_make_allocator_advisor` (C++ *function*), 233, 234
- `umpire_resourcemanager_make_allocator_bufferify_advisor` (C++ *function*), 234, 235
- `umpire_resourcemanager_make_allocator_bufferify_fix` (C++ *function*), 235, 236
- `umpire_resourcemanager_make_allocator_bufferify_list` (C++ *function*), 237
- `umpire_resourcemanager_make_allocator_bufferify_name` (C++ *function*), 238
- `umpire_resourcemanager_make_allocator_bufferify_pointer` (C++ *function*), 239
- `umpire_resourcemanager_make_allocator_bufferify_pre` (C++ *function*), 240, 241
- `umpire_resourcemanager_make_allocator_bufferify_thread` (C++ *function*), 241, 242

umpire_resourcemanager_make_allocator_fixed_pool
 (C++ *function*), 242, 243
 umpire_resourcemanager_make_allocator_list_pool
 (C++ *function*), 243
 umpire_resourcemanager_make_allocator_named
 (C++ *function*), 244
 umpire_resourcemanager_make_allocator_pool
 (C++ *function*), 244, 245
 umpire_resourcemanager_make_allocator_prefetcher
 (C++ *function*), 245
 umpire_resourcemanager_make_allocator_thread_safe
 (C++ *function*), 246
 umpire_resourcemanager_memset_all (C++
 function), 246, 247
 umpire_resourcemanager_memset_with_size
 (C++ *function*), 247
 umpire_resourcemanager_move (C++ *function*),
 247
 umpire_resourcemanager_reallocate_default
 (C++ *function*), 248
 umpire_resourcemanager_reallocate_with_allocator
 (C++ *function*), 248
 umpire_resourcemanager_register_allocator
 (C++ *function*), 249
 umpire_resourcemanager_register_allocator_bufferify
 (C++ *function*), 249
 umpire_SHROUD_array (C++ *type*), 268
 umpire_SHROUD_capsule_data (C++ *type*), 268
 umpire_SHROUD_memory_destructor (C++
 function), 250
 umpire_strategy_allocationadvisor (C++
 type), 268
 umpire_strategy_allocationprefetcher
 (C++ *type*), 268
 umpire_strategy_dynamicpool (C++ *type*), 268
 umpire_strategy_dynamicpoollist (C++
 type), 269
 umpire_strategy_fixedpool (C++ *type*), 269
 umpire_strategy_mod::allocationadvisor_set_instance
 (C++ *function*), 251
 umpire_strategy_mod::dynamicpool_set_instance
 (C++ *function*), 252
 umpire_strategy_mod::namedallocationstrategy_set_instance
 (C++ *function*), 253
 umpire_strategy_namedallocationstrategy
 (C++ *type*), 269
 umpire_strategy_threadsafeallocator
 (C++ *type*), 269
 UMPIRE_TypedAllocator_INL (C *macro*), 266
 UMPIRE_UNPOISON_MEMORY_REGION (C *macro*),
 266
 UMPIRE_UNUSED_ARG (C *macro*), 266
 UMPIRE_USE_VAR (C *macro*), 266